SAFETY DATA SHEET



1. Identification

Product identifier	ONE PLUS	
Other means of identification		
SDS number	575N-052B	
Product code	HIL00527	
Recommended use	Floor Finish	
Recommended restrictions	For Labeled Use Only	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	HILLYARD INDUSTRIES	
Address	302 North Fourth St.	
	St. Joseph, MO 64501	

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use With Adequate Ventilation. Prolonged inhalation of vapor may cause slight irritation of nose, throat, and lungs. Keep container closed when not in use. Do not take internally. Observe good industrial hygiene practices.
Response	If swallowed, induce vomiting immediately. Immediately consult medical personnel. If inhaled move to fresh air. If discomfort persists, get medical attention. Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethoxydiglycol		111-90-0	3 - < 5
Alcohols Ethoxylated		68131-39-5	1 - < 3
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below report	able levels		90 - 100
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	s develop or persist.	
Skin contact	Wash off with soap and water. Get medical att	ention if irritation develops an	d persists.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses Continue rinsing.		
Ingestion	If swallowed, induce vomiting immediately. Immediately consult medical personnel. If inhaled move to fresh air. If discomfort persists, get medical attention.		
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary	rirritation.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically.		
General information	Ensure that medical personnel are aware of th protect themselves.	e material(s) involved, and tal	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do se	o without risk.	
Specific methods	Use standard firefighting procedures and cons	ider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Follow pre data sheet. For personal protection, see section		scribed in this safety
Methods and materials for containment and cleaning up	This product is miscible in water.		
	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or ea recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean surf	ace thoroughly to
	Never return spills to original containers for re-		section 13 of the SDS
Environmental precautions	Avoid discharge into drains, water courses or o	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Avoid prolonged exposure. Observe good indu	ustrial hygiene practices.	
Conditions for onfo starses	Store in tightly closed container. Store away fr		0 11 40 51

Conditions for safe storage,
including any incompatibilitiesStore in tightly closed container. Store away from incompatible materials (see Section 10 of the
SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	
Ethoxydiglycol (CAS 111-90-0)	TWA	140 mg/m3	
		25 ppm	
iological limit values	No biological exposure limits noted fo	r the ingredient(s).	
ppropriate engineering ontrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
dividual protection measure	s, such as personal protective equipme	ent	
Eye/face protection	Avoid contact with eyes.		
Skin protection			
Hand protection	Not normally needed.		
Other	Not normally needed.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Not applicable.		
eneral hygiene onsiderations		ne measures, such as washing after handling the material noking. Routinely wash work clothing and protective	

9. Physical and chemical properties

···· , ··· , ··· · · · · · · · · · · ·	
Appearance	Milky, white emulsion
Physical state	Liquid.
Form	Liquid.
Color	Milky white
Odor	non-objectionable odor
Odor threshold	Not available
рН	7 - 8
Melting point/freezing point	Not available
Initial boiling point and boiling range	> 200 °F (> 93.33 °C)
Flash point	> 200.0 Tag Closed Cup
Evaporation rate	< 1 (ethyl ether = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.54 mm Hg
Vapor density	1.0227 AIR=1
Relative density	1.023 at 77°F
Solubility(ies)	
Solubility (water)	Dispersable
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	8.52 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	81.5 - 82.5 %

voc

CARB Compliant

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May be irritating to the skin.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity	Not known.	
Product	Species	Test Results
ONE PLUS		
Acute		
Dermal		
LD50	Rat	164300 mg/kg
Inhalation		
LC50	Mouse	513200 mg/l, 4 Hours
Oral		
LD50	Rat	40610 mg/kg
Components	Species	Test Results
Ethoxydiglycol (CAS 111-90-0)		
Acute		
Dermal		
LD50	Rat	6000 mg/kg
Tributoxyethyl Phosphate (CAS 7	8-51-3)	
<u>Acute</u>		
Oral		
LD50	Rat	3000 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		

Not listed.	d Substances (29 CFR 1910.1001-1053) ogram (NTP) Report on Carcinogens
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
ONE PLUS				
Aquatic				
Crustacea	EC50	Daphnia	34.6828 mg/l, 48 hours estimated	
Fish	LC50	Fish	59.3675 mg/l, 96 hours estimated	
Components		Species	Test Results	
Alcohols Ethoxylated (CAS 6	8131-39-5)			
Aquatic				
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	0.37 - 0.43 mg/l, 48 hours	
Fish	LC50	Channel catfish (Ictalurus punctatus)	1.04 - 1.39 mg/l, 96 hours	
Ethoxydiglycol (CAS 111-90-	0)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours	
Tributoxyethyl Phosphate (Ca	AS 78-51-3)			
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)) 10.4 - 12 mg/l, 96 hours	
rsistence and degradability	No data is available on the degradability of this product.			
paccumulative potential				
Partition coefficient n-octa	nol / water (log			
Ethoxydiglycol Tributoxyethyl Phosphate		-0.54		
bility in soil	No data avail	3.75 No data available.		
her adverse effects				
ner auverse enects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
. Disposal consideratio	ns			
sposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
cal disposal regulations		Dispose in accordance with all applicable regulations.		
zardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
aste from residues / unused oducts	product resid	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
ntaminated packaging		d containers may retain product residue, fo oty containers should be taken to an appro-		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List or Exempt.

Toxic Substances Control Act (TSCA)

One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

(SDWA)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Tributoxyethyl Phosphate (CAS 78-51-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

01-08-2015

Revision date Version # Further information HMIS® ratings	08-18-2021 03 This product meets Green Seal™ Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org. Health: 1 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.