

SAFETY DATA SHEET

GEO42331

1. Identification

| Il laonanou lon | | |
|---------------------------------|---|--|
| Product identifier | enMotion® Foam Hand Sa | nitizer with Moisturizers |
| Product list | enMotion® Foam Hand San enMotion® Foam Hand San | itizer with Moisturizers, Fragrance Free, Lt. Green SKU 42331 itizer with Moisturizers, Fragrance Free, Lt. Green, 45mL SKU GP6172 itizer with Moisturizers SKU 42334 itizer with Moisturizers 45 mL SKU GP5135 |
| Other means of identification | None. | |
| Recommended use | Hand Sanitizer | |
| Recommended restrictions | This product is regulated as personal care use. | an Over-the-Counter (OTC) drug in the US and is intended for |
| Manufacturer/Importer/Supplier/ | Distributor information | |
| Company name | Manufactured for: | |
| Address | Georgia-Pacific Consumer F 133 Peachtree Street, NE Atlanta, GA 30303 | Products LP |
| Telephone | Technical Information: SDS Request: | 866.435.5647 404.652.5119 |
| E-mail | MSDSREQ@GAPAC.com | |
| Emergency phone number | Chemtrec - Emergency: | 800.424.9300 |
| 2. Hazard(s) identification | | |
| Physical hazards | Flammable liquids | Category 2 |
| Health hazards | Eye irritation | Category 2A |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |
| Label elements | | |



| Signal word | Danger |
|--|---|
| Hazard statement | Highly flammable liquid and vapor. Causes serious eye irritation. |
| Precautionary statement | |
| Prevention | Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Wear protective gloves/eye protection, if handling large quantities. |
| Response | In the event of large spill and subsequent exposure to the product: |
| | If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. |
| Storage | Store in a well-ventilated place. Keep cool. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % | |
|--|--|---|------------------------|--|
| ETHYL ALCOHOL | | 64-17-5 | 55-70 | |
| ISOPROPYL ALCOHOL | | 67-63-0 | 1 - 5 | |
| Composition comments | Percent by volume concentration of ETHYL AL | COHOL (64-17-5) is 70% (| v/v). | |
| | Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a). | | | |
| 4. First-aid measures | | | | |
| nhalation | Move to fresh air. Call a physician if symptoms | develop or persist. | | |
| Skin contact | If irritation occurs, flush skin with plenty of wate | er. Call a physician if irritati | on persists. | |
| Eye contact | Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get r | | | |
| ngestion | Rinse mouth. Do not induce vomiting without a attention if symptoms occur. | dvice from poison control c | enter. Get medical | |
| Most important symptoms/effects, acute and delayed | Causes serious eye irritation. Symptoms may i blurred vision. Coughing. | nclude stinging, tearing, rec | Iness, swelling, and | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat | t symptomatically. | | |
| General information | Wash contaminated clothing before reuse. | | | |
| 5. Fire-fighting measures | | | | |
| Suitable extinguishing media | Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxi sand or earth may be used for small fires only. | | | |
| Jnsuitable extinguishing nedia | Do not use water jet as an extinguisher, as this will spread the fire. | | | |
| Specific hazards arising from he chemical | Flammable liquid - may release vapors that form flammable mixtures at or above the flash point During fire, gases hazardous to health may be formed. | | | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | | |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you ca so without risk. | | | |
| Specific methods | Use standard firefighting procedures and consi | der the hazards of other inv | volved materials. | |
| General fire hazards | Highly flammable liquid and vapor. | | | |
| 6. Accidental release meas | sures | | | |
| Personal precautions, protective equipment and emergency procedures | Wear appropriate protective equipment and clothing during clean-up. For personal protection section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contain | | | |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flare precautionary measures against static discharg | | ediate area). Take | |
| | Large Spills: Stop the flow of material, if this is possible. Cover with plastic sheet to prevent sp vermiculite, sand or earth to soak up the produ Following product recovery, flush area with wa | preading. Use a non-combu ct and place into a containe | stible material like | |
| | Small Spills: Absorb with earth, sand or other r for later disposal. Wipe up with absorbent mate remove residual contamination. | | | |
| | Never return spills to original containers for re- | use. For waste disposal, se | e section 13 of the SD | |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. Use appropriate containment t avoid environmental contamination. | | | |
| 7. Handling and storage | | | | |
| Precautions for safe handling | For external use only. Keep out of the reach of eyes. Wear gloves and safety glasses or goggl store near an open flame, heat or other source | es if handling large quantiti | es. Do not handle or | |

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Тур | e | v | alue |
|---------------------------------------|----------------------------------|-----------------------|------------------|--|
| ETHYL ALCOHOL (CAS 64-17-5) | PEL | | 1 | 900 mg/m3 |
| | | | | 000 ppm |
| ISOPROPYL ALCOHOL | PEL | | 9 | 80 mg/m3 |
| (CAS 67-63-0) | | | 4 | 00 ppm |
| US. ACGIH Threshold Lir | mit Values | | | |
| Components | Тур | 9 | v | alue |
| ETHYL ALCOHOL (CAS 64-17-5) | STE | L | 1 | 000 ppm |
| ISOPROPYL ALCOHOL (CAS 67-63-0) | STE | L | 4 | 00 ppm |
| | TWA | A | 2 | 00 ppm |
| US. NIOSH: Pocket Guide | e to Chemical Hazards | | | |
| Components | Тур | 9 | v | alue |
| ETHYL ALCOHOL (CAS 64-17-5) | TWA | A | 1 | 900 mg/m3 |
| , | | | 1 | 000 ppm |
| ISOPROPYL ALCOHOL (CAS 67-63-0) | STE | L | 1 | 225 mg/m3 |
| | | | | 00 ppm |
| | TWA | A | | 80 mg/m3 |
| | | | 4 | 00 ppm |
| ological limit values | | | | |
| ACGIH Biological Expose Components | ure Indices Value | Determinant | Specimen | Sampling Time |
| ISOPROPYL ALCOHOL (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |
| * - For sampling details, pl | ease see the source doo | ument. | | |
| propriate engineering | General ventilation | | | |
| lividual protection measur | es, such as personal p | rotective equipme | ent | |
| Eye/face protection | | | | ar safety glasses or goggles if handling large |
| Skin protection | | | | |
| Hand protection | None necessary ur quantities. | nder normal condition | ons of use. Wea | ar appropriate gloves if handling large |
| Other | None necessary un quantities. | nder normal condition | ons of use. Wea | ar appropriate gloves if handling large |
| Respiratory protection | Under normal cond | litions of use respir | atory protection | is not expected to be required. |
| Thermal hazards | Not applicable. | | | |
| neral hygiene nsiderations | When using do not | smoke. | | |

9. Physical and chemical properties

Appearance

| Liquid. |
|----------------------|
| Foam when dispensed. |
| |

| Odor Alcohol Not available. | |
|--|--|
| | |
| Not available. | |
| pH 6-9 | |
| Melting point/freezing point -173.38 °F (-114.1 °C) estimated | |
| Initial boiling point and boiling 173.3 °F (78.5 °C) estimated range | |
| Flash point 68.0 °F (20.0 °C) | |
| Evaporation rate Not available. | |
| Flammability (solid, gas) Not applicable. | |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower Not available. (%) | |
| Flammability limit - upper Not available. (%) | |
| Explosive limit - lower (%) Not available. | |
| Explosive limit - upper (%) Not available. | |
| Vapor pressure Not available. | |
| Vapor density Not available. | |
| Relative density Not available. | |
| Solubility(ies) | |
| Solubility (water) Not available. | |
| Partition coefficientNot available.(n-octanol/water) | |
| Auto-ignition temperature 685 °F (362.78 °C) estimated | |
| Decomposition temperature Not available. | |
| Viscosity Not available. | |
| Other information | |
| Flammability class Flammable IC estimated | |
| Specific gravity 0.9 | |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|--|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. Acids. Metals. Chlorine. |
| Hazardous decomposition products | Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be released. |

11. Toxicological information

Information on likely routes of exposure

| Inhalation | No effects expected under normal conditions of use. |
|--|---|
| Skin contact | No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation. |
| Eye contact | Causes serious eye irritation. |
| Ingestion | No effects expected under normal conditions of use. May be harmful if swallowed. |
| Symptoms related to the physical, chemical and toxicological characteristics | Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |

Information on toxicological effects

| Acute toxicity | | |
|---|---|--|
| Product | Species | Test Results |
| enMotion® Foam Hand Sanitizer | with Moisturizers | |
| Acute | | |
| Dermal | Dates | |
| LD50 | Rabbit | 521 ml/kg estimated |
| • • | | 195 g/kg estimated |
| Oral LD50 | Mouse | 12002 mg/kg optimated |
| LDSU | | 13002 mg/kg estimated |
| | Rat | 459 ml/kg estimated |
| Componente | Species | 185 g/kg estimated |
| Components | Species | Test Results |
| ETHYL ALCOHOL (CAS 64-17-5) Acute |) | |
| Inhalation | | |
| LC50 | Rat | 117 - 125 mg/l, 4 Hours |
| Oral | | |
| LD50 | Mouse | 8300 mg/kg |
| SOPROPYL ALCOHOL (CAS 67 | -63-0) | |
| Acute | , | |
| Dermal | | |
| LD50 | Rabbit | 16.4 ml/kg |
| Inhalation | | |
| Vapor | | |
| LC50 | Rat | > 1000 ppm, 6 hours |
| Oral | | |
| LD50 | Rat | 5.84 g/kg |
| * Estimates for product may t | be based on additional component data no | ot shown. |
| Skin corrosion/irritation | Prolonged skin contact may cause tem | porary irritation. |
| Serious eye damage/eye irritation | Causes serious eye irritation. | |
| Respiratory or skin sensitizatio | | |
| Respiratory sensitization | Not a respiratory sensitizer. | |
| Skin sensitization | This product is not expected to cause s | |
| Germ cell mutagenicity | mutagenic or genotoxic. | r any components present at greater than 0.1% are |
| Carcinogenicity | Not hazardous under normal condition | s of use. |
| | Ethanol: Chronic ingestion of ethanol i Carcinogenic to humans. | n alcoholic beverages is classified by IARC as Group 1 |
| IARC Monographs. Overall | Evaluation of Carcinogenicity | |
| Not listed. | | |
| | ed Substances (29 CFR 1910.1001-1050 | |
| Not regulated. | ogram (NTP) Report on Carcinogens | |
| Not listed. | | |
| Reproductive toxicity | Not hazardous under normal conditions reproductive/developmental effects. | s of use. Chronic ingestion of ethanol can cause |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - | Not classified. | |
| repeated exposure | | |

| Aspiration hazard | Not an aspiration hazard. |
|-------------------|--|
| Chronic effects | Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver toxicity. |

12. Ecological information

| Ecotoxicity | |
|-------------|--|
|-------------|--|

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Product | | Species | Test Results |
|---------------------------|-------------------|---|-------------------------------------|
| enMotion® Foam Hand S | Sanitizer with Mo | sturizers | |
| Aquatic | | | |
| Fish | LC50 | Fish | 19738.6641 mg/l, 96 hours estimated |
| Components | | Species | Test Results |
| ETHYL ALCOHOL (CAS | 64-17-5) | | |
| Aquatic | | | |
| Fish | LC50 | Fathead minnow (Pimephales promelas) | 13400 - 15100 mg/l, 96 hours |
| ISOPROPYL ALCOHOL | (CAS 67-63-0) | | |
| Aquatic | | | |
| Fish | LC50 | Pimephales promelas | 10000 mg/l, 96 hours |
| * Estimates for product m | ay be based on | additional component data not shown. | |
| sistence and degradabil | ity No data is | available on the degradability of this product. | |
| accumulative potential | | | |
| Partition coefficient n-o | ctanol / water (l | og Kow) | |
| ETHYL ALCOHOL | | -0.31 | |
| ISOPROPYL ALCOHOL | | 0.05 | |
| oility in soil | No data a | vailable. | |
| er adverse effects | | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

13. Disposal considerations

| Disposal instructions | This product, if discarded as supplied, is considered a hazardous waste under RCRA, D001. |
|--|--|
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | D001: Waste Flammable material with a flash point <140 F |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

| DOT | |
|------------------------------|---|
| UN number | UN1993 |
| UN proper shipping name | Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Label(s) | 3 |
| Packing group | I |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Special provisions | IB2, T7, TP1, TP8, TP28 |
| Packaging exceptions | 150 |
| Packaging non bulk | 202 |
| Packaging bulk | 242 |
| ΙΑΤΑ | |
| UN number | UN1993 |
| UN proper shipping name | Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity |

| Transport hazard class(es) | |
|---|---|
| Class | 3 |
| Subsidiary risk | - |
| Packing group | 11 |
| Environmental hazards | No. |
| ERG Code | 3H |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Other information | |
| Passenger and cargo aircraft | Allowed with restrictions. |
| Cargo aircraft only | Allowed with restrictions. |
| IMDG | |
| UN number | UN1993 |
| UN proper shipping name | FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), LIMITED QUANTITY |
| Transport hazard class(es) | |
| Class | 3 |
| Subsidiary risk | - |
| Packing group | |
| Environmental hazards | |
| Marine pollutant | No. |
| EmS | F-E, <u>S-E</u> |
| Special precautions for user | Read safety instructions, SDS and emergency procedures before handling. |
| Transport in bulk according to | Not established. |
| Annex II of MARPOL 73/78 and the IBC Code | |

DOT



General information

May be classified/shipped as Limited Quantity (LTD QTY) if Packaging exceptions requirements are met.

15. Regulatory information

US federal regulations

SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ISOPROPYL ALCOHOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

| Issue date | September-22-2016 |
|-----------------------------|--|
| Version # | 01 |
| HMIS® ratings | Health: 2 Flammability: 3 Physical hazard: 0 |
| NFPA ratings | Health: 2 Flammability: 3 Instability: 0 |
| Disclaimer | This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete. |
| Revision information | This document has undergone significant changes and should be reviewed in its entirety. |