

SAFETY DATA SHEET

1. Identification

Il laonanou lon		
Product identifier	enMotion® Foam Hand S	anitizer with Moisturizers
Product list	enMotion® Foam Hand Sar enMotion® Foam Hand Sar	nitizer with Moisturizers, Fragrance Free, Lt. Green SKU 42331 nitizer with Moisturizers, Fragrance Free, Lt. Green, 45mL SKU GP6172 nitizer with Moisturizers SKU 42334 nitizer with Moisturizers 45 mL SKU GP5135
Other means of identification	None.	
Recommended use	Hand Sanitizer	
Recommended restrictions	This product is regulated as personal care use.	s an Over-the-Counter (OTC) drug in the US and is intended for
Manufacturer/Importer/Supplier	/Distributor information	
Company name	Manufactured for:	
Address	Georgia-Pacific Consumer 133 Peachtree Street, NE Atlanta, GA 30303	Products LP
Telephone	Technical Information: SDS Request:	866.435.5647 404.652.5119
E-mail	MSDSREQ@GAPAC.com	
Emergency phone number	Chemtrec - Emergency:	800.424.9300
2. Hazard(s) identification		
Physical hazards	Flammable liquids	Category 2
Health hazards	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Wear protective gloves/eye protection, if handling large quantities.
Response	In the event of large spill and subsequent exposure to the product:
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Label elements

Chemical name	Common name and synonyms	CAS number	%	
ETHYL ALCOHOL		64-17-5	55-70	
ISOPROPYL ALCOHOL		67-63-0	1 - 5	
Composition comments	Percent by volume concentration of ETHYL AL	COHOL (64-17-5) is 70% (v/v).	
	Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a).			
4. First-aid measures				
nhalation	Move to fresh air. Call a physician if symptoms	develop or persist.		
Skin contact	If irritation occurs, flush skin with plenty of wate	er. Call a physician if irritati	on persists.	
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get r			
ngestion	Rinse mouth. Do not induce vomiting without a attention if symptoms occur.	dvice from poison control c	enter. Get medical	
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may i blurred vision. Coughing.	nclude stinging, tearing, rec	Iness, swelling, and	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat	t symptomatically.		
General information	Wash contaminated clothing before reuse.			
5. Fire-fighting measures				
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxi sand or earth may be used for small fires only.			
Jnsuitable extinguishing nedia	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from he chemical	Flammable liquid - may release vapors that form flammable mixtures at or above the flash point During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe so without risk.	fumes. Move containers fro	m fire area if you can	
Specific methods	Use standard firefighting procedures and consi	der the hazards of other inv	volved materials.	
General fire hazards	Highly flammable liquid and vapor.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. For personal protection, section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contain			
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flare precautionary measures against static discharg		ediate area). Take	
	Large Spills: Stop the flow of material, if this is possible. Cover with plastic sheet to prevent sp vermiculite, sand or earth to soak up the produ Following product recovery, flush area with wa	preading. Use a non-combu ct and place into a containe	stible material like	
	Small Spills: Absorb with earth, sand or other r for later disposal. Wipe up with absorbent mate remove residual contamination.			
	Never return spills to original containers for re-	use. For waste disposal, se	e section 13 of the SD	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment avoid environmental contamination.			
7. Handling and storage				
Precautions for safe handling	For external use only. Keep out of the reach of eyes. Wear gloves and safety glasses or goggl store near an open flame, heat or other source	es if handling large quantiti	es. Do not handle or	

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Тур	e	v	alue
ETHYL ALCOHOL (CAS 64-17-5)	PEL		1	900 mg/m3
				000 ppm
ISOPROPYL ALCOHOL	PEL		9	80 mg/m3
(CAS 67-63-0)			4	00 ppm
US. ACGIH Threshold Lir	mit Values			
Components	Тур	9	v	alue
ETHYL ALCOHOL (CAS 64-17-5)	STE	L	1	000 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)	STE	L	4	00 ppm
	TWA	A	2	00 ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards			
Components	Тур	9	v	alue
ETHYL ALCOHOL (CAS 64-17-5)	TWA	A	1	900 mg/m3
,			1	000 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)	STE	L	1	225 mg/m3
				00 ppm
	TWA	A		80 mg/m3
			4	00 ppm
ological limit values				
ACGIH Biological Expose Components	ure Indices Value	Determinant	Specimen	Sampling Time
ISOPROPYL ALCOHOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
* - For sampling details, pl	ease see the source doo	ument.		
propriate engineering	General ventilation			
lividual protection measur	es, such as personal p	rotective equipme	ent	
Eye/face protection				ar safety glasses or goggles if handling large
Skin protection				
Hand protection	None necessary ur quantities.	nder normal condition	ons of use. Wea	ar appropriate gloves if handling large
Other	None necessary un quantities.	nder normal condition	ons of use. Wea	ar appropriate gloves if handling large
Respiratory protection	Under normal cond	litions of use respir	atory protection	is not expected to be required.
Thermal hazards	Not applicable.			
neral hygiene nsiderations	When using do not	smoke.		

9. Physical and chemical properties

Appearance

Liquid.
Foam when dispensed.

Odor Alcohol Not available.	
Not available.	
pH 6-9	
Melting point/freezing point -173.38 °F (-114.1 °C) estimated	
Initial boiling point and boiling 173.3 °F (78.5 °C) estimated range	
Flash point 68.0 °F (20.0 °C)	
Evaporation rate Not available.	
Flammability (solid, gas) Not applicable.	
Upper/lower flammability or explosive limits	
Flammability limit - lower Not available. (%)	
Flammability limit - upper Not available. (%)	
Explosive limit - lower (%) Not available.	
Explosive limit - upper (%) Not available.	
Vapor pressure Not available.	
Vapor density Not available.	
Relative density Not available.	
Solubility(ies)	
Solubility (water) Not available.	
Partition coefficientNot available.(n-octanol/water)	
Auto-ignition temperature 685 °F (362.78 °C) estimated	
Decomposition temperature Not available.	
Viscosity Not available.	
Other information	
Flammability class Flammable IC estimated	
Specific gravity 0.9	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Acids. Metals. Chlorine.
Hazardous decomposition products	Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be released.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No effects expected under normal conditions of use.
Skin contact	No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	No effects expected under normal conditions of use. May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity		
Product	Species	Test Results
enMotion® Foam Hand Sanitizer	with Moisturizers	
Acute		
Dermal	Dates	
LD50	Rabbit	521 ml/kg estimated
• •		195 g/kg estimated
Oral LD50	Mouse	12002 mg/kg optimated
LDSU		13002 mg/kg estimated
	Rat	459 ml/kg estimated
Componente	Species	185 g/kg estimated
Components	Species	Test Results
ETHYL ALCOHOL (CAS 64-17-5) Acute)	
Inhalation		
LC50	Rat	117 - 125 mg/l, 4 Hours
Oral		
LD50	Mouse	8300 mg/kg
SOPROPYL ALCOHOL (CAS 67	-63-0)	
Acute	,	
Dermal		
LD50	Rabbit	16.4 ml/kg
Inhalation		
Vapor		
LC50	Rat	> 1000 ppm, 6 hours
Oral		
LD50	Rat	5.84 g/kg
* Estimates for product may t	be based on additional component data no	ot shown.
Skin corrosion/irritation	Prolonged skin contact may cause tem	porary irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause s	
Germ cell mutagenicity	mutagenic or genotoxic.	r any components present at greater than 0.1% are
Carcinogenicity	Not hazardous under normal condition	s of use.
	Ethanol: Chronic ingestion of ethanol i Carcinogenic to humans.	n alcoholic beverages is classified by IARC as Group 1
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.1001-1050	
Not regulated.	ogram (NTP) Report on Carcinogens	
Not listed.		
Reproductive toxicity	Not hazardous under normal conditions reproductive/developmental effects.	s of use. Chronic ingestion of ethanol can cause
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity -	Not classified.	
repeated exposure		

Aspiration hazard	Not an aspiration hazard.
Chronic effects	Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver toxicity.

12. Ecological information

Ecotoxicity	
-------------	--

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results	
enMotion® Foam Hand S	Sanitizer with Mo	sturizers		
Aquatic				
Fish	LC50	Fish	19738.6641 mg/l, 96 hours estimated	
Components		Species	Test Results	
ETHYL ALCOHOL (CAS	64-17-5)			
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	13400 - 15100 mg/l, 96 hours	
ISOPROPYL ALCOHOL	(CAS 67-63-0)			
Aquatic				
Fish	LC50	Pimephales promelas	10000 mg/l, 96 hours	
* Estimates for product m	ay be based on	additional component data not shown.		
sistence and degradabil	ity No data is	available on the degradability of this product.		
accumulative potential				
Partition coefficient n-o	ctanol / water (l	og Kow)		
ETHYL ALCOHOL		-0.31		
ISOPROPYL ALCOHOL		0.05		
oility in soil	No data a	vailable.		
er adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal considerations

Disposal instructions	This product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	I
Special precautions for user	 Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1, TP8, TP28
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1993
UN proper shipping name	Flammable liquid, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity

Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	11
Environmental hazards	No.
ERG Code	3H
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), LIMITED QUANTITY
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-E, <u>S-E</u>
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and the IBC Code	

DOT



General information

May be classified/shipped as Limited Quantity (LTD QTY) if Packaging exceptions requirements are met.

15. Regulatory information

US federal regulations

SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

ISOPROPYL ALCOHOL (CAS 67-63-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date	September-22-2016
Version #	01
HMIS® ratings	Health: 2 Flammability: 3 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer) who are unsure of what specific precautions are required should consult their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.