

SAFETY DATA SHEET

1. Identification

Product identifier	enMotion® Gel Hand Sanitizer
Product list	enMotion® Dye and Fragrance Free E3 Rated Gel Hand Sanitizer SKU 42344 enMotion® Gel Hand Sanitizer with Moisturizers SKU 42337
Other means of identification	None.
Recommended use	Hand Sanitizer
Recommended restrictions	This product is regulated as an Over-the-Counter (OTC) drug in the US and is intended for personal care use.
Manufacturor/Importor/Supplier	/Distributor information

Manufacturer/Importer/Supplier/Distributor information

Company name	Manufactured for:		
Address	Georgia-Pacific Consumer Products LP		
	133 Peachtree Street, NE		
	Atlanta, GA 30303		
Telephone	Technical Information:	866.435.5647	
	SDS Request:	404.652.5119	
E-mail	MSDSREQ@GAPAC.com		
Emergency phone number	Chemtrec - Emergency:	800.424.9300	

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes serious eye irritation.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Wear protective gloves/eye protection, if handling large quantities.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	In the event of a large spill, sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHYL ALCOHOL		64-17-5	55 - 70
ISOPROPYL ALCOHOL		67-63-0	1 - 5
Other components below rep	ortable levels		30 - 60

Composition comments	Percent by volume concentration of ETHYL ALCOHOL (64-17-5) is 67% (v/v).
	Meets Alcohol Requirements stated in FDA Tentative Final Monograph for OTC Healthcare Antiseptic Drug Products – 21 CFR Part 333.410 (a).
4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	If irritation occurs, flush skin with plenty of water. Call a physician if irritation persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting without advice from poison control center. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Flammable liquid - may release vapors that form flammable mixtures at or above the flash point. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Local authorities should be advised if significant spillages cannot be contained. Spills of this material are a slipping hazard.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	For external use only. Keep out of reach of children. Avoid contact with eyes; in case of contact, flush eyes with water. Wear gloves and safety glasses or goggles if handling large quantities. Do not handle or store near an open flame, heat or other sources of ignition. When using do not smoke.

Keep away from heat, sparks and open flame. Eliminate sources of ignition. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Lim			(29 CFR 1910.10	•	lue
Components		Туре			
ETHYL ALCOHOL (CAS 64-17-5)		PEL		19	00 mg/m3
				10	00 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)		PEL		98	0 mg/m3
				40	0 ppm
US. ACGIH Threshold Lin	mit Values				
Components		Туре		Va	lue
ETHYL ALCOHOL (CAS 64-17-5)		STEL		10	00 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)		STEL		40	0 ppm
		TWA		20	0 ppm
US. NIOSH: Pocket Guid	e to Chemical Haz	ards			
Components		Туре		Va	lue
ETHYL ALCOHOL (CAS 64-17-5)		TWA		19	00 mg/m3
				10	00 ppm
ISOPROPYL ALCOHOL (CAS 67-63-0)		STEL		12	25 mg/m3
				50	0 ppm
		TWA		98	0 mg/m3
				40	0 ppm
logical limit values					
0					
ACGIH Biological Expos	ure Indices				
ACGIH Biological Expos Components	ure Indices Value		Determinant	Specimen	Sampling Time
			Determinant Acetone	Specimen Urine	Sampling Time *
Components ISOPROPYL ALCOHOL	Value 40 mg/l	e docu	Acetone	•	
Components ISOPROPYL ALCOHOL (CAS 67-63-0)	Value 40 mg/l ease see the source		Acetone	Urine	
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo propriate engineering	Value 40 mg/l ease see the sourc General ventil	lation r	Acetone ment. lormally adequate	Urine	
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo propriate engineering trols	Value 40 mg/l ease see the sourc General ventil res, such as perso	lation r nal pr e	Acetone ment. formally adequate	Urine	*
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo propriate engineering trols	Value 40 mg/l ease see the source General ventil res, such as perso None necessa quantities.	lation r nal pr e ary unc	Acetone ment. formally adequate otective equipme ler normal condition	Urine Urine	* safety glasses or goggles if handling la
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo propriate engineering trols vidual protection measur Eye/face protection	Value 40 mg/l ease see the source General ventil res, such as perso None necessa quantities.	lation r nal pr e ary unc	Acetone ment. formally adequate otective equipme ler normal condition	Urine Urine	*
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo propriate engineering trols vidual protection measur Eye/face protection Skin protection	Value 40 mg/l ease see the source General ventil res, such as perso None necessa quantities. None necessa quantities.	lation r nal pr a ary und	Acetone ment. formally adequate otective equipme ler normal condition	Urine Urine ent ons of use. Wear	* safety glasses or goggles if handling la
Components ISOPROPYL ALCOHOL (CAS 67-63-0) * - For sampling details, plo- propriate engineering trols vidual protection measur Eye/face protection Skin protection Hand protection	Value 40 mg/l ease see the source General ventil res, such as perso None necessa quantities. None necessa quantities.	lation r nal pro ary unc ary unc ary unc	Acetone ment. formally adequate otective equipme ler normal conditional ler normal conditional	Urine Urine ent ons of use. Wear ons of use. Wear	* safety glasses or goggles if handling la

9. Physical and chemical properties

Appearance

Physical state

Liquid gel

Form	Liquid gel.			
Color	Colorless			
Odor	Alcohol			
Odor threshold	Not available.			
рН	6 - 8.5			
Melting point/freezing point	Not available.			
Initial boiling point and boiling range	173.3 °F (78.5 °C) estimated			
Flash point	65.0 - 68.0 °F (18.3 - 20.0 °C)			
Evaporation rate	Not available.			
Flammability (solid, gas)	Not applicable.			
Upper/lower flammability or exp				
Flammability limit - lower (%)	Not available.			
Flammability limit - upper (%)	Not available.			
Explosive limit - lower (%)	Not available.			
Explosive limit - upper (%)	Not available.			
Vapor pressure	Not available.			
Vapor density	Not available.			
Relative density	0.89 g/ml			
Solubility(ies)				
Solubility (water)	Complete			
Partition coefficient (n-octanol/water)	Not available.			
Auto-ignition temperature	685 °F (362.78 °C) estimated			
Decomposition temperature	Not available.			
Viscosity	Not available.			
Other information				
Flammability class	Flammable IB estimated			
10. Stability and reactivity				
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.			
Chemical stability	Material is stable under normal conditions.			
Possibility of hazardous reactions	Hazardous polymerization does not occur.			
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.			
Incompatible materials	Strong oxidizing agents.			
Hazardous decomposition products	Small amounts of nitrogen oxides, carbon monoxide, carbon dioxide and hydrocarbons may be released.			
11. Toxicological informat	ion			
Information on likely routes of e				
Inhalation	No effects expected under normal conditions of use.			

Inhalation	No effects expected under normal conditions of use.
Skin contact	No effects expected under normal conditions of use. Prolonged skin contact may cause temporary irritation.
Eye contact	Causes serious eye irritation.
Ingestion	No effects expected under normal conditions of use. May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Information on toyloglogical of	fe etc

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
ETHYL ALCOHOL (CAS 64-17-5))	
<u>Acute</u>		
Inhalation		
LC50	Rat	117 - 125 mg/l, 4 Hours
Oral LD50	Rat	
ISOPROPYL ALCOHOL (CAS 67		9.9 g/kg
Acute	-03-0)	
Oral		
LD50	Rat	5.84 g/kg
Skin corrosion/irritation	Prolonged skin contact may cause	temporary irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio	'n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cau	se skin sensitization.
Germ cell mutagenicity	No data available to indicate produce mutagenic or genotoxic.	ct or any components present at greater than 0.1% are
Carcinogenicity	Not hazardous under normal condit beverages is classified by IARC as	tions of use. Ethanol: Chronic ingestion of ethanol in alcoholic Group 1 Carcinogenic to humans.
Not regulated.	ed Substances (29 CFR 1910.1001-1 ogram (NTP) Report on Carcinogen	
Reproductive toxicity	Not hazardous under normal condit reproductive/developmental effects	tions of use. Chronic ingestion of ethanol can cause
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Not hazardous under normal conditions of use. Chronic ingestion of ethanol can cause liver toxicity.	
12. Ecological information	n	
Ecotoxicity	The product is not classified as env	rironmentally hazardous. However, this does not exclude the lls can have a harmful or damaging effect on the environment.
Product	Species	Test Results
enMotion® Gel Hand Sanitize		
Aquatic Fish	LC50 Fish	19709.748 mg/l, 96 hours estimated
Components	Species	Test Results
ETHYL ALCOHOL (CAS 64-	•	1631 1630113
Aquatic	., .,	
Fish	LC50 Fathead minnow (P	imephales promelas) 13400 - 15100 mg/l, 96 hours
ISOPROPYL ALCOHOL (CA		· · · · · · · · · · · · · · · · · · ·

FishLC50Pimephales promelas10000 mg/l, 96 hoursPersistence and degradabilityNo data is available on the degradability of any ingredients in the mixture.

Aquatic

Bioaccumulative potential

Partition coefficient n-octa	inol / water (log Kow)
ETHYL ALCOHOL	-0.31
ISOPROPYL ALCOHOL	0.05
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.


13. Disposal considerations

Disposal instructions	This product, if discarded as supplied, is considered a hazardous waste under RCRA, D001.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1, TP8, TP28
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
IMDG	
UN number	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ISOPROPYL ALCOHOL, ETHYL ALCOHOL), Limited Quantity
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	I
Environmental hazards	
Marine pollutant	No.
EmS	F-E, <u>S-E</u>
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	

DOT; IMDG



15. Regulatory information

io. Regulatory mormatio		
US federal regulations	SDS prepared pursuant to the Hazard Communication Standard (29 CFR 1910.1200). This product is regulated under the US Federal Food, Drug, and Cosmetic Act.	
Toxic Substances Control Act (TSCA)		
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substa	ance List (40 CFR 302.4)	
Not listed.		
SARA 304 Emergency relea	se notification	
Not regulated.		
Not regulated.	ed Substances (29 CFR 1910.1001-1052)	
-	noutharization Act of 1006 (SADA)	
SARA 302 Extremely hazar	eauthorization Act of 1986 (SARA) dous substance	
Not listed.		
SARA 311/312 Hazardous	Yes	
chemical		
Classified hazard	Flammable (gases, aerosols, liquids, or solids)	
categories	Serious eye damage or eye irritation Hazard not otherwise classified (HNOC)	
SADA 242 (TDI reporting)	Hazard not otherwise classified (HNOC)	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Contains component(s) regulated under the Safe Drinking Water Act.	
US state regulations		
California Proposition 65		
California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.		
US. California. Candida subd. (a))	te Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,	
ISOPROPYL ALCO	HOL (CAS 67-63-0)	
16. Other information, including date of preparation or last revision		
Issue date	March-14-2018	
Revision date	January-29-2019	
Version #	03	
HMIS® ratings	Health: 2 Flammability: 3 Physical hazard: 0	
NFPA ratings	Health: 2 Flammability: 3 Instability: 0	

This SDS is intended to quickly provide useful information to the user(s) of this material or product. It is not intended to serve as a comprehensive discussion of all possible risks or hazards, and it assumes a reasonable use of the product. The information contained in this SDS is believed to be accurate as of the date of preparation of this SDS and has been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification. The user or handler (or their employer) should consider the specific conditions in which this material will be used, handled, or stored and determine what specific safety or other precautions are required. Employers should ensure that their employees, agents, contractors, and customers who will use the product receive adequate warnings and safe handling procedures, including a current SDS. Product users or handlers (or their employer, product supplier, or safety or health professionals before handling or working with this product. Please notify us immediately if you believe this SDS or other safety and health information about this product is inaccurate or incomplete.

Revision information

Composition / Information on Ingredients: Disclosure Overrides