SAFETY DATA SHEET

1. Identification

Product identifier	Shining Armor 22
Other means of identification	
SDS number	575N077A
Product code	GKS665
Recommended use	Floor Finish
Recommended restrictions	For Labeled Use Only
Manufacturer/Importer/Supplier	/Distributor information
Distributed By	Knight Marketing
Address	46-50 54th Avenue
	Maspeth, NY 11378
Contact	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
email	regulatoryaffairs@knightmarketing.net
Emergency Contact	(800)-424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Use With Adequate Ventilation. Prolonged inhalation of vapor may cause slight irritation of nose, throat, and lungs. Keep container closed when not in use. Do not take internally. Observe good industrial hygiene practices.
Response	If swallowed, induce vomiting immediately. Immediately consult medical personnel. If inhaled move to fresh air. If discomfort persists, get medical attention. Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
2-(2-ethoxyethoxy)ethanol		111-90-0	3 - < 5
Tributoxyethyl Phosphate		78-51-3	1 - < 3
Other components below re	portable levels		90 - 100

Material name: Shining Armor 22

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.			
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.			
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.			
Ingestion	Drink water as a precaution. Get medical attention if any discomfort continues.			
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.			
Indication of immediate medical attention and special treatment needed	Treat symptomatically.			
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.			
5. Fire-fighting measures				
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).			
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			

Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
General fire hazards	No unusual fire or explosion hazards noted.			
6. Accidental release meas	sures			
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Material can be slippery when wet. Follow precautions for safe handling described in this safety data sheet. For personal protection, see section 8 of the SDS.			
Methods and materials for	This product is miscible in water.			
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is			

possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautionsNever return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handlingAvoid prolonged exposure. Observe good industrial hygiene practices.Conditions for safe storage,
including any incompatibilitiesStore in original tightly closed container. Store away from incompatible materials (see Section 10
of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides				
Components	Туре	Value		
2-(2-ethoxyethoxy)ethanol (CAS 111-90-0)	TWA	140 mg/m3		
		25 ppm		
Biological limit values	No biological exposure limits noted	for the ingredient(s).		

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Avoid contact with eyes.
Skin protection Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other	None normally required. If unable to avoid prolonged or repeated contact with skin, wear impervious clothing.
Respiratory protection	No personal respiratory protective equipment normally required.
Thermal hazards	None known.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical stateLiquid.FormLiquid.GolorMon-objectional doGrOdorNon-objectional doGrOdorNon-objectional doGrDdor thresholdNot availablepH7.8Melting point/freezing pointNot availableInitial boiling point and boiling>200 °F (> 93.3 °C) Tag Closed CupFlash point200.0 °F (> 93.3 °C) Tag Closed CupExportion rate< 1 (ethyl ether = 1)	Appearance	Milky emulsion
ColorMikly whileOdorNon-objectional odorOdor thresholdNot availablepH7-8Melting point freezing pointNot apalicable / Not availableInitial boiling point and boiling>200 °F (> 93.33 °C)Flash point> 200 °F (> 93.33 °C)Flash point> 200 °F (> 93.33 °C)Flash point> 000 °F (> 93.33 °C)Flash pointNot availableVapor pressureNot availableVapor pressureNot availablePortition coefficientNot availablePortition coefficientNot availablePortition temperatureNot availablePortition temperatureNot availablePortition temperatureNot availablePortition temperatureNot availablePortition temperatureNot availablePortition temperatureNot av	Physical state	Liquid.
OdorNon-objectional odorOdor thresholdNot availablepH7 - 8Metting point/freezing pointNot applicable / Not availableInitial boiling point and boiling> 200° F (> 93.3 °C)Flash point> 200.0 °F (> 93.3 °C) Tag Closed CupFlash point> 200.0 °F (> 93.3 °C) Tag Closed CupFlammability colid, gas)Not applicable.Upper/lower flammability or extremeNot applicable.Explosive limit - lower (%)Not available.Vapor pressure17.5 mm HgVapor density1.492 Air = 1Relative density1.0244 at 77° FSolubility(ies)SipersibleYattion coefficientNot availablePaccinglition temperatureNot availableNot availableNot availableViscosityNot availableViscosityNot availablePensitySipel SipulativepensitySipel SipulativeViscosityNot availableViscosityNot availableViscosityNot availableViscosityNot availablepensitySipel SipulativeNot availableNot availableViscosityNot availableViscosityNot availablePensitySipel SipulativeNot availableNot availableViscosityNot availableViscosityNot availableViscosityNot availableViscosityNot availableViscosityNot availableViscosityNot availabl	Form	Liquid.
Odor thresholdNot availablepH7 - 8Melting point/freezing pointNot applicable / Not availableInitial boiling point and boiling range> 200 °F (> 93.3 °C)Flash point> 200 °F (> 93.3 °C) Tag Closed CupEvaporation rate< 1 (ethyl ether = 1)Flammability (solid, gas)Not applicable.Upper/lower flammability or ex>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>	Color	Milky white
pH7 - 8Melting point/freezing pointNot applicable / Not availableInitial boiling point and boiling> 200 °F (> 93.3 °C)range> 200 °F (> 93.3 °C) Tag Closed CupEvaporation rate< 1 (ethyl ether = 1)	Odor	Non-objectional odor
Melting point/freezing pointNot applicable / Not availableInitial boiling point and boiling range> 200 °F (> 93.3 °C)Flash point> 200 °F (> 93.3 °C) Tag Closed CupEvaporation rate< 1 (ethyl ether = 1)Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not available.ViscosityNot availableViscosityNot availableOther informationNot availableViscosityNot availableOther informationSolubilityDensity8.56 lb/galExplosive propertiesNot availableViscosityNot av	Odor threshold	Not available
Initial boiling point and boiling range> 200 °F (> 93.33 °C)Flash point> 200.0 °F (> 93.3 °C) Tag Closed CupEvaporation rate< 1 (ethyl ether = 1)Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not available.ViscosityNot availableViscosityNot availableOther information DensitySolubility (water)Density8.56 lb/galPercent volatile vidizing propertiesNot availableOther information DensityNot availableVoC0 % CARB VOC	рН	7 - 8
range Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup Evaporation rate < 1 (ethyl ether = 1) Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure 17.5 mm Hg Vapor density 1.1492 Air = 1 Relative density 1.0244 at 77°F Solubility (water) Dispersible Partition coefficient (n-octanol/water) Not available. Viscosity Not available Viscosity Not available Other information Not available Percent volatile Not available Oxidizing properties Not available Viscosity <td< th=""><th>Melting point/freezing point</th><th>Not applicable / Not available</th></td<>	Melting point/freezing point	Not applicable / Not available
Evaporation rate< 1 (ethyl ether = 1)Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsExplosive limit - lower (%)Explosive limit - lower (%)Not available.Zapor pressure17.5 mm HgVapor density1.1492 Air = 1Relative density1.0244 at 77°FSolubility(ies)DispersiblePartition coefficient (n-octanol/water)Not available.Auto-ignition temperature UscosityNot availableOther informationNot availableOther information8.56 lb/galExplosive properties Not availableNot availableOther informationNot availablePercent volatile VOC0% CARB VOC	••••••	> 200 °F (> 93.33 °C)
Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsNot available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not available.Auto-ignition temperature (prestibleNot availableViscosityNot availableOther informationNot availableOther informationNot explosive.Oxidizing properties (precent volatileNot availableVoC0 % CARB VOC	Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup
Upper/lower flammability or explosive limitsExplosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility(ies)Solubility (water)Solubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperature UiscosityNot availableViscosityNot availableOther informationSolubileDensity8.56 lb/galExplosive properties Oxidizing Percent volatileNot oxidizing.Percent volatile VOC0 % CARB VOC	Evaporation rate	< 1 (ethyl ether = 1)
Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility(ies)DispersibleSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperature (n-octanol/water)Not availableViscosityNot availableOther information Density8.56 lb/galExplosive properties Oxidizing propertiesNot explosive. Not explosive. Not explosive.VOC0% CARB VOC	Flammability (solid, gas)	Not applicable.
Explosive limit - upper (%)Not available.Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility(ies)DispersibleSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableViscosityNot availableOther informationNot availableDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Upper/lower flammability or expl	osive limits
Vapor pressure17.5 mm HgVapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility(ies)DispersibleSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationSolubilityDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Explosive limit - lower (%)	Not available.
Vapor density1.1492 Air =1Relative density1.0244 at 77°FSolubility(ies)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther information8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Explosive limit - upper (%)	Not available.
Relative density1.0244 at 77°FSolubility(ies)DispersibleSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationSolubility (iteration temperature)Density8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Vapor pressure	17.5 mm Hg
Solubility (ies)DispersibleSolubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationSolubility (issocial properties)Density8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Vapor density	1.1492 Air =1
Solubility (water)DispersiblePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationSolubilityDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Relative density	1.0244 at 77°F
Partition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationNot availableDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Solubility(ies)	
(n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationExplosive propertiesDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Solubility (water)	Dispersible
Decomposition temperatureNot availableViscosityNot availableOther information8.56 lb/galDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC		Not available
ViscosityNot availableOther information8.56 lb/galDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Auto-ignition temperature	Not available
Other informationDensity8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Decomposition temperature	Not available
Density8.56 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Viscosity	Not available
Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Other information	
Oxidizing propertiesNot oxidizing.Percent volatile77.5 - 78.5 %VOC0 % CARB VOC	Density	8.56 lb/gal
Percent volatile 77.5 - 78.5 % VOC 0 % CARB VOC	Explosive properties	Not explosive.
VOC 0 % CARB VOC	Oxidizing properties	Not oxidizing.
	Percent volatile	77.5 - 78.5 %
	voc	

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	No hazardous decomposition p	roducts are known.	
11. Toxicological information	tion		
Information on likely routes of e	exposure		
Inhalation	Prolonged inhalation may be ha	armful.	
Skin contact	May be irritating to the skin.		
Eye contact	Direct contact with eyes may ca	ause temporary irritation.	
Ingestion	Expected to be a low ingestion	hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may ca	ause temporary irritation.	
Information on toxicological eff	ects		
Acute toxicity	Not known.		
Components	Species	Test Results	
Tributoxyethyl Phosphate (CAS 78	3-51-3)		
<u>Acute</u> Oral			
LD50	Rat	3000 mg/kg	
* Estimates for product may b	be based on additional component	data not shown	
Skin corrosion/irritation	Prolonged skin contact may car		
Serious eye damage/eye irritation	Direct contact with eyes may ca		
Respiratory or skin sensitization	n		
Respiratory sensitization		nded use, this material is not expected to be an inhalation hazard.	
Skin sensitization	This product is not expected to		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinoge	nicity to humans.	
Not listed.	Evaluation of Carcinogenicity ogram (NTP) Report on Carcino	gens	
Not listed. US. OSHA Specifically Reg Not regulated.	ulated Substances (29 CFR 191	D.1001-1050)	
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	1		
Ecotoxicity	The product is not classified as	environmentally hazardous. However, this does not exclude the tspills can have a harmful or damaging effect on the environment.	

Product		Species	Test Results	
Shining Armor 22				
Aquatic	1.050	Eich.		
Fish	LC50	Fish	587.9516 mg/l, 96 hours estimated	
Components		Species	Test Results	
2-(2-ethoxyethoxy)ethanol (0	CAS 111-90-0			
Aquatic	1.050		5 40000 m = // 00 h =	
Fish	LC50	Bluegill (Lepomis macrochirus)	> 10000 mg/l, 96 hours	
* Estimates for product may	be based on a	additional component data not shown.		
ersistence and degradability	No data is	available on the degradability of this prod	uct.	
oaccumulative potential				
Partition coefficient n-octa 2-(2-ethoxyethoxy)ethanol	nol / water (I	og Kow) -0.54		
obility in soil	No data a	vailable.		
ther adverse effects		dverse environmental effects (e.g. ozone endocrine disruption, global warming pote		
3. Disposal consideratio	ons			
sposal instructions	or dilution) in violation of applicable law. Collect and vaste disposal site. Do not contaminate po	lisposal of this product (original concentratio reclaim or dispose in sealed containers at nds, waterways or ditches with chemical or	
ocal disposal regulations	Dispose ir	accordance with all applicable regulation	S.	
azardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
aste from residues / unused oducts	product re Disposal i		st be disposed of in a safe manner (see:	
ontaminated packaging	emptied. E	Empty containers should be taken to an ap	e, follow label warnings even after container proved waste handling site for recycling or in, dry container for recycling or reconditionir	
4. Transport informatior	า			
от				
Not regulated as dangerous	goods.			
TA				
Not regulated as dangerous	goods.			
DG				
Not regulated as dangerous	•			
an an aut in hulls as a subling to	Not optabl	inhad		

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List or Exempt. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Sul	stance List (40 CFR 302.4)
Not listed.	
SARA 304 Emergency re	lease notification
Not regulated.	
US. OSHA Specifically R	egulated Substances (29 CFR 1910.1001-1050)
Not regulated.	

Superfund Amendments and Re	eauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard	dous substance	
Not listed.		
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Priss not known to contain any chemicals currently listed as carcinogens	· · ·
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*

······································		()
Canada	Non-Domestic Substances List (NDSL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "West indicates that all companyeds of this word, at comply with the investory working parts administered by the seventian country(a)		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-06-2017
Version #	01
Further information	This product meets Green Seal™ Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.
HMIS® ratings	Health: 1 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.