

Version 1.0	Revision Date: 02/18/2015		SDS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015		
SECTION	1. IDENTIFICATION					
Produ	ct name	:	GOJO® Lemon	Pumice Hand Cleaner		
Manu	facturer or supplier's	deta	ails			
Comp	any name of supplier	:	GOJO Industrie	s, Inc.		
Addre	SS	:	One GOJO Plaz Akron OH 4431			
Telepł	none	:	1 (330) 255-600	0		
Emerg	gency telephone	:	: 1-800-424-9300 CHEMTREC			
	nmended use of the on the one of	chen :	nical and restric	tions on use		
Restrie	ctions on use	:	consumers and foreseeable use specifically defir exempt from the While this mater contains valuab proper use of th as well as unus spills. This SDS employees and intended-use gu	al care or cosmetic product that is safe for other users under normal and reasonably e. Cosmetics and consumer products, ned by regulations around the world, are e requirement of an SDS for the consumer. rial is not considered hazardous, this SDS le information critical to the safe handling and e product for industrial workplace conditions ual and unintended exposures such as large should be retained and available for other users of this product. For specific uidance, please refer to the information package or instruction sheet.		

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



Version 1.0	Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2015
		for several min to do. Continue	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy prinsing. eye irritation persists: Get medical advice/
Othe	r hazards		

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 30 - < 50
White mineral oil (petroleum)	8042-47-5	>= 10 - < 20
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
Petrolatum	8009-03-8	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation. Prolonged or repeated contact may dry skin and cause irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.



Version 1.0	Revision Date: 02/18/2015	MSDS 1 60264-0	Number:)0001	Date of last issue: - Date of first issue: 02/18/2015				
Notes	Notes to physician		: Treat symptomatically and supportively.					
SECTION	5. FIRE-FIGHTING ME	ASURES						
Suita	Suitable extinguishing media		: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)					
	Unsuitable extinguishing media		: None known.					
	Specific hazards during fire fighting		: Exposure to combustion products may be a hazard to health.					
Haza ucts	Hazardous combustion prod- ucts		: Carbon oxides					
methods circumstances and the surrounding envir Use water spray to cool unopened conta								
	ial protective equipment e-fighters			ire, wear self-contained breathing apparatus. rotective equipment.				
SECTION	6. ACCIDENTAL RELE	ASE ME	ASURES					
prote	onal precautions, ctive equipment and gency procedures	 Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations. 						

Environmental precautions	 Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to



Version 1.0	Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2015				
		determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.					
SECTION	I 7. HANDLING AND S	TORAGE					
Tech	Technical measures		: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.				
Loca	I/Total ventilation	: Use only with	: Use only with adequate ventilation.				
Advid	Advice on safe handling		n skin or clothing. tion of vapor or mist. ow. eyes. cordance with good industrial hygiene and safety prevent spills, waste and minimize release to the				
Conc	ditions for safe storage		erly labeled containers. ordance with the particular national regulations.				
Mate	erials to avoid		Do not store with the following product types: Strong oxidizing agents				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
Petrolatum	8009-03-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhal- able fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL

Hazardous components without workplace control parameters

Ingredients CAS-No.



Ethoxylated branched C11-14, C13:30-21-9 C13-rich alcohols Yeld Stripped Product In addition of subtrant and product In addition to subtrante-sepecific OELS, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust; 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulated of 15 mg/m3 - total dust; 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulated of 15 mg/m3 - total dust; 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (insoluble or poorly soluble) Not Otherwise Segulates (SOLH TWA for Particles (SOL	Versio 1.0	on Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2015
Hydroxymethylglycinate Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates NOt Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles. Personal protective equipment E General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits. Where concentrations are above recommended limits. Where unknown, appropriate respirators protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection. Hand protection Material : Impervious gloves Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance data and an assessment of the local exposure breaks and at the end of workday. Eye protection : Wear the following personal protec			, 78330-21-9	
Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particules Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles. Personal protective equipment Respiratory protection Respiratory protection General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits. Vhere concentrations are above recommended limits. Vhere oncentrations are above recommended limits. Vhere oncentrations are above recommended limits. Where are unknown, appropriate respiratory protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknow, or any other circumstance where air purifying respirators may not provide adequate protection. Hand protection Impervious gloves Remarks Choose gloves to protect hands against chemicals depending on the concentration specific to place of work, Breakthrough the is isotance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Eye protection Wear the following personal protective equipment: Safety goggles <td< td=""><td></td><td></td><td>70161-44-3</td><td></td></td<>			70161-44-3	
Respiratory protectionGeneral and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.Hand protection Material:Impervious glovesRemarks:Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.Eye protection:Skin and body protection:Skin and body protection:Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).Hygiene measures:Ensure that eye flushing systems and safety showers are	E	Engineering measures	Minimize work Dust formatio product. In ac limitations of workplaces ha assessment. Particulates N dust, 5 mg/m3 Particles (inso Specified of 3	kplace exposure concentrations. n may be relevant in the processing of this Idition to substance-specific OELs, general concentrations of particulates in the air at ave to be considered in workplace risk Relevant limits include: OSHA PEL for Iot Otherwise Regulated of 15 mg/m3 - total 3 - respirable fraction; and ACGIH TWA for bluble or poorly soluble) Not Otherwise 5 mg/m3 - respirable particles, 10 mg/m3 -
maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.Hand protection Material:Remarks:Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.Eye protection:Skin and body protection:Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).Hygiene measures:Ensure that eye flushing systems and safety showers are	F	Personal protective equipme	ent	
Material: Impervious glovesRemarks: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.Eye protection: Wear the following personal protective equipment: Safety gogglesSkin and body protection: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).Hygiene measures: Ensure that eye flushing systems and safety showers are	F	Respiratory protection	maintain vapo concentration unknown, app Follow OSHA use NIOSH/W by air purifyin hazardous ch supplied resp release, expo circumstance	or exposures below recommended limits. Where s are above recommended limits or are propriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and ISHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air irator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide
on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.Eye protection: Wear the following personal protective equipment: Safety gogglesSkin and body protection: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).Hygiene measures: Ensure that eye flushing systems and safety showers are	ŀ		: Impervious gl	oves
Safety goggles Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). Hygiene measures : Ensure that eye flushing systems and safety showers are		Remarks	on the concer time is not de For special ap resistance to gloves with th	ntration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective e glove manufacturer. Wash hands before
resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). Hygiene measures : Ensure that eye flushing systems and safety showers are	E	Eye protection		
	S	Skin and body protection	resistance da potential. Skin contact r	ta and an assessment of the local exposure nust be avoided by using impervious protective
	H	Hygiene measures		



Version 1.0	Revision Date: 02/18/2015		DS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015
				ot eat, drink or smoke. ed clothing before re-use.
SECTION	N 9. PHYSICAL AND CHI	EMIC		S
App	earance	:	liquid	
Colo	or	:	opaque, green	
Odo	r	:	fruity	
Odo	r Threshold	:	No data available	e
pН		:	8.5	
Melt	ing point/freezing point	:	No data available	e
Solid	dification / Setting point		No data available	e
Initia rang	al boiling point and boiling je	:	No data available	e
Flas	h point	:	> 100 °C	
Eva	poration rate	:	No data available	e
Flam	nmability (solid, gas)	:	Not applicable	
Upp	er explosion limit	:	No data available	e
Low	er explosion limit	:	No data available	e
Vap	or pressure	:	No data available	e
Rela	ative vapor density	:	No data available	e
Den	sity	:	1 g/cm3	
	ıbility(ies) /ater solubility	:	soluble	
	ition coefficient: n- nol/water	:	Not applicable	
Auto	pignition temperature	:	No data available	e
Dec	omposition temperature	:	The substance o	r mixture is not classified self-reactive.
	osity iscosity, kinematic	:	10,000 - 45,000	mm2/s (20 °C)
Expl	losive properties	:	Not explosive	



Version 1.0	Revision Date: 02/18/2015		DS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015
Oxid	lizing properties	:	The substance of	or mixture is not classified as oxidizing.
SECTION	N 10. STABILITY AND RE	EAC	ΤΙVITY	
Rea	ctivity	:	Not classified as	s a reactivity hazard.
Che	mical stability	:	Stable under no	rmal conditions.
Poss	sibility of hazardous reac-	:	Can react with s	strong oxidizing agents.
Con	ditions to avoid	:	None known.	
Inco	mpatible materials	:	Oxidizing agents	S
Haza prod	ardous decomposition lucts	:	No hazardous d	ecomposition products are known.
SECTION	N 11. TOXICOLOGICAL I	NFC	RMATION	
Skin Inge Eye Acu Not	lation contact stion contact te toxicity classified based on availa <u>duct:</u>	ble i	nformation.	
	e oral toxicity	:	Acute toxicity est Method: Calculat	timate: > 5,000 mg/kg tion method
Dist	edients: illates (petroleum), hydr te oral toxicity		ated light: LD50 (Rat): > 5,(000 mg/kg
Acut	e inhalation toxicity	:	inhalation toxicity	h e: dust/mist e substance or mixture has no acute
Acut	e dermal toxicity	:	LD50 (Rabbit): > Assessment: The toxicity	3,160 mg/kg e substance or mixture has no acute dermal
	te mineral oil (petroleum e oral toxicity	-	LD50 (Rat): > 5,0	000 mg/kg
	e inhalation toxicity		LC50 (Rat): > 5 r	



Version 1.0	Revision Date: 02/18/2015		DS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015		
			Test atmosphere Assessment: The inhalation toxicity	e substance or mixture has no acute		
Acute	dermal toxicity		: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity			
	ylated branched C11 oral toxicity			timate: 500 mg/kg		
	lene glycol: oral toxicity	:	LD50 (Rat): > 5,0	000 mg/kg		
Acute	inhalation toxicity	:	Exposure time: 4 Test atmosphere	e: dust/mist e substance or mixture has no acute		
Acute	dermal toxicity		LD50 (Rabbit): > Assessment: The toxicity	2,000 mg/kg e substance or mixture has no acute dermal		
Petrol Acute	atum: oral toxicity	:		000 mg/kg Fest Guideline 401 on data from similar materials		
Acute	dermal toxicity	:	Assessment: The toxicity	000 mg/kg Fest Guideline 402 e substance or mixture has no acute dermal on data from similar materials		
	m Hydroxymethylgly oral toxicity		e: LD50 (Rat): 1,05	0 mg/kg		
	orrosion/irritation	ilable i	nformation.			
<u>Produ</u> Result	<u>ct:</u> : No skin irritation					
Distill	<mark>lients:</mark> ates (petroleum), hyd sment: Repeated expo			lryness or cracking.		
Specie	mineral oil (petroleu es: Rabbit : No skin irritation	ım):				
Ethox	Ethoxylated branched C11-14, C13-rich alcohols:					



Version	Revision Date:	MSDS Number:
1.0	02/18/2015	60264-00001

Date of last issue: -Date of first issue: 02/18/2015

Species: Rabbit Result: No skin irritation Remarks: Based on data from similar materials

Propylene glycol:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Petrolatum:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rabbit Result: No eye irritation

White mineral oil (petroleum):

Species: Rabbit Result: No eye irritation

Ethoxylated branched C11-14, C13-rich alcohols:

Result: Irreversible effects on the eye Remarks: Based on data from similar materials

Propylene glycol:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405

Petrolatum:

Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.



Version	Revision Date:	MSDS Number:
1.0	02/18/2015	60264-00001

Date of last issue: -Date of first issue: 02/18/2015

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Distillates (petroleum), hydrotreated light:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

White mineral oil (petroleum):

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative

Ethoxylated branched C11-14, C13-rich alcohols:

Test Type: Human repeat insult patch test (HRIPT) Routes of exposure: Skin contact Result: negative Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

Petrolatum:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Sodium Hydroxymethylglycinate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: positive

Assessment: Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Distillates (petroleum), hydrotreated light:						
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative					
Genotoxicity in vivo	: Test Type: Chromosomal aberration Species: Rat					



rsion)	Revision Date: 02/18/2015	MSDS Nun 60264-000		Date of last issue: - Date of first issue: 02/18/2015
		Result:	negative	: Intraperitoneal injection on data from similar materials
	e mineral oil (petrole toxicity in vitro	: Test Ty	rpe: In vitro negative	o mammalian cell gene mutation test
		cytoger Species	netic assay s: Mouse	nalian erythrocyte micronucleus test (in vivo /) :: Intraperitoneal injection
		Result:	negative	est Guideline 474 on data from similar materials
	ylene glycol: toxicity in vitro		rpe: Bacter negative	rial reverse mutation assay (AMES)
Geno	toxicity in vivo	Species Applica	s: Mouse	micronucleus test Intraperitoneal injection
	latum: toxicity in vitro	Result:	negative	nosome aberration test in vitro on data from similar materials
Geno	toxicity in vivo	cytoger Species Applica Method Result:	hetic assay s: Mouse tion Route l: OECD T negative	nalian erythrocyte micronucleus test (in vivo /) e: Intraperitoneal injection est Guideline 474 on data from similar materials
	Im Hydroxymethylg toxicity in vitro	: Test Ty	rpe: Bacter negative	rial reverse mutation assay (AMES)
Geno	toxicity in vivo	mamma Species	alian liver o	eduled DNA synthesis (UDS) test with cells in vivo
	nogenicity assified based on ava	ilable informat	ion.	
White Speci Applic	dients: e mineral oil (petrole es: Rat cation Route: Ingestio sure time: 24 Months	-		



	Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2015
Resu	lt: negative		
Speci Applic Expos	ylene glycol: ies: Rat cation Route: Ingestion sure time: 2 Years lt: negative		
Speci Applic Expos	latum: ies: Rat cation Route: Ingestion sure time: 2 Years lt: negative		
IARC	;		is product present at levels greater than or entified as probable, possible or confirmed by IARC.
OSH	A		is product present at levels greater than or entified as a carcinogen or potential carcino-
NTP		equal to 0.1% is id	is product present at levels greater than or entified as a known or anticipated carcinoge
Repr	oductive toxicity	by NTP.	
Not cl Ingre Distil	oductive toxicity lassified based on availa <u>dients:</u> lates (petroleum), hydr ts on fertility	ble information. otreated light: : Test Type: One Species: Rat Application Rou Result: negative	
Not cl Ingre Distil Effect	lassified based on availa <u>dients:</u> lates (petroleum), hydr	ble information. otreated light: : Test Type: One- Species: Rat Application Rou Result: negative Remarks: Based	te: Ingestion d on data from similar materials ryo-fetal development te: Ingestion
Not cl Ingre Distil Effect	lassified based on availa <u>dients:</u> lates (petroleum), hydr ts on fertility	ble information. otreated light: : Test Type: One- Species: Rat Application Rou Result: negative Remarks: Based : Test Type: Emb Species: Rat Application Rou Result: negative	te: Ingestion d on data from similar materials ryo-fetal development te: Ingestion -generation reproduction toxicity study te: Skin contact
Not cl Ingre Distil Effect	lassified based on availa dients: lates (petroleum), hydr ts on fertility ts on fetal development	ble information. otreated light: : Test Type: One Species: Rat Application Rou Result: negative Remarks: Based : Test Type: Emb Species: Rat Application Rou Result: negative): : Test Type: One Species: Rat Application Rou Result: negative	te: Ingestion d on data from similar materials ryo-fetal development te: Ingestion -generation reproduction toxicity study te: Skin contact



Vers 1.0	sion	Revision Date: 02/18/2015		SDS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015
				Application Route Result: negative	: Ingestion
	Effects	on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-fetal development : Ingestion
	Petrola Effects	atum: on fertility	:	test Species: Rat Application Route Result: negative	duction/Developmental toxicity screening : Ingestion on data from similar materials
	Effects	on fetal development	:	Species: Rat Application Route Result: negative	o-fetal development : Skin contact on data from similar materials
		n Hydroxymethylglyc on fetal development	inat :		: Ingestion
	STOT-	single exposure			
	Not cla	ssified based on availa	ble	information.	
		repeated exposure			
		ssified based on availa	ble	information.	
	Repea	ted dose toxicity			
	Specie NOAEL Applica Exposu	ites (petroleum), hydi	(vap	or)	
	Specie LOAEL Applica	mineral oil (petroleun s: Rat .: 160 mg/kg ition Route: Ingestion ire time: 90 d	n):		
	Applica Exposu	s: Rat .: >= 1 mg/l ation Route: inhalation ure time: 4 w d: OECD Test Guideling			



1.0 02/16/2015 60264-00001 Date of first issue. 02/16/2015	Version	Revision Date:	MSDS Number:	Date of last issue: -
	1.0	02/18/2015	60264-00001	Date of first issue: 02/18/2015

Propylene glycol:

Species: Rat NOAEL: 1,700 mg/kg Application Route: Ingestion Exposure time: 2 y

Petrolatum:

Species: Rat NOAEL: 5,000 mg/kg Application Route: Ingestion Exposure time: 2 y

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

White mineral oil (petroleum):

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:						
Distillates (petroleum), hydrotreated light:						
Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203				
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction				
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction				
		NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction				
Toxicity to daphnia and other aquatic invertebrates	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l Exposure time: 8 d				



Version 1.0	Revision Date: 02/18/2015		SDS Number: 264-00001	Date of last issue: - Date of first issue: 02/18/2015
(Chro	nic toxicity)		Test substance: V	Vater Accommodated Fraction
Toxic	Toxicity to bacteria		EC50: > 100 mg/l Exposure time: 3 h	
	e mineral oil (petroleun ity to fish	n): :	LC50 (Oncorhync Exposure time: 96 Method: OECD Te	
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxic	ity to algae	:	NOEC (Pseudokir mg/l Exposure time: 72 Method: OECD Te	
Toxic toxicit	ity to fish (Chronic ty)	:	NOEC (Oncorhyn Exposure time: 28	chus mykiss (rainbow trout)): 1,000 mg/l 3 d
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	NOEC (Daphnia n Exposure time: 21	nagna (Water flea)): 1,000 mg/l I d
	kylated branched C11- ity to fish		LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 5.6 mg/l
	ity to daphnia and other ic invertebrates	:	Exposure time: 48	agna (Water flea)): > 1 - 10 mg/l 3 h on data from similar materials
Toxic	ity to algae	:	EC50: > 1 - 10 mg Exposure time: 96 Remarks: Based o	
Toxic toxicit	ity to fish (Chronic ty)	:	Exposure time: 30	nacrochirus (Bluegill sunfish)): > 0.33 mg/l) d on data from similar materials
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	Exposure time: 21	nagna (Water flea)): 0.77 mg/l l d on data from similar materials
	ylene glycol: ity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l s h
	ity to daphnia and other ic invertebrates	:	EC50 (Ceriodaphi Exposure time: 48	nia dubia (water flea)): 18,340 mg/l 3 h
Toxic	ity to algae	:	EC50 (Skeletoner	na costatum (marine diatom)): 19,000 mg/l



Version 1.0	Revision Date: 02/18/2015	MSDS Number:Date of last issue: -60264-00001Date of first issue: 02/18/2015		
		Exposure time: 48 h Method: OECD Test Guideline 201		
	xicity to fish (Chronic icity)	: Chronic Toxicity Value: 2,500 mg/l Exposure time: 30 d		
aqu	xicity to daphnia and other uatic invertebrates nronic toxicity)	NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l Exposure time: 7 d		
To	xicity to bacteria	: NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h		
-	trolatum: xicity to fish	 LL50 (Pimephales promelas (fathead minnow)): > 100 mg/ Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials 		
	xicity to daphnia and other uatic invertebrates	 EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials 		
To	xicity to algae	 NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials 		
aqu	xicity to daphnia and other uatic invertebrates nronic toxicity)	 NOEC (Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials 		
	dium Hydroxymethylglyd xicity to fish	inate: : LC50: > 10 - 100 mg/l Exposure time: 96 h		
	xicity to daphnia and other uatic invertebrates	: EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l Exposure time: 48 h		
To	xicity to algae	 ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10 - 100 mg/l Exposure time: 72 h 		
To	xicity to bacteria	: EC50: > 100 mg/l Exposure time: 120 h		
Pe	rsistence and degradabil	ity		

Persistence and degradability

Ingredients: Distillates (petroleum), hydrotreated light:



ersion 0	Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2015
Biode	gradability	: Result: Readily Biodegradation: Exposure time: Method: OECD	82 %
	e mineral oil (petrole gradability	: Result: Not read Biodegradation:	
		Exposure time:	28 d
	kylated branched C1 gradability		biodegradable. 95 %
	ylene glycol: gradability	: Result: Readily Biodegradation: Exposure time: Method: OECD	98.3 %
	latum: gradability		31 %
	u m Hydroxymethylg gradability	ycinate: : Result: Readily	biodegradable.
Bioac	cumulative potentia	I	
Propy Partiti	dients: ylene glycol: ion coefficient: n- ol/water	: log Pow: -1.07	
Partiti	um Hydroxymethylg ion coefficient: n- ol/water	l ycinate: : log Pow: < 3	
	l ity in soil ata available		
	r adverse effects ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods



Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	02/18/2015	60264-00001	Date of first issue: 02/18/2015
Waste from residues Contaminated packaging		: Dispose of as u Empty containe	cordance with local regulations. nused product. rs should be taken to an approved waste recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

Distillates (petroleum), hydrotreated light 64742-47-8 30 - 50 %



rsion	Revision Date: 02/18/2015	MSDS Number: 60264-00001	Date of last issue: - Date of first issue: 02/18/2	2015	
	Water		7732-18-5	30 - 50 %	
	White mine	eral oil (petroleum)	8042-47-5	10 - 20 %	
	Oleic acid	u ,		5 - 10 %	
	Pumice	Pumice		5 - 10 %	
	Propylene	Propylene glycol		1 - 5 %	
	Petrolatum	Petrolatum		1 - 5 %	
	Sodium hy	Sodium hydroxide		0.1 - 1 %	
New .	Jersey Right To Kno	w			
	Distillates	(petroleum), hydrotreate	ed light 64742-47-8	30 - 50 %	
	Water		7732-18-5	30 - 50 %	
	White mine	eral oil (petroleum)	8042-47-5	10 - 20 %	
	Oleic acid		112-80-1	5 - 10 %	
	Pumice		1332-09-8	5 - 10 %	
	Propylene	glycol	57-55-6	1 - 5 %	
California Prop 65		State of Californ	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		

AICS


: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)



Version 1.0	Revision Date: 02/18/2015		S Number: 4-00001	Date of last issue: - Date of first issue: 02/18/2015		
NIOSH REL		: USA. NIOSH Recommended Exposure Limits				
OSHA Z-1		: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants				
US WEEL		: USA. Workplace Environmental Exposure Levels (WEEL)				
ACGIH / TWA		: 8-hour, time-weighted average				
NIOSH REL / TWA		 Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek 				
NIOSH REL / ST			: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday			
OSHA Z-1 / TWA			: 8-hour time weighted average			
US WEEL / TWA			: 8-hr TWA			
compil	Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SD eChem Portal search results and European Chem cy, http://echa.europa.eu/		arch results and European Chemicals Agen-			
Revisi	Revision Date : 02/18/2015					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8