

Version 1.1	Revision Date: 02/10/2015		SDS Number: 592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015			
SECTION	1. IDENTIFICATION						
Product name		:	PROVON® Antim	icrobial Lotion Soap with 0.3% PCMX			
Manut	facturer or supplier's	deta	ails				
	any name of supplier			GOJO Industries, Inc.			
Addre	SS	:	One GOJO Plaza Akron OH 44311	, Suite 500			
Teleph	none	:	1 (330) 255-6000				
Emerg	ency telephone	:	1-800-424-9300	CHEMTREC			
Recor	nmended use of the c	hen	nical and restriction	ons on use			
Recon	nmended use	:	Antibacterial Soap				
Recommended use Restrictions on use		:	consumers and or foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and or intended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.			

## SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention:



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
		P280 Wear eye <b>Response:</b> P305 + P351 + for several minu to do. Continue	n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/
Other			

#### Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanolamine	141-43-5	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

### **SECTION 4. FIRST AID MEASURES**

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.



Versio 1.1	on	Revision Date: 02/10/2015	MSDS Number: 46592-00002		Date of last issue: 01/12/2015 Date of first issue: 01/12/2015	
Notes to physician		: Treat symptomatically and supportively.				
SECT	FION 5.	FIRE-FIGHTING ME	ASL	IRES		
Suitable extinguishing media		:	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)			
	Unsuitable extinguishing media		:	None known.		
	Specific hazards during fire fighting		:	Exposure to com	oustion products may be a hazard to health.	
Hazardous combustion prod- ucts		:	Carbon oxides Metal oxides Sulfur oxides Nitrogen oxides (l	NOx)		
Specific extinguishing : methods		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe so. Evacuate area.				
		protective equipment fighters	:		e, wear self-contained breathing apparatus. rective equipment.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.	
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or or barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.	oil
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked materia can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.	al



Version 1.1	Revision Date: 02/10/2015	MSDS Numb 46592-00002				
		Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.				
SECTIO	N 7. HANDLING AND ST	ORAGE				
Technical measures			See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.			
Loca	al/Total ventilation	: Use only	with adequate ventilation.			
Advice on safe handling		Do not sw Do not ge Avoid pro Handle in practice.	it in eyes. longed or repeated contact with skin. accordance with good industrial hygiene and safety to prevent spills, waste and minimize release to the			
Con			roperly labeled containers. ccordance with the particular national regulations.			
Mate			pre with the following product types: idizing agents			

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

## Hazardous components without workplace control parameters

Ingredients	CAS-No.
4-chloro-3,5-dimethylphenol	88-04-0

Engineering measures

**s** : Ensure adequate ventilation, especially in confined areas.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
		Dust formatio product. In ac limitations of workplaces ha assessment. Particulates N dust, 5 mg/m3 Particles (inso	kplace exposure concentrations. n may be relevant in the processing of this Idition to substance-specific OELs, general concentrations of particulates in the air at ave to be considered in workplace risk Relevant limits include: OSHA PEL for Iot Otherwise Regulated of 15 mg/m3 - total 3 - respirable fraction; and ACGIH TWA for oluble or poorly soluble) Not Otherwise mg/m3 - respirable particles, 10 mg/m3 - icles.
Pers	onal protective equip	nent	
	biratory protection	: General and I maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin hazardous ch supplied resp release, expo	ocal exhaust ventilation is recommended to or exposures below recommended limits. Where is are above recommended limits or are propriate respiratory protection should be worn. respirator regulations (29 CFR 1910.134) and ISHA approved respirators. Protection provided g respirators against exposure to any emical is limited. Use a positive pressure air irator if there is any potential for uncontrolled sure levels are unknown, or any other where air purifying respirators may not provide tection.
	l protection aterial	: Impervious gl	oves
Re	emarks	on the concer time is not de For special ap resistance to gloves with th	es to protect hands against chemicals depending intration specific to place of work. Breakthrough termined for the product. Change gloves often! oplications, we recommend clarifying the chemicals of the aforementioned protective e glove manufacturer. Wash hands before the end of workday.
Eyeı	protection	: Wear the follo Safety goggle	wing personal protective equipment:
Skin	and body protection	resistance da potential. Skin contact r	priate protective clothing based on chemical ta and an assessment of the local exposure nust be avoided by using impervious protective es, aprons, boots, etc).
Hygie	ene measures	located close When using c	ye flushing systems and safety showers are to the working place. lo not eat, drink or smoke. inated clothing before re-use.



Version 1.1	Revision Date: 02/10/2015		DS Number: 92-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
SECTIO	N 9. PHYSICAL AND CHI	EMIC		S
Арр	earance	:	liquid	
Colo	or	:	clear, colorless, y	yellow
Odo	r	:	floral	
Odo	r Threshold	:	No data available	9
pН		:	7 - 10	
Melt	ing point/freezing point	:	No data available	9
Initia rang	al boiling point and boiling je	:	No data available	9
Flas	h point	:	> 100 °C	
Eva	poration rate	:	No data available	9
Flan	nmability (solid, gas)	:	Not applicable	
Upp	er explosion limit	:	No data available	9
Low	er explosion limit	:	No data available	9
Vap	or pressure	:	No data available	9
Rela	ative vapor density	:	No data available	9
Den	sity	:	1.00 g/cm3	
	ıbility(ies) /ater solubility	:	soluble	
	ition coefficient: n- nol/water	:	Not applicable	
Auto	pignition temperature	:	No data available	9
Dec	omposition temperature	:	The substance o	r mixture is not classified self-reactive.
	osity iscosity, kinematic	:	1 - 20 mm2/s (20	) °C)
Expl	losive properties	:	Not explosive	
Oxic	lizing properties	:	The substance o	r mixture is not classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY



Versior 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
Re	activity	: Not classified as	a reactivity hazard.
Cł	emical stability	: Stable under no	rmal conditions.
Pc tio	ssibility of hazardous reac- ns	• : Can react with s	trong oxidizing agents.
Co	nditions to avoid	: None known.	
Inc	compatible materials	: Oxidizing agents	3
	zardous decomposition	: No hazardous d	ecomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Skin contact Ingestion Eye contact Acute toxicity		
Not classified based on availal	oie	information.
Product: Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:		
Ethanolamine: Acute oral toxicity	:	LD50 (Rat): 1,515 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Test atmosphere: vapor Method: Expert judgment Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
Acute dermal toxicity	:	LD50 (Rabbit): 1,025 mg/kg
<b>4-chloro-3,5-dimethylphenol</b> Acute oral toxicity		Acute toxicity estimate: 500 mg/kg Method: Expert judgment Remarks: Based on harmonised classification in EU regulation



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
		1272/2008, Anne	əx VI
Acute	e inhalation toxicity	: LC50 (Rat): > 6. Test atmosphere	•
Acute	e dermal toxicity	: LD50 (Rat): > 2,	000 mg/kg
•••••	corrosion/irritation	ilable information.	
<u>Prod</u> Resu	<u>uct:</u> It: No skin irritation		
Ingre	edients:		

Ethanolamine: Species: Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure

# 4-chloro-3,5-dimethylphenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Ingredients:

Ethanolamine: Species: Rabbit Result: Irreversible effects on the eye

#### 4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

# Product:

Assessment: Does not cause skin sensitization.

#### Ingredients:

**Ethanolamine:** Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

#### 4-chloro-3,5-dimethylphenol:

Assessment: Probability or evidence of skin sensitization in humans Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI



ersion 1	Revision Date: 02/10/2015		SDS Number: 592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015	
<b>Germ cell mutagenicity</b> Not classified based on available information.					
Ingre	dients:				
	nolamine:				
Geno	toxicity in vitro	:	Test Type: In vitro Method: OECD T Result: negative	o mammalian cell gene mutation test est Guideline 476	
Geno	toxicity in vivo	:	Test Type: Mamn cytogenetic assay Species: Mouse Application Route Method: OECD T Result: negative	: Ingestion	
4-chl	oro-3,5-dimethylphenol	Ŀ			
	toxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)	
	inogenicity				
Not c IARC	lassified based on availa	N e	o ingredient of this	product present at levels greater than or ntified as probable, possible or confirmed y IARC.	
OSH	A	e		product present at levels greater than or tified as a carcinogen or potential carcino-	
NTP		e		product present at levels greater than or ntified as a known or anticipated carcinogen	
Reproductive toxicity					
Not c	lassified based on availa	ble	information.		
Inare	dients:				
	nolamine:				
	ts on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion	
Effect	ts on fetal development	:	Test Type: Embry Species: Rat Application Route Method: OECD T Result: negative		

# STOT-single exposure

Not classified based on available information.



Version	Revision Date:	MSDS Number:	Date of las
1.1	02/10/2015	46592-00002	Date of fire

Date of last issue: 01/12/2015 Date of first issue: 01/12/2015

## Ingredients:

#### Ethanolamine:

Assessment: May cause respiratory irritation.

#### STOT-repeated exposure

Not classified based on available information.

#### Ingredients:

#### Ethanolamine:

Routes of exposure: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

#### **Repeated dose toxicity**

#### Ingredients:

Ethanolamine: Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

#### 4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Ingredients:
--------------

Ethanolamine:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h
	NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l



rsion	Revision Date: 02/10/2015		SDS Number: 592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015
toxici	ty)		Exposure time: 4	1 d
aquat	ity to daphnia and other tic invertebrates nic toxicity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.85 mg/l 1 d
Toxic	ity to bacteria	:	EC50 (Pseudomo Exposure time: 1	onas putida): 110 mg/l 7 h
	oro-3,5-dimethylphenol ity to fish	:	LC50 (Oncorhyno Exposure time: 9	chus mykiss (rainbow trout)): 0.76 mg/l 6 h
	ity to daphnia and other tic invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): 7.7 mg/l 8 h
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
Persi	stence and degradabili	t <b>y</b>		
Inare	dients:			
Ethai	nolamine: egradability	:	Result: Readily b Biodegradation: Exposure time: 2	> 90 %
Bioad	ccumulative potential			
<b>Etha</b> ı Partit	dients: nolamine: ion coefficient: n- ol/water	:	log Pow: -1.91	
Partit	oro-3,5-dimethylphenol ion coefficient: n- ol/water		log Pow: 3.27	
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
	ata available			

Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Dispose of as unused product. Empty containers should be taken to an approved waste



Version	Revision Date:	MSDS Number:	Date of last issue: 01/12/2015
1.1	02/10/2015	46592-00002	Date of first issue: 01/12/2015

handling site for recycling or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulation

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

#### Domestic regulation

**49 CFR** Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Acute Health Hazard	
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	This material does not contain any chemical components we known CAS numbers that exceed the threshold (De Minim reporting levels established by SARA Title III, Section 313.	nis)

### **US State Regulations**

Pennsylvania Right To Know					
Water	7732-18-5	70 - 90 %			
Fatty acids, coco	61788-47-4	5 - 10 %			
Oleic acid	112-80-1	1 - 5 %			
Sodium sulphate	7757-82-6	1 - 5 %			
Ethanolamine	141-43-5	1 - 5 %			

#### New Jersey Right To Know



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/20 Date of first issue: 01/12/20	• • •	
	Water Fatty acids	s, coco	7732-18-5 61788-47-4	70 - 90 % 5 - 10 %	
	Oleic acid		112-80-1	1 - 5 %	
	Sodium su	Ilphate	7757-82-6	1 - 5 %	
Ethanolamine			141-43-5	1 - 5 %	
Califo	ornia Prop 65	State of Califor	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		

#### The ingredients of this product are reported in the following inventories:

: All ingredients listed or exempt.


#### Inventories

AICS

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

#### **Further information**



#### Full text of other abbreviations

ACGIH		USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 46592-00002	Date of last issue: 01/12/2015 Date of first issue: 01/12/2015			
Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen cy, http://echa.europa.eu/						
Revision Date		: 02/10/2015				
The information provided in this Safety Data Sheet is correct to the best of our knowledge, in- formation and belief at the date of its publication. The information is designed only as a guid- ance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information pro- vided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, un- less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, in- cluding an assessment of the appropriateness of the SDS material in the user's end product, if						

US / Z8

applicable.