

Version 1.0	S	DS Number: 400000005381	Revision Date: 05/02/2017
SECTION 1. IDENTIFICATION			
Product name	:	PURELL® Healthcare Advanced H NOURISHING™ Foam	Hand Sanitizer ULTRA
Manufacturer or supplier's	deta	ails	
Company name of supplier	:		
Address	:	One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	:	1 (330) 255-6000	
Emergency telephone number	:	1-800-424-9300 CHEMTREC	
Recommended use of the c	hen	nical and restrictions on use	
Recommended use	:	Hand Sanitizer	
Restrictions on use	:	This is a personal care or cosmetic consumers and other users under foreseeable use. Cosmetics and c specifically defined by regulations exempt from the requirement of ar While this material is not considered contains valuable information critic proper use of the product for indus as well as unusual and unintended spills. This SDS should be retained employees and other users of this intended-use guidance, please ref provided on the package or instruct	normal and reasonably consumer products, around the world, are n SDS for the consumer. ed hazardous, this SDS cal to the safe handling and strial workplace conditions d exposures such as large d and available for product. For specific fer to the information

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning



<ul> <li>Hazard statements</li> <li>H226 Flammable liquid and vapour. H319 Causes serious eye irritation.</li> <li>Precautionary statements</li> <li>Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and et to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish</li> </ul>	Version 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
<ul> <li>P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P240 Ground/bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge P280 Wear eye protection/ face protection.</li> <li><b>Response:</b></li> <li>P305 + P351 + P338 IF IN EYES: Rinse cautiously with wate for several minutes. Remove contact lenses, if present and et to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P370 + P378 In case of fire: Use dry sand, dry chemical or</li> </ul>	Hazard statements	•	•
Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.	Precautionary statements	<ul> <li>P210 Keep away from heat/sp No smoking.</li> <li>P233 Keep container tightly cle P240 Ground/bond container a P241 Use explosion-proof elec equipment.</li> <li>P242 Use only non-sparking to P243 Take precautionary mea P280 Wear eye protection/ fac <b>Response:</b></li> <li>P305 + P351 + P338 IF IN EY for several minutes. Remove of to do. Continue rinsing.</li> <li>P337 + P313 If eye irritation pe attention.</li> <li>P370 + P378 In case of fire: U alcohol-resistant foam to extine <b>Storage:</b></li> <li>P403 + P235 Store in a well-ve <b>Disposal:</b></li> <li>P501 Dispose of contents/ cor</li> </ul>	osed. and receiving equipment. ctrical/ ventilating/ lighting/ ools. asures against static discharge. ce protection. YES: Rinse cautiously with water contact lenses, if present and eas ersists: Get medical advice/ lse dry sand, dry chemical or guish. entilated place. Keep cool.

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 50 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.



Version 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
	If easy to do, remove contact ler Seek medical advice.	ns, if worn.
If swallowed	: Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay and use the recommended prote	

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Silicon oxides
Hazardous combustion products	:	Carbon oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.



## PURELL® Healthcare Advanced Hand Sanitizer ULTRA NOURISHING<sup>™</sup> Foam

Version 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
	Keep people away from and up Material can create slippery co	•
Environmental precautions	: Discharge into the environment Prevent further leakage or spills Retain and dispose of contamin Local authorities should be adv cannot be contained.	age if safe to do so. nated wash water.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be u Soak up with inert absorbent m Suppress (knock down) gases/ spray jet.</li> <li>Keep in suitable, closed contain Clean contaminated floors and observing environmental regula</li> </ul>	aterial. vapours/mists with a water ners for disposal. objects thoroughly while

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Keep away from heat.</li> <li>Use with local exhaust ventilation.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1



Version 1.0

SDS Number: 400000005381

Revision Date: 05/02/2017

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI
Personal protective equ	ipment					
Respiratory protection		personal resp quired.	iratory prote	ctive equipr	nent normally	
Hand protection Remarks	: No	No special protective equipment required.				
Eye protection		Wear face-shield and protective suit for abnormal processing problems.				
Skin and body protection		special measurrectly.	ures necessa	ary provideo	d product is us	ed
Protective measures	co the En	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.				
Hygiene measures	pra	ndle in accord actice. oid contact wit	_	od industria	al hygiene and	safety

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, yellow
Odour	: like fruit
Odour Threshold	: No data available
рН	: 6.5 - 8.5, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 75 °C
Flash point	: 23 °C
Evaporation rate	: No data available



Version 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
Flammability (solid, gas)	: Not applicable	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.875 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is no	t classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	t classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact



ersion 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
Acute toxicity		
Not classified based on ava	ailable information.	
Components:		
Ethyl Alcohol:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour	
Isopropyl Alcohol:		
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg	
Skin corrosion/irritation		
Not classified based on ava	ailable information.	
Components:		
Ethyl Alcohol:		
Species: Rabbit		
Method: OECD Test Guide	line 404	

Result: No skin irritation

#### **Isopropyl Alcohol:**

Species: Rabbit Result: No skin irritation

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Components:

**Ethyl Alcohol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

#### **Isopropyl Alcohol:**

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### **Components:**

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA)



	Juin	
ersion 1.0	SDS Number: 40000000538	81 Revision Date: 05/02/2017
Exposure routes: Skin Species: Mouse Result: negative	contact	
Isopropyl Alcohol: Test Type: Buehler Te Exposure routes: Skin Species: Guinea pig Method: OECD Test C Result: negative	contact	
Germ cell mutagenic	itv	
-	n available information.	
Components:		
Ethyl Alcohol:		
Genotoxicity in vitro	: Test Type: In vitro mamr Result: negative	nalian cell gene mutation test
Genotoxicity in vivo	: Test Type: Rodent domin Test species: Mouse Application Route: Inges Result: negative	nant lethal test (germ cell) (in vivo) tion
Isopropyl Alcohol:		
Genotoxicity in vitro	: Test Type: Bacterial reve Result: negative	erse mutation assay (AMES)
Genotoxicity in vivo	: Test Type: Mammalian e cytogenetic assay) Test species: Mouse Application Route: Intrap Result: negative	erythrocyte micronucleus test (in vivo peritoneal injection
Caroinogoniaity		
Carcinogenicity	n available information.	
NUL CIASSILIEU DASEU O		

### **Components:**

**Isopropyl Alcohol:** Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.



Version 1.0	SDS Number: 40000005381	Revision Date: 05/02/2017	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
<b>Reproductive toxicity</b> Not classified based on a	available information.		
Components:			
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative		
<b>Isopropyl Alcohol:</b> Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Result: negative	elopment	

#### STOT - single exposure

Not classified based on available information.

#### Components:

**Isopropyl Alcohol:** Assessment: May cause drowsiness or dizziness.

#### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

#### **Components:**

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

### Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413



Version 1.0

SDS Number: 400000005381

Revision Date: 05/02/2017

#### Aspiration toxicity

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Components: Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
<b>Isopropyl Alcohol:</b> Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Persistence and degradabilit	у
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
<b>Isopropyl Alcohol:</b> Biodegradability	: Result: rapidly degradable
Bioaccumulative potential	
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35



SDS Number: 40000005381	Revision Date: 05/02/2017
: log Pow: 0.05	
40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act
	<ul> <li>: log Pow: 0.05</li> <li>40 CFR Protection of Environm Stratospheric Ozone - CAA Sec This product neither contains, r Class I or Class II ODS as defir</li> </ul>

### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

International Regulation	
IATA-DGR	
UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1987
Proper shipping name	: ALCOHOLS, N.O.S.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Labels	: 3
EmS Code	: F-E, S-D



Version 1.0	SDS Number: 400000005381	Revision Date: 05/02/2017
Marine pollutant National Regulations	: no	
<b>49 CFR</b> UN/ID/NA number Proper shipping name	: UN 1987 : Alcohols, n.o.s. (Ethanol, Propan-2-ol)	
Class	: 3	
Packing group ERG Code	: III : 127	
Marine pollutant	. 127 : no	

### SECTION 15. REGULATORY INFORMATION

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		ng levels
		Isopropyl Alcohol	67-63-0	3.4103 %

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61). This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	65.2821 %
Isopropyl Alcohol	67-63-0	3.4103 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

## Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

		/
Ethyl Alcohol	64-17-5	50 - 70 %
Isopropyl Alcohol	67-63-0	1 - 5 %



Version 1.0	SE	SDS Number: 40000005381 Revision Date: 05/02		ate: 05/02/2017			
Pennsylvania Right To Know							
-	Ethyl Alcohol		64-17-5	50 - 70 %			
	Water (Aqua)		7732-18-5	20 - 30 %			
	Isopropyl Alcohol		67-63-0	1 - 5 %			
New Jersey Right To Know							
	Ethyl Alcohol		64-17-5	50 - 70 %			
	Water (Aqua)		7732-18-5	20 - 30 %			
	Isopropyl Alcohol		67-63-0	1 - 5 %			
	PEG-12 Dimethic	cone	68937-54-2	1 - 5 %			
California Prop	,	This product does not conta of California to cause cance reproductive harm.					
The componen	nts of this produc	t are reported in the follow	ing inventories:				
TSCA	:	On the inventory, or in comp	pliance with the inve	ntory			
AICS	:	On the inventory, or in compliance with the inventory					
DSL	:	: On the inventory, or in compliance with the inventory					
ENCS	ENCS : On the inventory, or in compliance with the inventory						
ISHL	:	On the inventory, or in comp	pliance with the inve	ntory			
KECI	:	On the inventory, or in comp	pliance with the inve	ntory			
PICCS	:	On the inventory, or in comp	pliance with the inve	ntory			
IECSC	:	On the inventory, or in comp	pliance with the inve	ntory			
NZIoC	:	On the inventory, or in comp	pliance with the inve	ntory			

## Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.0

SDS Number: 400000005381

Revision Date: 05/02/2017

### **SECTION 16. OTHER INFORMATION**

### **Further information**



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

**Revision Date** 

: 05/02/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.