SAFETY DATA SHEET



## $\ensuremath{\mathsf{PROVON}}\xspace^{\ensuremath{\mathsf{\mathbb{R}}}\xspace}$ Foaming Antimicrobial Handwash with $\ensuremath{\mathsf{PCMX}}\xspace$

Version 3.0	Revision Date: 05/05/2015		SDS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014	
SECTION	1. IDENTIFICATION				
Product name		:	PROVON® Foaming Antimicrobial Handwash with PCMX		
Manu	facturer or supplier's	deta	ails		
Comp	any name of supplier	:	GOJO Industries,	Inc.	
Addre	ess	:	One GOJO Plaza Akron OH 44311	a, Suite 500	
Telep	hone	:	1 (330) 255-6000		
Emergency telephone		:	1-800-424-9300 CHEMTREC		
Recommended use of the		hen	nical and restriction	ons on use	
Recommended use		:	Antibacterial Soap		
Restrictions on use		:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.	

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H226 Flammable liquid and vapor.



Version 3.0	Revision Date: 05/05/2015	MSDS Number: 36491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
3.0		36491-00004 H318 Causes set Prevention: P210 Keep awa No smoking. P233 Keep cont P241 Use explo equipment. P242 Use only r P243 Take pred P280 Wear prot Response: P303 + P361 + all contaminated P305 + P351 + water for severa and easy to do. CENTER or doo Storage: P403 + P235 St Disposal:	Date of first issue: 12/11/2014 erious eye damage. y from heat/sparks/open flames/hot surfaces. tainer tightly closed. ision-proof electrical/ ventilating/ lighting/ non-sparking tools. autionary measures against static discharge. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON etor/ physician. ore in a well-ventilated place. Keep cool.
		disposal plant.	f contents/ container to an approved waste

## Other hazards

Vapors may form explosive mixture with air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 5 - < 10
Dodecanoic acid	143-07-7	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
I-(+)-Lactic acid	79-33-4	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

## SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek med advice.	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution.	



Version 3.0	Revision Date: 05/05/2015	MSDS Number: 36491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014	
		Get medical a	ttention if symptoms occur.	
In case	e of eye contact	for at least 15 If easy to do, r	tact, immediately flush eyes with plenty of water minutes. remove contact lens, if worn. ttention immediately.	
If swallowed		: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes seriou	is eye damage.	
Protec	tion of first-aiders	: First Aid responders should pay attention to self-protectio and use the recommended personal protective equipmen when the potential for exposure exists.		
Notes	to physician	: Treat symptomatically and supportively.		

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	:	High volume water jet	
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.	
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	:	<ul> <li>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</li> <li>Use water spray to cool unopened containers.</li> <li>Remove undamaged containers from fire area if it is safe to so.</li> <li>Evacuate area.</li> </ul>	
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.	

## SECTION 6. ACCIDENTAL RELEASE MEASURES



Versior 3.0	า	Revision Date: 05/05/2015		SDS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
pro	otecti	al precautions, ive equipment and ency procedures	:		tective equipment. ing advice and personal protective
Er	nviror	nmental precautions	:	Prevent further le Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages ied.
Methods and materials for containment and cleaning up		:	Soak up with iner Suppress (knock jet. For large spills, p containment to ke can be pumped, s container. Clean up remaini absorbent. Local or national disposal of this m employed in the o determine which Sections 13 and	Is should be used. t absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding attional requirements.	

## SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.	
Advice on safe handling	<ul> <li>Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.</li> </ul>	
Conditions for safe storage	: Keep in properly labeled containers.	



Version 3.0	Revision Date: 05/05/2015	MSDS Number: 36491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
		Store in accorda	sed. well-ventilated place. ance with the particular national regulations. n heat and sources of ignition.
Mater	ials to avoid	Strong oxidizing Organic peroxid Flammable solid Pyrophoric liquid Pyrophoric solid Self-heating sub	les ds ds ds ostances and mixtures d mixtures which in contact with water emit

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

### Ingredients with workplace control parameters

### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dodecanoic acid	143-07-7
I-(+)-Lactic acid	79-33-4
4-chloro-3,5-dimethylphenol	88-04-0

## **Engineering measures**

 Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.
 Use with local exhaust ventilation.
 Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at



Version 3.0	n Revision Date: 05/05/2015		DS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
			assessment. Rele Particulates Not C dust, 5 mg/m3 - re Particles (insolubl	to be considered in workplace risk evant limits include: OSHA PEL for Otherwise Regulated of 15 mg/m3 - total espirable fraction; and ACGIH TWA for e or poorly soluble) Not Otherwise /m3 - respirable particles, 10 mg/m3 - 5.
Pe	ersonal protective equipm	ent		
Re	espiratory protection	:	maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH/ by air purifying res hazardous chemic supplied respirato release, exposure	exhaust ventilation is recommended to posures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air r if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide on.
	and protection			
	Material	:	Impervious gloves	3
	Material	:	Flame retardant g	loves
	Remarks	:	on the concentrat time is not determ For special applic resistance to cher	protect hands against chemicals depending ion specific to place of work. Breakthrough ined for the product. Change gloves often! ations, we recommend clarifying the nicals of the aforementioned protective ove manufacturer. Wash hands before end of workday.
Ey	e protection	:	Chemical resistar	g personal protective equipment: It goggles must be worn. ely to occur, wear:
Sk	in and body protection	:	resistance data an potential. Wear the following Flame retardant a Skin contact must	e protective clothing based on chemical and an assessment of the local exposure g personal protective equipment: intistatic protective clothing. be avoided by using impervious protective aprons, boots, etc).
Hy	giene measures	:	located close to the	ushing systems and safety showers are ne working place. ot eat, drink or smoke.



Version 3.0	Revision Date: 05/05/2015		DS Number: 191-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
			Wash contamina	ated clothing before re-use.
SECTION	9. PHYSICAL AND CH	EMIC		ES
Арре	arance	:	liquid	
Color		:	clear, Slightly h	azy, blue green
Odor		:	fruity	
Odor	Threshold	:	No data availat	ble
рН		:	7.8 - 9.7	
Meltir	ng point/freezing point	:	No data availat	ble
Initial range	boiling point and boiling	:	No data availat	ble
Flash	n point	:	45.6 °C	
Evap	oration rate	:	No data availat	ble
Flam	mability (solid, gas)	:	Not applicable	
Uppe	r explosion limit	:	No data availat	ble
Lowe	r explosion limit	:	No data availat	ble
Vapo	r pressure	:	No data availat	ble
Relat	ive vapor density	:	No data availat	ble
Dens	ity	:	1 g/cm3	
	bility(ies) ater solubility	:	soluble	
	ion coefficient: n- nol/water	:	Not applicable	
Autoi	gnition temperature	:	No data availat	ble
Deco	mposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	:	10 - 20 mm2/s	(20 °C)
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance	or mixture is not classified as oxidizing.



Version	Revision Date:	MSDS Number:	Date of last issue: 04/17/2015
3.0	05/05/2015	36491-00004	Date of first issue: 12/11/2014

## SECTION 10. STABILITY AND REACTIVITY

Pagativity	. Not clossified as a reactivity bazard
Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	<ul> <li>Flammable liquid and vapor.</li> <li>Vapors may form explosive mixture with air.</li> <li>Can react with strong oxidizing agents.</li> </ul>
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

## SECTION 11. TOXICOLOGICAL INFORMATION

<b>Information on likely routes</b> Inhalation Skin contact Ingestion Eye contact	s of exposure
Acute toxicity	
Not classified based on availa	able information.
Product:	
Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Ethanol:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
<b>Dodecanoic acid:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401



rsion )	Revision Date: 05/05/2015	MSDS Number: 36491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
Acute	inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosphe Remarks: Bas	: 4 h
Acute	dermal toxicity	toxicity	: > 2,000 mg/kg The substance or mixture has no acute derma ed on data from similar materials
	oral toxicity	: LD50 (Rat): 1,	515 mg/kg
Acute	inhalation toxicity	Test atmosphe Method: Expe	rt judgment ed on harmonised classification in EU regulat
Acute	dermal toxicity	: LD50 (Rabbit)	: 1,025 mg/kg
	<b>actic acid:</b> oral toxicity	: LD50 (Rat, fer	nale): 3,543 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): > Exposure time Test atmosphe Method: OECI	: 4 h
Acute	dermal toxicity	: LD50 (Rabbit)	: > 2,000 mg/kg
	oro-3,5-dimethylphe		
Acute	oral toxicity	Method: Exper	ed on harmonised classification in EU regulat
Acute	inhalation toxicity	: LC50 (Rat): > Test atmosphe	
Acute	dermal toxicity	: LD50 (Rat): >	2,000 mg/kg

Not classified based on available information.

## Product:

Result: No skin irritation

## Ingredients:

Ethanol: Species: Rabbit



Version	Revision Date:	MSDS Number:
3.0	05/05/2015	36491-00004

Date of last issue: 04/17/2015 Date of first issue: 12/11/2014

Method: OECD Test Guideline 404 Result: No skin irritation

## Dodecanoic acid:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

## Ethanolamine:

Species: Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure

## I-(+)-Lactic acid:

Species: Rabbit Result: Skin irritation

### 4-chloro-3,5-dimethylphenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

### Serious eye damage/eye irritation

Causes serious eye damage.

### Ingredients:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

### **Dodecanoic acid:**

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

## Ethanolamine:

Species: Rabbit Result: Irreversible effects on the eye

I-(+)-Lactic acid: Species: Chicken eye Result: Irreversible effects on the eye

## 4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

### Product:

Assessment: Does not cause skin sensitization.



Version	Revision Date:	MSDS Number:	0
3.0	05/05/2015	36491-00004	0

Date of last issue: 04/17/2015 Date of first issue: 12/11/2014

## Ingredients:

### Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

### Dodecanoic acid:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

### Ethanolamine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative

## I-(+)-Lactic acid:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Result: negative

### 4-chloro-3,5-dimethylphenol:

Assessment: Probability or evidence of skin sensitization in humans Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

## Germ cell mutagenicity

Not classified based on available information.

## Ingredients:

Ethanol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative
<b>Dodecanoic acid:</b> Genotoxicity in vitro	<ul> <li>Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials</li> </ul>
Ethanolamine: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative



rsion	Revision Date: 05/05/2015	MSDS Number:Date of last issue: 04/17/201536491-00004Date of first issue: 12/11/2014
Genot	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vive cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative
	<b>.actic acid:</b> toxicity in vitro	: Test Type: Chromosome aberration test in vitro Metabolic activation: with and without metabolic activation Result: negative
		<ul> <li>Remarks: Based on data from similar materials</li> <li>Test Type: Bacterial reverse mutation assay (AMES) Metabolic activation: with and without metabolic activation Result: negative</li> </ul>
	oro-3,5-dimethylphei toxicity in vitro	<ul> <li>Test Type: Bacterial reverse mutation assay (AMES)</li> <li>Result: negative</li> </ul>
Carcinogenicity Not classified based on available information.		
I-(+)-L Specie Applic Expos Resul	dients: .actic acid: es: Rat cation Route: Ingestion sure time: 2 Years t: negative urks: Based on data fro	n similar materials
IARC		No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSH	<b>A</b>	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP		No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP.
-	oductive toxicity assified based on ava	able information.
Ethan	dients: iol: s on fertility	: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 416



Version 3.0	Revision Date: 05/05/2015	MSDS Number: 36491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
		Result: negativ	ve
	canoic acid: s on fertility	reproduction/c Species: Rat Application Rc Method: OECI Result: negati	D Test Guideline 422
Effect	s on fetal development	reproduction/c Species: Rat Application Rc Method: OECI Result: negati	D Test Guideline 422
	nolamine: is on fertility	: Test Type: Tw Species: Rat Application Ro Result: negativ	
Effect	s on fetal development	Species: Rat Application Ro	D Test Guideline 414
	-single exposure		
	assified based on availa dients:	able information.	
<u>ingre</u>			

Ethanolamine:

Assessment: May cause respiratory irritation.

**I-(+)-Lactic acid:** Assessment: May cause respiratory irritation.

## STOT-repeated exposure

Not classified based on available information.

## Ingredients:

## Ethanolamine:

Routes of exposure: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.



Version	Revision Date:	MSDS Number:	Date
3.0	05/05/2015	36491-00004	Date

Date of last issue: 04/17/2015 Date of first issue: 12/11/2014

## **Repeated dose toxicity**

## Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

## Dodecanoic acid:

Species: Rat NOAEL: 10,000 mg/kg Application Route: Ingestion Exposure time: 18 w

### Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

### I-(+)-Lactic acid:

Species: Rat NOAEL: >= 886 mg/kg Application Route: Skin contact Exposure time: 13 w

## 4-chloro-3,5-dimethylphenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

## Aspiration toxicity

Not classified based on available information.

## **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity	
Ingredients: Ethanol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201



Version 3.0	Revision Date: 05/05/2015		SDS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
aqua	city to daphnia and other atic invertebrates onic toxicity)	:	NOEC (Daphnia r Exposure time: 9	nagna (Water flea)): 9.6 mg/l d
Toxi	city to bacteria	:	EC50 (Photobacte Exposure time: 0.	erium phosphoreum): 32.1 mg/l 25 h
	ecanoic acid: city to fish	:	: LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203	
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48 Method: OECD Te	
Тохі	city to algae	:	Exposure time: 72 Method: OECD Te	
			Exposure time: 72 Method: OECD Te	
Toxi toxic	city to fish (Chronic ity)	:	Exposure time: 28	o (zebra fish)): 2 mg/l 3 d on data from similar materials
aqua	city to daphnia and other atic invertebrates onic toxicity)	:	NOEC (Daphnia r Exposure time: 21 Method: OECD Te	
Тохі	city to bacteria	:	EC10 (Pseudomo Exposure time: 30 Method: OECD Te	
	anolamine: city to fish	:	LC50 (Cyprinus ca Exposure time: 96	arpio (Carp)): 349 mg/l S h
	city to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 65 mg/l 3 h
Toxi	city to algae	:	ErC50 (Selenastro Exposure time: 72	um capricornutum (green algae)): 2.8 mg/l ? h
			NOEC (Scenedes mg/l Exposure time: 72	mus capricornutum (fresh water algae)): 1 ? h
Toxi toxic	city to fish (Chronic ity)	:	NOEC (Oryzias la Exposure time: 41	tipes (Orange-red killifish)): 1.24 mg/l d



/ersion 3.0	Revision Date: 05/05/2015		SDS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014	
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.85 mg/l 1 d	
Toxici	ty to bacteria	:	: EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h		
	<b>.actic acid:</b> ity to fish	:	LC50 (Oncorhyn Exposure time: 9	chus mykiss (rainbow trout)): 130 mg/l 6 h	
	ty to daphnia and other ic invertebrates	:	Exposure time: 4	nagna (Water flea)): 250 mg/l 8 h <sup>-</sup> est Guideline 202	
Toxici	ty to algae	:	g/l Exposure time: 7	rum capricornutum (fresh water algae)): 1.9 2 h <sup>-</sup> est Guideline 201	
			Exposure time: 7	um capricornutum (fresh water algae)): 3.5 g/l 2 h <sup>-</sup> est Guideline 201	
Toxici	ty to bacteria	:	EC50: > 100 mg/ Exposure time: 3 Method: OECD T		
	oro-3,5-dimethylphenol ity to fish	l <b>:</b> :	LC50 (Oncorhyn Exposure time: 9	chus mykiss (rainbow trout)): 0.76 mg/l 6 h	
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): 7.7 mg/l 8 h	
M-Fac icity)	ctor (Acute aquatic tox-	:	1		
Persi	stence and degradabili	ty			
Ethar	<mark>dients:</mark> 1 <b>01:</b> gradability	:	Result: Readily b Biodegradation: Exposure time: 2	84 %	
	<b>canoic acid:</b> gradability	:	Result: Readily b Biodegradation: Exposure time: 3 Method: OECD T	86 %	



Version 3.0			SDS Number: 491-00004	Date of last issue: 04/17/2015 Date of first issue: 12/11/2014
	<b>nolamine:</b> egradability	:	Result: Readily bid Biodegradation: > Exposure time: 21	> 90 %
	Lactic acid: egradability	:	Result: Not readily Biodegradation: 6 Exposure time: 20	67 %
Bioa	ccumulative potential			
<b>Etha</b> i Partit	edients: nol: tion coefficient: n- nol/water	:	log Pow: -0.35	
	ecanoic acid: ccumulation	:	Species: Fish Bioconcentration f Remarks: Based o	factor (BCF): 234 - 288 on data from similar materials
	ion coefficient: n- nol/water	:	Pow: 4.6	
Partit	nolamine: tion coefficient: n- nol/water	:	log Pow: -1.91	
Partit	Lactic acid: tion coefficient: n- nol/water	:	log Pow: -0.6	
Partit	oro-3,5-dimethylphenol ion coefficient: n- nol/water		log Pow: 3.27	
	lity in soil			
	ata available			
	r adverse effects			
No da	ata available			

## SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>



Version	Revision Date:	MSDS Number:	Date of last issue: 04/17/2015
3.0	05/05/2015	36491-00004	Date of first issue: 12/11/2014

## **SECTION 14. TRANSPORT INFORMATION**

International Regulation		
<b>UNRTDG</b> UN number Proper shipping name		UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol)
Class		3
Packing group Labels	:	III 3
IATA-DGR		
UN/ID No.		UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (Ethanol)
Class	:	3
Packing group	-	III
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355
IMDG-Code		
UN number		UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (Ethanol)
Class		3
Packing group	÷	 3
Labels EmS Code	:	5 F-E, <u>S-E</u>
Marine pollutant	÷	no
Transport in bulk according	to	Annex II of MARPOL 73/78 and th

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **Domestic regulation**

49 CFR	
UN/ID/NA number	: NA 1993
Proper shipping name	: COMBUSTIBLE LIQUID, N.O.S. (Ethanol)
Class	: ČBL
Packing group	: 111
Labels	: None
ERG Code	: 128
Marine pollutant	: no
Remarks	: Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal



Version	Revision Date:	MSDS Number:	Date of last issue: 04/17/2015
3.0	05/05/2015	36491-00004	Date of first issue: 12/11/2014

to 119 gallons (450 liters).

## **SECTION 15. REGULATORY INFORMATION**

### **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

Pennsylvania Right To Know		
Water	7732-18-5	70 - 90 %
Ethanol	64-17-5	5 - 10 %
Dodecanoic acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Dipropylene glycol	25265-71-8	1 - 5 %
Propan-2-ol	67-63-0	0.1 - 1 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Ethanol	64-17-5	5 - 10 %
Dodecanoic acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Dipropylene glycol	25265-71-8	1 - 5 %

## **California Prop 65**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### The ingredients of this product are reported in the following inventories: AICS

: All ingredients listed or exempt.


## Inventories



Version	Revision Date:	MSDS Number:	Date of last issue: 04/17/2015
3.0	05/05/2015	36491-00004	Date of first issue: 12/11/2014

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

## SECTION 16. OTHER INFORMATION



## Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	05/05/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, un-



Version	Revision Date:	MSDS Number:	Date of last issue: 04/17/2015
3.0	05/05/2015	36491-00004	Date of first issue: 12/11/2014

less specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8