

GOJ517803 GOJ657802

PURELL® Healthcare HEALTHY SOAP™ 0.5% PCMX Antimicrobial GOJ787802 GOJ517804

Foam	1EALTHY SUAP 11 0.5%		G
Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017	
SECTION 1. IDENTIFICATION			
Product name	: PURELL® Healthcare HEALT Antimicrobial Foam	HY SOAP™ 0.5% PCMX	
Manufacturer or supplier's	details		
Company name of supplier	: GOJO Industries, Inc.		
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311		
Telephone	: 1 (330) 255-6000		
Emergency telephone number	: 1-800-424-9300 CHEMTREC		
Recommended use of the o	hemical and restrictions on use		
Recommended use	: Antibacterial Soap		
Restrictions on use	: This is a personal care or cosr consumers and other users un foreseeable use. Cosmetics an specifically defined by regulati exempt from the requirement of While this material is not cons contains valuable information proper use of the product for in as well as unusual and uninter spills. This SDS should be reta	nder normal and reasonably nd consumer products, ons around the world, are of an SDS for the consumer. idered hazardous, this SDS critical to the safe handling and ndustrial workplace conditions nded exposures such as large	

employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger



Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017	
Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage.		
Precautionary statements	 Prevention: P210 Keep away from heat/spar No smoking. P233 Keep container tightly clos P240 Ground/bond container an P241 Use explosion-proof electr equipment. P242 Use only non-sparking too P243 Take precautionary measu P280 Wear eye protection/ face Response: P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER or doctor/ physician. P370 + P378 In case of fire: Use alcohol-resistant foam to extingu Storage: P403 + P235 Store in a well-ven Disposal: P501 Dispose of contents/ conta disposal plant. 	ed. d receiving equipment. ical/ ventilating/ lighting/ ls. ures against static discharge. protection. IN EYES: Rinse cautiously with ove contact lenses, if present . Immediately call a POISON e dry sand, dry chemical or iish. tilated place. Keep cool.	
Other hazards			

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 5 - < 10
Lauric Acid	143-07-7	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Lactic Acid	79-33-4	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

Hazardous components

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention immediately if irritation develops and persists.

_



PURELL® Healthcare HEALTHY SOAP™ 0.5% PCMX Antimicrobial Foam

Version 1.0	SI	OS Number: 400000005393	Revision Date: 05/25/2017
In case of eye contact	:	In case of contact, immediately flus	h eyes with plenty of water
	for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.		if worn.
If swallowed	:	 If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention. 	
Most important symptoms and effects, both acute and delayed	:	: Causes serious eye damage.	
Protection of first-aiders	:	First Aid responders should pay att and use the recommended protection	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx)
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES



Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas Keep people away from and upwir Material can create slippery conditional	nd of spill/leak.
Environmental precautions	: Discharge into the environment m Prevent further leakage or spillage Retain and dispose of contaminate Local authorities should be advise cannot be contained.	e if safe to do so. ed wash water.
Methods and materials for containment and cleaning up	 Non-sparking tools should be used Soak up with inert absorbent mate Suppress (knock down) gases/vap spray jet. Keep in suitable, closed container Clean contaminated floors and ob observing environmental regulation 	erial. pours/mists with a water s for disposal. jects thoroughly while

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation. Avoid contact with eyes.
Conditions for safe storage	 Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm	NIOSH REL



sion 1.0	SDS Number	: 40000005393	Revision D	ate: 05/25/201
			15 mg/m3	
		TWA	3 ppm 6 mg/m3	OSHA Z-
		STEL	6 ppm 15 mg/m3	OSHA PO
		TWA	3 ppm 8 mg/m3	OSHA PO
Personal protective equip	ment			
Respiratory protection	: No person required.	No personal respiratory protective equipment normally required.		
Hand protection Remarks	: No specia	No special protective equipment required.		
Eye protection	: Wear face problems.	Wear face-shield and protective suit for abnormal processing problems.		
Skin and body protection	: No specia correctly.	No special measures necessary provided product is used correctly.		
Protective measures	concentrat the specifi Ensure that	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.		
Hygiene measures	practice.	Handle in accordance with good industrial hygiene and safet practice. Avoid contact with eyes.		

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, yellow
Odour	: like fruit, floral
Odour Threshold	: No data available
рН	: 7.8 - 9.7, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 45.60 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable



Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9998 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.



i Ualli		
Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
Product: Acute oral toxicity	: Acute toxicity estimate : > 5,000 r Method: Calculation method	ng/kg
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg Exposure time: 4 h Test atmosphere: vapour	g/l
Acute dermal toxicity	 Method: Calculation method Acute toxicity estimate : > 5,000 r Method: Calculation method 	ng/kg
Components: Ethyl Alcohol: Acute oral toxicity Acute inhalation toxicity	: LD50 (Rat): > 5,000 mg/kg : LC50 (Rat): 124.7 mg/l	
	Exposure time: 4 h Test atmosphere: vapour	
Lauric Acid: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 40	11
Acute inhalation toxicity	: LC50 (Rat): > 0.162 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from sin	nilar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or m toxicity Remarks: Based on data from sin	
Ethanolamine: Acute oral toxicity	: LD50 (Rat): 1,515 mg/kg	
Acute inhalation toxicity	: Acute toxicity estimate : 11 mg/l Test atmosphere: vapour Method: Expert judgement Remarks: Based on harmonised o on 1272/2008, Annex VI	classification in EU regulati
Acute dermal toxicity	: LD50 (Rabbit): 1,025 mg/kg	
Lactic Acid: Acute oral toxicity	: LD50 (Rat, female): 3,543 mg/kg	
Acute inhalation toxicity	: LC50 (Rat): > 7.94 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 40	93
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg	



Foam		
Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
Chloroxylenol: Acute oral toxicity	: Acute toxicity estimate : 500 mg Method: Expert judgement Remarks: Based on harmonise on 1272/2008, Annex VI	
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	
Skin corrosion/irritation Not classified based on ava <u>Product:</u> Assessment: Not irritating w Result: No skin irritation		
Components: Ethyl Alcohol: Species: Rabbit Method: OECD Test Guidel Result: No skin irritation Lauric Acid: Species: Rabbit		
Method: OECD Test Guidel Result: No skin irritation Ethanolamine: Species: Rabbit Result: Corrosive after 3 mi		
Lactic Acid: Species: Rabbit Result: Skin irritation		
Chloroxylenol: Result: Skin irritation Remarks: Based on harmor	nised classification in EU regulati on 12	272/2008, Annex VI
Serious eye damage/eye i	rritation	
Causes serious eye damag	е.	
Components: Ethyl Alcohol: Species: Rabbit		
Result: Irritation to eyes, rev Method: OECD Test Guidel		

Lauric Acid:



Version 1.0

SDS Number: 400000005393

Revision Date: 05/25/2017

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Ethanolamine:

Species: Rabbit Result: Irreversible effects on the eye

Lactic Acid: Species: Chicken eye Result: Irreversible effects on the eye

Chloroxylenol: Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:

Ethyl Alcohol: Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact Species: Mouse Result: negative

Lauric Acid:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Ethanolamine:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Lactic Acid:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI _



PURELL® Healthcare HEALTHY SOAP™ 0.5% PCMX Antimicrobial Foam

sion 1.0	SDS Number: 40000005393	Revision Date: 05/25/201
Germ cell mutagenicity Not classified based on av	ailable information.	
Components: Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammaliar Result: negative	n cell gene mutation test
Genotoxicity in vivo	: Test Type: Rodent dominant I Test species: Mouse Application Route: Ingestion Result: negative	ethal test (germ cell) (in vivo)
Lauric Acid: Genotoxicity in vitro	: Test Type: In vitro mammaliar Method: OECD Test Guideline Result: negative Remarks: Based on data from	e 476
Ethanolamine: Genotoxicity in vitro	: Test Type: In vitro mammaliar Method: OECD Test Guideline Result: negative	
Genotoxicity in vivo	: Test Type: Mammalian erythro cytogenetic assay) Test species: Mouse Application Route: Ingestion Method: OECD Test Guideling Result: negative	
Lactic Acid: Genotoxicity in vitro	: Test Type: Chromosome aber Metabolic activation: with and Result: negative Remarks: Based on data from	without metabolic activation
	: Test Type: Bacterial reverse r Metabolic activation: with and Result: negative	
Chloroxylenol: Genotoxicity in vitro	: Test Type: Bacterial reverse r Result: negative	nutation assay (AMES)

Not classified based on available information.

Components:

Lactic Acid: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative



oam			
/ersion 1.0	SDS Number: 40000005393	Revision Date: 05/25/2017	
Remarks: Based on data	from similar materials		
IARC		No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA		No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Reproductive toxicity Not classified based on a	available information		
<u>Components:</u> Ethyl Alcohol:			
Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative		
Lauric Acid: Effects on fertility	: Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from	422	
Effects on foetal development	: Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from	422	
Ethanolamine: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative		



Version 1.0

SDS Number: 400000005393

Revision Date: 05/25/2017

STOT - single exposure

Not classified based on available information.

Components:

Ethanolamine:

Assessment: May cause respiratory irritation.

Lactic Acid:

Assessment: May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Components:

Ethanolamine:

Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

Repeated dose toxicity

Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Lauric Acid:

Species: Rat NOAEL: 10,000 mg/kg Application Route: Ingestion Exposure time: 18 w

Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

Lactic Acid:

Species: Rat NOAEL: >= 886 mg/kg Application Route: Skin contact Exposure time: 13 w

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d



Version 1.0

SDS Number: 40000005393

Revision Date: 05/25/2017

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Components: Ethyl Alcohol: Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	 EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Lauric Acid: Toxicity to fish	: LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	 EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 2 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to bacteria	: EC10 (Pseudomonas putida): > 1,000 mg/l



FUalli		
Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
	Exposure time: 30 min Method: OECD Test Guideline 2	09
Ethanolamine: Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 3 Exposure time: 96 h	49 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h	ea)): 65 mg/l
Toxicity to algae	: ErC50 (Selenastrum capricornut Exposure time: 72 h	um (green algae)): 2.8 mg/l
	NOEC (Scenedesmus capricornu mg/l Exposure time: 72 h	utum (fresh water algae)): 1
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange- Exposure time: 41 d	red killifish)): 1.24 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water f Exposure time: 21 d	lea)): 0.85 mg/l
Toxicity to bacteria	: EC50 (Pseudomonas putida): 11 Exposure time: 17 h	0 mg/l
Lactic Acid: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rai Exposure time: 96 h	inbow trout)): 130 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h Method: OECD Test Guideline 2	
Toxicity to algae	: EC50 (Selenastrum capricornutu Exposure time: 72 h Method: OECD Test Guideline 2	
	NOEC (Selenastrum capricornut g/l Exposure time: 72 h Method: OECD Test Guideline 24	
Toxicity to bacteria	: EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 2	09
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rai Exposure time: 96 h	inbow trout)): 0.76 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water fle Exposure time: 48 h	ea)): 7.7 mg/l



sion 1.0	SDS Number: 40000005393	Revision Date: 05/25/201
M-Factor (Acute aquatic toxicity)	: 1	
Persistence and degradab	bility	
Components:		
Ethyl Alcohol:		
Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d	
Lauric Acid:		
Biodegradability	: Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 3	301D
Eth an a landin as		
Ethanolamine: Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d	
Lactic Acid:		
Biodegradability	: Result: Not readily biodegradab Biodegradation: 67 % Exposure time: 20 d	le.
Bioaccumulative potential	I	
Components:		
Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Lauric Acid: Bioaccumulation	: Species: Fish Bioconcentration factor (BCF): 2 Remarks: Based on data from s	
Partition coefficient: n- octanol/water	: Pow: 4.6	
	: Pow: 4.6 : log Pow: -1.91	
octanol/water Ethanolamine: Partition coefficient: n-		



Version 1.0	SDS Number: 400000005393	Revision Date: 05/25/2017
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sect	
Remarks	This product neither contains, no Class I or Class II ODS as define Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation	
IATA-DGR	
UN/ID No.	: UN 1993
Proper shipping name	: Flammable liquid, n.o.s. (Ethanol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code	
UN number	: UN 1993
Proper shipping name	: FLAMMABLE LIQUID, N.O.S. (Ethanol)
Class	: 3
Packing group	: 111
Labels	: 3
EmS Code	: F-E, <u>S-E</u>
Marine pollutant	: no
National Regulations	
49 CFR	
UN/ID/NA number	: NA 1993
Proper shipping name	: Combustible Liquid, n.o.s.



Version 1.0	SDS Number: 40000005393	Revision Date: 05/25/2017
Class Packing group ERG Code	(Ethanol) : CBL : III : 128	
Marine pollutant	: no	
Remarks	: Above applies only to container: liters. Not regulated if shipped in to 119 gallons (450 liters).	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

	NOO	
Dipropylene Glycol	25265-71-8	3 %
Ethanolamine	141-43-5	3.833 %
Ethyl Alcohol	64-17-5	8.81 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

0		
Ethyl Alcohol	64-17-5	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Sodium Metabisulfite	7681-57-4	0 - 0.1 %



ersion 1.0		SDS Number: 4000	00005393 Revisio	Revision Date: 05/25/2017	
Pennsylvar	nia Right To Kno	W			
	Water (Aqua	a)	7732-18-5	70 - 90 %	
	Ethyl Alcoho		64-17-5	5 - 10 %	
	Lauric Acid		143-07-7	5 - 10 %	
	Ethanolami	ne	141-43-5	1 - 5 %	
	Dipropylene	e Glycol	25265-71-8	1 - 5 %	
	Isopropyl Al	•	67-63-0	0.1 - 1 %	
	Sodium Met		7681-57-4	0 - 0.1 %	
New Jersey	/ Right To Know	I			
	Water (Aqua	a)	7732-18-5	70 - 90 %	
	Ethyl Alcoho	l	64-17-5	5 - 10 %	
	Lauric Acid		143-07-7	5 - 10 %	
	Ethanolami	ne	141-43-5	1 - 5 %	
	Dipropylene	e Glycol	25265-71-8	1 - 5 %	
The compo TSCA	onents of this pr	reproductive har oduct are reported in : On TSCA Invent	the following inventories	S:	
AICS			, or in compliance with the	inventory	
DSL		: All components of	of this product are on the C	Canadian DSL.	
ENCS		: On the inventory	, or in compliance with the	inventory	
ISHL		: On the inventory	, or in compliance with the	inventory	
KECI		: On the inventory	, or in compliance with the	inventory	
PICCS		: On the inventory	, or in compliance with the	inventory	
IECSC		: On the inventory	, or in compliance with the	inventory	
NZIoC		: On the inventory	, or in compliance with the	inventory	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)




Version 1.0

SDS Number: 400000005393

Revision Date: 05/25/2017

SECTION 16. OTHER INFORMATION





HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 05/25/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.