

Version 1.0	SDS Number: 400000005392	Revision Date: 05/23/2017
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Healthcare HEALTH Antimicrobial Foam	IY SOAP™ 2.0% CHG
Manufacturer or supplier's	details	
Company name of supplier	: GOJO Industries, Inc.	
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: 1-800-424-9300 CHEMTREC	
Recommended use of the c	chemical and restrictions on use	
Recommended use	:	
	Pharmaceutical	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Carcinogenicity	:	Category 2
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H351 Suspected of causing cancer.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P280 Wear eye protection/ face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



SDS Number: 40000005392	Revision Date: 05/23/2017
P308 + P313 IF exposed or con attention.	ncerned: Get medical advice/
P332 + P313 If skin irritation oc attention.	ccurs: Get medical advice/
P362 Take off contaminated clo Storage:	othing and wash before reuse.
P405 Store locked up.	
Disposal:	
P501 Dispose of contents/ cont disposal plant.	tainer to an approved waste
	P308 + P313 IF exposed or con attention. P332 + P313 If skin irritation oc attention. P362 Take off contaminated clo Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ cont

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Isopropyl Alcohol	67-63-0	>= 1 - < 5
Proprietary Component 1	Not Assigned	>= 1 - < 5
Proprietary Component 2	Not Assigned	>= 1 - < 5
Chlorhexidine Digluconate	18472-51-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	:	Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage. Causes skin irritation. May be harmful if swallowed.



Version 1.0 SDS Number: 40000005392 Revision Date: 05/23/2017

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemica carbon dioxide.	al or
Unsuitable extinguishing media	None known.	
Hazardous combustion products	Carbon oxides Nitrogen oxides (NOx)	
Specific extinguishing methods	Use extinguishing measures that are appropriate to la circumstances and the surrounding environment. Collect contaminated fire extinguishing water separar must not be discharged into drains. Fire residues and contaminated fire extinguishing wa be disposed of in accordance with local regulations.	tely. This
Special protective equipment for firefighters	In the event of fire, wear self-contained breathing app Use personal protective equipment.	paratus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	For personal protection see section 8. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	:	Keep in properly labelled containers.



Version 1.0

SDS Number: 40000005392

Revision Date: 05/23/2017

Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection Remarks	:	No special protective equipment required.
Eye protection	:	No special protective equipment required. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	No special protective equipment required.
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.



|--|

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: colourless
Odour	: No data available
Odour Threshold	: No data available
рН	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: 97 °C
Flash point	: > 93.3 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 1.06 g/cm3
Solubility(ies) Water solubility	: soluble
Auto-ignition temperature	: not determined
Viscosity Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No hazards to be specially mentioned.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: Heat.



oam		
/ersion 1.0	SDS Number: 400000005392	2 Revision Date: 05/23/2017
Incompatible materials	: None known.	
Hazardous decomposition products	: Ammonia Hydrogen chloride gas Nitrogen oxides (NOx) Carbon oxides	
ECTION 11. TOXICOLOGICAL II	FORMATION	
Information on likely routes	of exposure	
Acute toxicity		
Not classified based on availal	le information.	
Product:		
Acute oral toxicity	: Acute toxicity estimate : > Method: Calculation meth	
Components:		
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/k	g
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour	
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/k	g
Chlorhexidine Digluconate:		
Acute oral toxicity	: LD50 Oral (Rat): 2,000 m	g/kg
	Acute toxicity estimate : 5	00 mg/kg
Acute dermal toxicity	: Median lethal dose (Rabb	it): 2,000 mg/kg
Skin corrosion/irritation		
Causes skin irritation.		
Components:		
Isopropyl Alcohol: Species: Rabbit Result: No skin irritation		
Proprietary Component 1: Assessment: Causes burns.		
Serious eye damage/eye irrit	ation	
Causes serious eye damage.		
Components:		

Isopropyl Alcohol:



Version 1.0

SDS Number: 400000005392

Revision Date: 05/23/2017

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Chlorhexidine Digluconate:

Assessment: Risk of serious damage to eyes. Remarks: Risk of serious damage to eyes., Severe eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Isopropyl Alcohol: Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Isopropyl Alcohol:	Test Type: Bacterial reverse mutation assay (AMES)
Genotoxicity in vitro	Result: negative
Genotoxicity in vivo	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Suspected of causing cancer.

Components:

Isopropyl Alcohol:

Species: Rat Application Route: inhalation (vapour) Exposure time: 104 weeks Method: OECD Test Guideline 451 Result: negative

IARC	Group 2B: Possibly carcinogenic to humans
	Proprietary Component 2
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.



sion 1.0	SDS Number: 40000005392	Revision Date: 05/23/20	
OSHA	No component of this product presequal to 0.1% is identified as a car carcinogen by OSHA.		
ΝΤΡ		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Reproductive toxicity			
Not classified based on a	vailable information.		
Components:			
Isopropyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	roduction toxicity study	
Effects on foetal development	: Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Result: negative	lopment	
Not classified based on a <u>Components:</u> Isopropyl Alcohol: Assessment: May cause			
Components:			
Components: Isopropyl Alcohol: Assessment: May cause STOT - repeated exposu	drowsiness or dizziness. u re		
Components: Isopropyl Alcohol: Assessment: May cause	drowsiness or dizziness. u re		
Components: Isopropyl Alcohol: Assessment: May cause STOT - repeated exposu	drowsiness or dizziness. u re		
Components: Isopropyl Alcohol: Assessment: May cause STOT - repeated exposu Not classified based on a	drowsiness or dizziness. u re vailable information. tion (vapour)		
Components: Isopropyl Alcohol: Assessment: May cause of STOT - repeated expose Not classified based on a Repeated dose toxicity Components: Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalat Exposure time: 104 w	drowsiness or dizziness. ure vailable information. tion (vapour) deline 413	eye damage.	



Version 1.0

SDS Number: 40000005392

Revision Date: 05/23/2017

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
: EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
: EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
: LC50 (Brachydanio rerio (zebrafish)): 3.6 mg/l Exposure time: 96 h Test Type: semi-static test
: EC50 (Daphnia magna (Water flea)): 4.2 mg/l Exposure time: 24 h
: (Fish): 2.08 mg/l
: (Daphnia magna (Water flea)): 0.087 mg/l
: (Chlorella pyrenoidosa (aglae)): 0.081 mg/l
: Very toxic to aquatic life.
: Very toxic to aquatic life with long lasting effects.
у
: Result: rapidly degradable
: Result: Not readily biodegradable.
: log Pow: 0.05

Chlorhexidine Digluconate:



Version 1.0	SDS Number: 400000005392	Revision Date: 05/23/2017
Bioaccumulation	: Bioconcentration factor (BCF): 42	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environmen Stratospheric Ozone - CAA Section	
Remarks	This product neither contains, nor Class I or Class II ODS as defined Section 602 (40 CFR 82, Subpt. A	by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good National Regulations

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Chronic Health Hazard Acute Health Hazard



Version 1.0	SDS Number: 40000005392	Revision Date: 05/23/2017	
SARA 302	: No chemicals in this material an requirements of SARA Title III,		
SARA 313		: The following components are subject to reporting levels established by SARA Title III, Section 313:	
	Isopropyl Alcohol 67	′-63-0 4.9999 %	

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Isopropyl Alcohol 67-63-0 4.9999 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know

	0		
	Isopropyl Alcohol	67-63-0	1 - 5 %
Pennsylvania	Right To Know		
	Water (Aqua)	7732-18-5	90 - 100 %
	Isopropyl Alcohol	67-63-0	1 - 5 %
	Proprietary Component 1	Not Assigned	1 - 5 %
	Proprietary Component 2	Not Assigned	1 - 5 %
	Proprietary Component 3	Not Assigned	1 - 5 %
	Proprietary Component 4	Not Assigned	1 - 5 %
New Jersey R	ight To Know		
	Water (Aqua)	7732-18-5	90 - 100 %
	Isopropyl Alcohol	67-63-0	1 - 5 %
	Proprietary Component 1	Not Assigned	1 - 5 %
	Proprietary Component 2	Not Assigned	1 - 5 %
	Proprietary Component 3	Not Assigned	1 - 5 %
	Proprietary Component 4	Not Assigned	1 - 5 %

California Prop 65

65 WARNING! This product contains a chemical known to the State of California to cause cancer. Proprietary Component 2 Not Assigned

The components of this product are reported in the following inventories:

CH INV

: On the inventory, or in compliance with the inventory




Version 1.0	SDS Number: 400000005392	Revision Date: 05/23/2017
TSCA	: On TSCA Inventory	
DSL	: All components of this product are	on the Canadian DSL.
AICS	: On the inventory, or in compliance	with the inventory
NZIoC	: On the inventory, or in compliance	with the inventory
ENCS	: On the inventory, or in compliance	with the inventory
ISHL	: On the inventory, or in compliance	with the inventory
KECI	: On the inventory, or in compliance	with the inventory
PICCS	: On the inventory, or in compliance	with the inventory
IECSC	: On the inventory, or in compliance	with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 05/23/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.