

# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

#### **SECTION 1. IDENTIFICATION**

Product name

GOJO® Luxury Foam Antibacterial Handwash

#### Manufacturer or supplier's details

Company name of supplier

GOJO Industries, Inc.

Address

One GOJO Plaza, Suite 500

Akron OH 44311

Telephone

1 (330) 255-6000

Emergency telephone

1-800-424-9300 CHEMTREC

#### Recommended use of the chemical and restrictions on use

Recommended use

Antibacterial Soap

Restrictions on use

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids

Category 3

Serious eye damage

Category 1

**GHS Label element** 

Hazard pictograms





Signal Word

Danger

Hazard Statements

H226 Flammable liquid and vapor. H318 Causes serious eye damage.



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

**Precautionary Statements** 

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces.

No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting/

equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately

all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER or doctor/ physician.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards

Vapors may form explosive mixture with air.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

Mixture

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 1 - < 5
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt	67762-19-0	>= 1 - < 5
Ammonium dodecyl sulphate	2235-54-3	>= 1 - < 5
Propylene glycol	57-55-6	>= 1 - < 5
4-chloro-3,5-dimethylphenol	88-04-0	>= 0.1 - < 1

#### **SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

for at least 15 minutes.

If easy to do, remove contact lens, if worn. Get medical attention immediately.

If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

: Treat symptomatically and supportively.

Most important symptoms and effects, both acute and

delayed

: Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists.

when the potential for exposure exists.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Notes to physician

: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire

fighting

: Do not use a solid water stream as it may scatter and spread

fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides Sulfur oxides

Nitrogen oxides (NOx)

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES** 

Personal precautions, protective equipment and emergency procedures Remove all sources of ignition.
Use personal protective equipment.

Follow safe handling advice and personal protective



Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

equipment recommendations.

**Environmental precautions** 

Discharge into the environment must be avoided.
 Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

: Non-sparking tools should be used.

Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray

iet '

For large spills, provide diking or other appropriate

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate

container.

Clean up remaining materials from spill with suitable

absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

employed in the cleanup of releases. You will need to

determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

# **SECTION 7. HANDLING AND STORAGE**

Technical measures

: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation

: Use with local exhaust ventilation.

Use only in an area equipped with explosion proof exhaust

ventilation.

Advice on safe handling

: Avoid inhalation of vapor or mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Non-sparking tools should be used. Keep container tightly closed.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage

Keep in properly labeled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the particular national regulations.

Keep away from heat and sources of ignition.



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Materials to avoid

Do not store with the following product types:

Strong oxidizing agents Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alpha-Sulfo-omega-	67762-19-0
(dodecyloxy)-poly(oxy-1,2-	
ethanediyl), Ammonium salt	
Ammonium dodecyl sulphate	2235-54-3
4-chloro-3.5-dimethylphenol	88-04-0

## **Engineering measures**

Minimize workplace exposure concentrations.

Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 -

inhalable particles.

#### Personal protective equipment

Respiratory protection General and local exhaust ventilation is recommended to



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material

Impervious gloves

Material Flame retardant gloves

Remarks Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before

breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:

Chemical resistant goggles must be worn. If splashes are likely to occur, wear:

Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment: Flame retardant antistatic protective clothing.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Color : clear, amber, brown

Odor : fruity

Odor Threshold : No data available



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

рΗ

: 4.5 - 8.5

Melting point/freezing point

: No data available

Initial boiling point and boiling

: 83 °C

range

58.9 °C

Flash point

Evaporation rate

: No data available

Flammability (solid, gas)

, ...

Upper explosion limit

Not applicableNo data available

Lower explosion limit

: No data available

Vapor pressure

: No data available

Relative vapor density

: No data available

Density

: 1.00 g/cm3

| Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Autoignition temperature

: No data available

Decomposition temperature

: The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic

: 10 - 20 mm2/s (20 °C)

Explosive properties

: Not explosive

Oxidizing properties

: The substance or mixture is not classified as oxidizing.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity

: Not classified as a reactivity hazard.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reac-

tions

Flammable liquid and vapor.

Vapors may form explosive mixture with air. Can react with strong oxidizing agents.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

: Oxidizing agents



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Hazardous decomposition

products

: No hazardous decomposition products are known.

#### **SECTION 11, TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

**Acute toxicity** 

Not classified based on available information.

**Product:** 

Acute oral toxicity

: Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Ingredients:

Ethanol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Acute oral toxicity

: LD50 (Rat): 4,100 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity

: LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Acute oral toxicity

: LD50 (Rat): 2,000 mg/kg

Method: EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)

Remarks: Based on data from similar materials

Propylene glycol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rabbit): > 159 mg/l, > 51091 ppm

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity

: LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

4-chloro-3,5-dimethylphenol:

Acute oral toxicity

Acute toxicity estimate: 500 mg/kg

Method: Expert judgment

Remarks: Based on harmonised classification in EU regulation

1272/2008, Annex VI

Acute inhalation toxicity

: LC50 (Rat): > 6.29 mg/l

Test atmosphere: dust/mist

Acute dermal toxicity

LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

**Product:** 

Result: No skin irritation

Ingredients:

Ethanol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

Propylene glycol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

4-chloro-3,5-dimethylphenol:

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Ingredients:

Ethanol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405



Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Species: Rabbit

Result: Irreversible effects on the eye Method: OECD Test Guideline 405

Propylene glycol:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

4-chloro-3,5-dimethylphenol:

Result: Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information.

Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA)

Routes of exposure: Skin contact

Species: Mouse Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Test Type: Maximization Test (GPMT)
Routes of exposure: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Test Type: Maximization Test (GPMT)
Routes of exposure: Skin contact

Species: Guinea pig Result: negative

4-chloro-3,5-dimethylphenol:



# **GOJO® Luxury Foam Antibacterial Handwash**

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31378-00005 Date of first issue: 12/11/2014

Assessment: Probability or evidence of skin sensitization in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

#### Germ cell mutagenicity

Not classified based on available information.

#### Ingredients:

Ethanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Species: Mouse

Application Route: Ingestion

Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo Test Type: Mutagenicity (in vivo mammalian bone-marrow

cytogenetic test, chromosomal analysis)

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 475

Result: negative

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Genotoxicity in vitro :: Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Genotoxicity in vitro Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo Test Type: In vivo micronucleus test

Species: Mouse

Application Route: Intraperitoneal injection



Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Result: negative

4-chloro-3,5-dimethylphenol:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Carcinogenicity

Not classified based on available information.

Ingredients:

Ammonium dodecyl sulphate:

Species: Rat

Application Route: Ingestion
Exposure time: 2 Years

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Species: Rat

Application Route: Ingestion Exposure time: 2 Years

Result: negative

IARC No ingredient of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No ingredient of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Ingredients:

Ethanol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Two-generation reproduction toxicity study



Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Effects on fetal development

Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Propylene glycol:

Effects on fertility

: Species: Mouse

Application Route: Ingestion

Result: negative

Effects on fetal development

: Test Type: Embryo-fetal development

Species: Mouse

Application Route: Ingestion

Result: negative

## STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

## Repeated dose toxicity

## Ingredients:

#### Ethanol:

Species: Rat

NOAEL: 2,400 mg/kg

Application Route: Ingestion

Exposure time: 2 y

#### Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Species: Rat

NOAEL: > 225 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

## Propylene glycol:

Species: Rat

NOAEL: 1,700 mg/kg

Application Route: Ingestion

Exposure time: 2 y

#### 4-chloro-3,5-dimethylphenol:

Species: Rabbit

LOAEL: 180 mg/kg

Application Route: Skin contact



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 20

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Exposure time: 90 d

**Aspiration toxicity** 

Not classified based on available information.

#### SECTION 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

### Ingredients:

Ethanol:

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Toxicity to algae

Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates

(Chronic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

: EC50 (Photobacterium phosphoreum): 32.1 mg/l Toxicity to bacteria

Exposure time: 0.25 h

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

: LC50 (Danio rerio (zebra fish)): 7.1 mg/l Toxicity to fish

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 7.4 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

FrC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l Toxicity to algae

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 0.95 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic

toxicity)

: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.14 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 204

Remarks: Based on data from similar materials

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.27 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to bacteria : EC10 (Pseudomonas putida): > 10 g/l

> Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 3.6 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4.7 mg/l

Exposure time: 48 h

Method: Tested according to Directive 92/69/EEC. Remarks: Based on data from similar materials

: ErC50 (Desmodesmus subspicatus (green algae)): > 20 mg/l Toxicity to algae

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

EC10 (Desmodesmus subspicatus (green algae)): 5.4 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3. Remarks: Based on data from similar materials

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l

Exposure time: 7 d

Remarks: Based on data from similar materials

: EC0 (Pseudomonas putida): 409 mg/l Toxicity to bacteria

Exposure time: 16 h Method: DIN 38 412 Part 8

Remarks: Based on data from similar materials

Propylene glycol:

: LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Toxicity to fish

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l

Exposure time: 48 h

: EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l Toxicity to algae

Exposure time: 48 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic

toxicity)

: Chronic Toxicity Value: 2,500 mg/l

Exposure time: 30 d

Toxicity to daphnia and other

aquatic invertebrates

: NOEC (Ceriodaphnia dubia (water flea)): 29,000 mg/l

Exposure time: 7 d



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

(Chronic toxicity)

Toxicity to bacteria

NOEC (Pseudomonas putida): > 20,000 mg/l

Exposure time: 18 h

4-chloro-3,5-dimethylphenol:

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l

Exposure time: 96 h

aguatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.7 mg/l

Exposure time: 48 h

M-Factor (Acute aquatic tox-

icity)

## Persistence and degradability

## Ingredients:

Ethanol:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 100 % Exposure time: 28 d

Method: Directive 67/548/EEC Annex V, C.4.C. Remarks: Based on data from similar materials

Ammonium dodecyl sulphate:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 75.7 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

Propylene glycol:

Biodegradability

: Result: Readily biodegradable.

Biodegradation: 98.3 % Exposure time: 28 d

Method: OECD Test Guideline 301F

## Bioaccumulative potential

Ingredients:

Ethanol:

Partition coefficient: n-

: log Pow: -0.35

octanol/water

Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-1,2-ethanediyl), Ammonium salt:

Partition coefficient: n-

octanol/water

log Pow: 0.3



# GOJO® Luxury Foam Antibacterial Handwash

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

Ammonium dodecyl sulphate:

Partition coefficient: n-

log Pow: 0.8 - 0.91

octanol/water

Propylene glycol:

Partition coefficient: n-

log Pow: -1.07

octanol/water

4-chloro-3,5-dimethylphenol:

Partition coefficient: n-

log Pow: 3.27

octanol/water

Mobility in soil

No data available

No data available

Other adverse effects

**SECTION 13. DISPOSAL CONSIDERATIONS** 

Disposal methods

Waste from residues

Dispose of in accordance with local regulations.

Contaminated packaging

: Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

Do not burn, or use a cutting torch on, the empty drum.

**SECTION 14. TRANSPORT INFORMATION** 

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

**Domestic regulation** 

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION** 

**EPCRA - Emergency Planning and Community Right-to-Know** 



# **GOJO® Luxury Foam Antibacterial Handwash**

Version 2.0

Revision Date: 04/08/2015

MSDS Number: 31378-00005

Date of last issue: 03/19/2015 Date of first issue: 12/11/2014

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

: Fire Hazard

Acute Health Hazard

**SARA 302** 

No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

**SARA 313** 

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

Water	7732-18-5	70 - 90 %
Ethanol	64-17-5	1 - 5 %
Ammonium dodecyl sulphate	2235-54-3	1 - 5 %
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-	67762-19-0	1 - 5 %
1,2-ethanediyl), Ammonium salt		
Propylene glycol	57-55-6	1 - 5 %
Ammonium sulfate	7783-20-2	0.1 - 1 %
Propan-2-ol	67-63-0	0.1 - 1 %

## **New Jersey Right To Know**

Water	7732-18-5	70 - 90 %
Ethanol	64-17-5	1 - 5 %
Ammonium dodecyl sulphate	2235-54-3	1 - 5 %
Alpha-Sulfo-omega-(dodecyloxy)-poly(oxy-	67762-19-0	1 - 5 %
1,2-ethanediyl), Ammonium salt		
Propylene glycol	57-55-6	1 - 5 %

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other

reproductive defects.

### The ingredients of this product are reported in the following inventories:

AICS : All ingredients listed or exempt.

## **Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

# GOĴO


# **GOJO® Luxury Foam Antibacterial Handwash**

Version Revision Date: MSDS Number: Date of last issue: 03/19/2015 2.0 04/08/2015 31378-00005 Date of first issue: 12/11/2014

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA:



Special hazard

## HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	lo

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, \* = Chronic

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-

its for Air Contaminants

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)

ACGIH / STEL : Short-term exposure limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

OSHA Z-1 / TWA : 8-hour time weighted average

US WEEL / TWA : 8-hr TWA

Sources of key data used to compile the Material Safety

Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date 04/08/2015

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

**US/Z8**