

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014			
SECTION	1. IDENTIFICATION					
Produ	uct name	: GOJO® Gree	n Certified Foam Hand Cleaner			
Manu	facturer or supplier's	details				
Comp	pany name of supplier	: GOJO Industr				
Addre	ess	: One GOJO Pl Akron OH 443	aza, Suite 500 311			
Telep	hone	: 1 (330) 255-6	000			
Emer	gency telephone	: 1-800-424-93	00 CHEMTREC			
Reco	mmended use of the	chemical and restr	ictions on use			
Reco	mmended use	: Skin-care				
Recommended use Restrictions on use		consumers ar foreseeable u specifically de exempt from t While this ma contains valua proper use of as well as unu spills. This SE employees an intended-use	onal care or cosmetic product that is safe for ad other users under normal and reasonably se. Cosmetics and consumer products, fined by regulations around the world, are he requirement of an SDS for the consumer. terial is not considered hazardous, this SDS able information critical to the safe handling and the product for industrial workplace conditions usual and unintended exposures such as large DS should be retained and available for ad other users of this product. For specific guidance, please refer to the information he package or instruction sheet.			

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



/ersion I.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
		for several mine to do. Continue	P338 IF IN EYES: Rinse cautiously with water utes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/
Othe	r hazards		
None	known.		

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5
salts		
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
Notes to physician	: Treat symptomatically and supportively.



Version 1.3	Revision Date: 02/10/2015	MSDS Number 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
SECTION	5. FIRE-FIGHTING ME	ASURES	
Suital	ble extinguishing media	: Water spray Alcohol-resi Dry chemic Carbon diox	stant foam al
Unsu media	itable extinguishing a	: None know	n.
Speci fightir	ific hazards during fire	: Exposure to	combustion products may be a hazard to health.
Haza ucts	rdous combustion prod-	: Sulfur oxide Carbon oxid Metal oxide Nitrogen ox	les s
Speci metho	ific extinguishing ods	circumstand Use water s	iishing measures that are appropriate to local ces and the surrounding environment. pray to cool unopened containers. damaged containers from fire area if it is safe to d rea.
	ial protective equipment e-fighters		of fire, wear self-contained breathing apparatus. al protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.



Versior 1.3	n Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
			nd 15 of this SDS provide information regarding or national requirements.
SECTIO	ON 7. HANDLING AND ST	ORAGE	
Te	chnical measures		ing measures under EXPOSURE PERSONAL PROTECTION section.
Local/Total ventilation		: Use only with	adequate ventilation.
practice.		w. eyes.	
Co	onditions for safe storage		erly labeled containers. dance with the particular national regulations.
Materials to avoid		: Do not store v Strong oxidizi	vith the following product types: ng agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

-	-
Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures	:	Ensure adequate ventilation, especially in confined areas.
		Minimize workplace exposure concentrations.

Personal protective equipment				
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Hand protection Material	:	Impervious gloves		
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the		



Version 1.3	Revision Date: 02/10/2015	MSDS Num 30606-0000	
		gloves v	ce to chemicals of the aforementioned protective vith the glove manufacturer. Wash hands before and at the end of workday.
Еуе р	protection	: Wear th Safety g	e following personal protective equipment: oggles
Skin a	and body protection	resistan potentia Skin cor	ppropriate protective clothing based on chemical ce data and an assessment of the local exposure l. ntact must be avoided by using impervious protective (gloves, aprons, boots, etc).
Hygie	ene measures	located When u	hat eye flushing systems and safety showers are close to the working place. sing do not eat, drink or smoke. ontaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: soapy
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	2.4 °C
Initial boiling point and boiling range	: 100 °C
Flash point	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Density	: 1.00 g/cm3



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
	ıbility(ies) /ater solubility	: soluble	
	ition coefficient: n- nol/water	: Not applicable	9
Auto	pignition temperature	: No data avail	able
Dec	omposition temperature	: The substanc	e or mixture is not classified self-reactive.
	cosity iscosity, kinematic	: 10 - 20 mm2/	s (20 °C)
Exp	losive properties	: Not explosive	
Oxio	dizing properties	: The substance	e or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of Inhalation Skin contact Ingestion Eye contact	exposure
Acute toxicity	
Not classified based on available	e information.
Ingredients:	
Alcohols, C10-16, ethoxylated, Acute oral toxicity	sulfates, sodium salts: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocoamidopropyl betaine: Acute oral toxicity	LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials



ersion .3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Acute	e dermal toxicity	Assessment: Th toxicity	,000 mg/kg Test Guideline 402 ne substance or mixture has no acute dermal d on data from similar materials
Skin	corrosion/irritation		
	lassified based on av	ailable information.	
Prod			
Resu	It: No skin irritation		
Alcol	edients: hols, C10-16, ethoxy It: Skin irritation	lated, sulfates, sodiur	n salts:
	ous eye damage/eye		
	es serious eye irritatio	on.	
Prod Rosu		eversing within 21 days	
Rood			
Alcol	e <mark>dients:</mark> hols, C10-16, ethoxy It: Irreversible effects	lated, sulfates, sodiur on the eye	n salts:
	amidopropyl betain ies: Rabbit	e:	
	It: Irreversible effects od: OECD Test Guide		
	arks: Based on data fi		
Resp	iratory or skin sens	itization	
Skin	sensitization: Not clas	sified based on availab Not classified based on	
Prod	<u>uct:</u>		
Asses	ssment: Does not cau	se skin sensitization.	
Ingre	dients:		
	amidopropyl betain		
	Type: Maximization T es of exposure: Skin o		
Speci	ies: Guinea pig		
	It: negative		

Germ cell mutagenicity

Not classified based on available information.

Remarks: Based on data from similar materials



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014	
Coco	dients: amidopropyl betaine: toxicity in vitro	Method: OECD Result: negative	erial reverse mutation assay (AMES) Test Guideline 471 d on data from similar materials	
Geno	toxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials		
Carci	nogenicity			
Not c IARC	lassified based on availa	No ingredient of thi	is product present at levels greater than or entified as probable, possible or confirmed by IARC.	
OSH	A		is product present at levels greater than or entified as a carcinogen or potential carcino-	
NTP			s product present at levels greater than or entified as a known or anticipated carcinogen	
-	oductive toxicity lassified based on availa	ble information.		
Ingre	dients:			
	amidopropyl betaine: ts on fetal development	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414	
	-single exposure lassified based on availa	ble information.		
STO	-repeated exposure			
Not c	lassified based on availa	ble information.		
Repe	ated dose toxicity			
Coco Speci NOAI	dients: amidopropyl betaine: es: Rat EL: 250 mg/kg cation Route: Ingestion			
		0 / 11		



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Metho	sure time: 90 d od: OECD Test Guidelin arks: Based on data fron		
-	ation toxicity assified based on availa	able information.	
SECTION	12. ECOLOGICAL INF	ORMATION	
Ecoto	oxicity		
Сосо	dients: amidopropyl betaine: ity to fish	: LC50: > 1 - 10 Exposure time: Method: ISO 73 Remarks: Base	96 h
Toxic	ity to bacteria	: EC50: > 100 m Method: OECD	
Persi	stence and degradabi	lity	
Alcoh	<mark>dients:</mark> 1 ols, C10-16, ethoxyla t gradability	ed, sulfates, sodiu : Result: Readily	
	amidopropyl betaine: gradability		: > 60 %
	ccumulative potential		
	l ity in soil Ita available		
	adverse effects Ita available		
	Ita available	DERATIONS	

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014			
		handling site fo	r recycling or disposal.			
SECTION	I 14. TRANSPORT IN	FORMATION				
Inter	national Regulation					
	TDG regulated as a danger	ous good				
	IATA-DGR Not regulated as a dangerous good					
	G-Code regulated as a danger	ous good				
Tran	sport in bulk accord	ing to Annex II of MAI	RPOL 73/78 and the IBC Code			

Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Hazards :	:	Acute Health Hazard			
SARA 302	:	•	No chemicals in this materia requirements of SARA Title	•	reporting	
SARA 313	:	•	This material does not conta known CAS numbers that en reporting levels established	xceed the threshold	(De Minimis)	
US State Regu	US State Regulations					
Pennsylvania	Right To Know					
	Water			7732-18-5	90 - 100 %	
New Jersey Ri	ght To Know					
	Water			7732-18-5	90 - 100 %	
	Alcohols, C10-1 sodium salts	6	, ethoxylated, sulfates,	68585-34-2	1 - 5 %	

```
California Prop 65
```


This product does not contain any chemicals known to the

61789-40-0

1 - 5 %



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08 Date of first issue: 11/19		
		State of Califor reproductive de	nia to cause cancer, birth, o efects.	r any other	
The i AICS	• ·	roduct are reported in : All ingredients	the following inventories: isted or exempt.		
Inver	ntories				
	(Japan), KECI (Korea		REACH (European Union), E d), PICCS (Philippines), NEC		
SECTION	16. OTHER INFORM	ATION			
Furth	er information				
NFP	4: Flammability	I	HMIS III:		
			HEALTH	2	
	2 0	Instabi	FLAMMABILITY	1	



Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8