

Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019
SECTION 1. IDENTIFICATION		
Product name	: GOJO® E2 Foam Handwash w	/ith PCMX
Manufacturer or supplier's Company name of supplier		
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	

Emergency telephone number	:	CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA
-------------------------------	---	---

#### Recommended use of the chemical and restrictions on use

Recommended use	:	Antibacterial Soap
Restrictions on use	:	This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger



Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019		
Hazard statements		H226 Flammable liquid and vapour. H318 Causes serious eye damage.		
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/spar No smoking. P233 Keep container tightly clos P240 Ground/bond container an P241 Use explosion-proof electri equipment. P242 Use only non-sparking too P243 Take precautionary measu P280 Wear eye protection/ face <b>Response:</b> P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER or doctor/ physician. P370 + P378 In case of fire: Use alcohol-resistant foam to extingu <b>Storage:</b> P403 + P235 Store in a well-ver <b>Disposal:</b> P501 Dispose of contents/ conta disposal plant.</li> </ul>	sed. nd receiving equipment. rical/ ventilating/ lighting/ ols. ures against static discharge. protection. IN EYES: Rinse cautiously with ove contact lenses, if present g. Immediately call a POISON e dry sand, dry chemical or uish. ntilated place. Keep cool.		
Other bazards				

Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

·····		
Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 5 - < 10
Lauric Acid	143-07-7	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Lactic Acid	79-33-4	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

#### Hazardous components

### SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention immediately if irritation develops and persists.



Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019	
In case of eye contact	for at least 15 minutes.	If easy to do, remove contact lens, if worn.	
If swallowed	: If swallowed, DO NOT induce v Rinse mouth with water. Obtain medical attention.	omiting.	
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.		
Protection of first-aiders	: First Aid responders should pay and use the recommended prot		

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx)
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions,
- : Use personal protective equipment.



Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area Keep people away from and upv Material can create slippery con	vind of spill/leak.
Environmental precautions	: Discharge into the environment Prevent further leakage or spillar Retain and dispose of contamina Local authorities should be advis cannot be contained.	ge if safe to do so. ated wash water.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be us Soak up with inert absorbent ma Suppress (knock down) gases/v spray jet.</li> <li>Keep in suitable, closed contained Clean contaminated floors and co observing environmental regulat</li> </ul>	aterial. apours/mists with a water ers for disposal. bbjects thoroughly while

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Keep away from heat.</li> <li>Use with local exhaust ventilation.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible	Basis
Ethyl Alashal	64-17-5	TWA	concentration	NIOSH REL
Ethyl Alcohol	04-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH KEL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

#### Components with workplace control parameters



rsion 1.1	SE	DS Number: 40	0000000156	Revision Date:	03/19/2019
			STEL	6 ppm 15 mg/m3	OSHA P0
			TWA	3 ppm 8 mg/m3	OSHA P0
Personal protective equip	ment				
Respiratory protection	:	No personal required.	espiratory prote	ctive equipment norm	ally
Hand protection Remarks	:	No special pro	otective equipme	ent required.	
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.			
Skin and body protection	:	No special measures necessary provided product is used correctly.			
Protective measures	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.			
Hygiene measures	:	Handle in acc practice. Avoid contact	-	od industrial hygiene	and safety

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, light yellow
Odour	: like soap
Odour Threshold	: No data available
рН	: 7.8 - 9.7, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: <100 °C
Flash point	: 45.60 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available



Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9998 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### **Information on likely routes of exposure** Inhalation Eye contact

Skin contact

### Acute toxicity

Not classified based on available information.

### Product:

Acute oral toxicity

: Acute toxicity estimate : > 5,000 mg/kg



rsion 1.1	SDS Number: 40000000156 Revision Date: 03/19/201
	Method: Calculation method
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate : &gt; 200 mg/l</li> <li>Exposure time: 4 h</li> <li>Test atmosphere: vapour</li> <li>Method: Calculation method</li> </ul>
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Lauric Acid:	
Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 0.162 mg/l</li> <li>Exposure time: 4 h</li> <li>Test atmosphere: vapour</li> <li>Remarks: Based on data from similar materials</li> </ul>
Acute dermal toxicity	<ul> <li>LD50 (Rabbit): &gt; 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials</li> </ul>
Ethanolamine:	
Acute oral toxicity	: LD50 (Rat): 1,515 mg/kg
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate : 11 mg/l Test atmosphere: vapour Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI</li> </ul>
Acute dermal toxicity	: LD50 (Rabbit): 1,025 mg/kg
Lactic Acid: Acute oral toxicity	: LD50 (Rat, female): 3,543 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 7.94 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg
<b>Chloroxylenol:</b> Acute oral toxicity	: Acute toxicity estimate : 500 mg/kg Method: Expert judgement



rsion 1.1	SDS Number: 40000000156	Revision Date: 03/19/201
	Remarks: Based on harmonise on 1272/2008, Annex VI	ed classification in EU regulati
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist	
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg	
Skin corrosion/irritation		
Not classified based on avai	lable information.	
Product:		
Assessment: Not irritating w Result: No skin irritation	hen applied to human skin.	
Components: Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideli Result: No skin irritation	ne 404	
Lauric Acid: Species: Rabbit Method: OECD Test Guideli Result: No skin irritation	ne 404	
<b>Ethanolamine:</b> Species: Rabbit Result: Corrosive after 3 mir	nutes to 1 hour of exposure	
Lactic Acid: Species: Rabbit Result: Skin irritation		
<b>Chloroxylenol:</b> Result: Skin irritation Remarks: Based on harmon	ised classification in EU regulati on 1	272/2008, Annex VI
Serious eye damage/eye ir		
Causes serious eye damage	2.	
Components:		
Ethyl Alcohol:		
Species: Rabbit Result: Irritation to eyes, rev Method: OECD Test Guideli		
Lauric Acid:		
Species: Rabbit Result: Irreversible effects o	n the eve	
Method: OECD Test Guideli		
Ethanolamine:		

Ethanolamine: Species: Rabbit



Version 1.1

SDS Number: 40000000156

Revision Date: 03/19/2019

Result: Irreversible effects on the eye

Lactic Acid: Species: Chicken eye Result: Irreversible effects on the eye

Chloroxylenol: Result: Irreversible effects on the eye

#### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

#### Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

#### **Components:**

**Ethyl Alcohol:** Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Lauric Acid:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Ethanolamine:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Lactic Acid:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

#### Germ cell mutagenicity

Not classified based on available information.

## Components:

Ethyl Alcohol: Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Rodent dominant lethal test (germ cell) (in vivo)



Version 1.1	SDS Number: 40000000156	Revision Date: 03/19/2019
	Test species: Mouse Application Route: Ingestion Result: negative	
Lauric Acid:		
Genotoxicity in vitro	: Test Type: In vitro mammali Method: OECD Test Guideli Result: negative Remarks: Based on data fro	ne 476
Ethanolamine:		
Genotoxicity in vitro	: Test Type: In vitro mammali Method: OECD Test Guideli Result: negative	
Genotoxicity in vivo	cytogenetic assay) Test species: Mouse Application Route: Ingestion	
	Method: OECD Test Guideli Result: negative	ne 474
Lactic Acid:		
Genotoxicity in vitro	: Test Type: Chromosome ab Metabolic activation: with an Result: negative Remarks: Based on data fro	d without metabolic activation
	: Test Type: Bacterial reverse Metabolic activation: with an Result: negative	e mutation assay (AMES) ad without metabolic activation
Chloroxylenol:		
Genotoxicity in vitro	: Test Type: Bacterial reverse Result: negative	e mutation assay (AMES)
<b>.</b>		
Carcinogenicity Not classified based on availa	ble information.	
Components:		
Lactic Acid: Species: Rat Application Route: Ingestion Exposure time: 2 Years		
Result: negative Remarks: Based on data from	similar materials	
IARC	No component of this product p equal to 0.1% is identified as p human carcinogen by IARC.	present at levels greater than or robable, possible or confirmed
OSHA	No component of this product p equal to 0.1% is identified as a carcinogen by OSHA.	present at levels greater than or carcinogen or potential



rsion 1.1	SDS Number: 40000000156	Revision Date: 03/19/201	
NTP		No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Reproductive toxicity Not classified based on av	ailable information.		
<u>Components:</u> Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative		
Lauric Acid: Effects on fertility	: Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from	422	
Effects on foetal development	: Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from	city screening test	
Ethanolamine: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study	
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative		

## STOT - single exposure

Not classified based on available information.

## Components:

**Ethanolamine:** Assessment: May cause respiratory irritation.

#### Lactic Acid:

Assessment: May cause respiratory irritation.



Version 1.1

SDS Number: 40000000156

Revision Date: 03/19/2019

#### STOT - repeated exposure

Not classified based on available information.

#### Components:

#### Ethanolamine:

Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

#### Repeated dose toxicity

#### Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

#### Lauric Acid:

Species: Rat NOAEL: 10,000 mg/kg Application Route: Ingestion Exposure time: 18 w

#### Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

#### Lactic Acid:

Species: Rat NOAEL: >= 886 mg/kg Application Route: Skin contact Exposure time: 13 w

#### Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity

## Components:

Ethyl Alcohol: Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h



rsion 1.1	SDS Number: 40000000156 Revision Date: 03/19/2019	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h	
Toxicity to algae	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d	
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h	
Lauric Acid:		
Toxicity to fish	<ul> <li>LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l</li> <li>Exposure time: 96 h</li> <li>Method: OECD Test Guideline 203</li> </ul>	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202	
Toxicity to algae	<ul> <li>EC50 (Selenastrum capricornutum (green algae)): &gt; 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility</li> </ul>	
	NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility	
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 2 mg/l Exposure time: 28 d Remarks: Based on data from similar materials	
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 21 d Method: OECD Test Guideline 211	
Toxicity to bacteria	: EC10 (Pseudomonas putida): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209	
Ethanolamine: Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h	
Toxicity to algae	: ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h	
	NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l	



sion 1.1	SDS Number: 40000000156 Revision Date: 03/19/20
	Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d
Toxicity to bacteria	: EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h
Lactic Acid: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 250 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 (Selenastrum capricornutum (fresh water algae)): 3.5 Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Selenastrum capricornutum (fresh water algae)): 1.9 g/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h
M-Factor (Acute aquatic toxicity)	: 1
Persistence and degradabili	у
<u>Components:</u> Ethyl Alcohol: Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
Lauric Acid: Biodegradability	: Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 301D



rsion 1.1	SDS Number: 400000000156	Revision Date: 03/19/201
Ethanolamine: Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d	
Lactic Acid: Biodegradability	: Result: Not readily biodegradabl Biodegradation: 67 % Exposure time: 20 d	e.
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35	
Lauric Acid: Bioaccumulation	: Species: Fish Bioconcentration factor (BCF): 2 Remarks: Based on data from si	
Partition coefficient: n- octanol/water	: Pow: 4.6	
Ethanolamine: Partition coefficient: n- octanol/water	: log Pow: -1.91	
Lactic Acid: Partition coefficient: n- octanol/water	: log Pow: -0.6	
Chloroxylenol: Partition coefficient: n- octanol/water	: log Pow: 3.27	
<b>Mobility in soil</b> No data available		
Other adverse effects		
No data available		
Product: Regulation	40 CFR Protection of Environme	ent; Part 82 Protection of
5	Stratospheric Ozone - CAA Sec	,
Remarks	This product neither contains, no Class I or Class II ODS as define Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act



Version 1.1

SDS Number: 40000000156

Revision Date: 03/19/2019

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

### **SECTION 14. TRANSPORT INFORMATION**

International Regulation		
IATA-DGR UN/ID No.	: 1	UN 1993
	: F	Flammable liquid, n.o.s. (Ethanol)
Class	: 3	
Packing group :	: 1	III
Packing instruction (cargo : aircraft)	: 3	366
Packing instruction : (passenger aircraft)	: 3	355
IMDG-Code		
UN number :	: ۱	UN 1993
Proper shipping name :		FLAMMABLE LIQUID, N.O.S. (Ethanol)
Class		3
	: 1	
Labels :		3
	: r : r	F-E, <u>S-E</u>
National Regulations	. 1	
49 CFR		
UN/ID/NA number :	: 1	NA 1993
Proper shipping name		Combustible Liquid, n.o.s. (Ethanol)
Class		CBL
Packing group :	: 1	III
	: 1	128
Marine pollutant	: r	no
Remarks	l	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

### SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act



Version 1.1

SDS Number: 40000000156

Revision Date: 03/19/2019

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-Ś	8.81 %
Ethanolamine	141-43-5	3.833 %
Dipropylene Glycol	25265-71-8	3 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### US State Regulations

Massachusetts Right To Know					
Ethyl Ald	cohol	64-17-5	5 - 10 %		
Ethanola	amine	141-43-5	1 - 5 %		
Sodium	Metabisulfite	7681-57-4	0 - 0.1 %		
Pennsylvania Right To Know					
Water (A	Aqua)	7732-18-5	70 - 90 %		
Ethyl Ald	cohol	64-17-5	5 - 10 %		
Lauric A	vcid	143-07-7	5 - 10 %		
Ethanola	amine	141-43-5	1 - 5 %		
Dipropyl	lene Glycol	25265-71-8	1 - 5 %		
Isopropy	yl Alcohol	67-63-0	0.1 - 1 %		
Sodium	Metabisulfite	7681-57-4	0 - 0.1 %		
New Jersey Right To Know					
Water (A	Aqua)	7732-18-5	70 - 90 %		
Ethyl Ale	cohol	64-17-5	5 - 10 %		
Lauric A	vcid	143-07-7	5 - 10 %		
Ethanola	amine	141-43-5	1 - 5 %		
Dipropyl	lene Glycol	25265-71-8	1 - 5 %		




Version 1.1	SDS Number: 400000000156	Revision Date: 03/19/2019	
California Prop 65	This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.		
The components of this product are reported in the following inventories:			
TSCA	: On TSCA Inventory		
AICS	: On the inventory, or in compliar	nce with the inventory	
DSL	: All components of this product a	are on the Canadian DSL.	
ENCS	: On the inventory, or in compliar	nce with the inventory	
ISHL	: On the inventory, or in compliar	nce with the inventory	
KECI	: On the inventory, or in compliar	nce with the inventory	
PICCS	: On the inventory, or in compliar	nce with the inventory	
IECSC	: On the inventory, or in compliar	nce with the inventory	
NZIoC	: On the inventory, or in compliar	nce with the inventory	

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**



#### Further information

Revision Date

: 03/19/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release



Version 1.1

SDS Number: 40000000156

Revision Date: 03/19/2019

and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.