

Version 1.3	SDS Number: 40000005456 Revision Date: 11	/09/2017
SECTION 1. IDENTIFICATION		
Product name	: PURELL® Professional CRT HEALTHY SOAP™ Nat Clean Fragrance Free Foam	urally
Manufacturer or supplier's	tails	
Company name of supplier	GOJO Industries, Inc.	
Address	One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: 1-800-424-9300 CHEMTREC	
Recommended use of the c	emical and restrictions on use	
Recommended use	Skin-care	
Restrictions on use	This is a personal care or cosmetic product that is saft consumers and other users under normal and reason foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, a exempt from the requirement of an SDS for the consu While this material is not considered hazardous, this S contains valuable information critical to the safe hand proper use of the product for industrial workplace con as well as unusual and unintended exposures such as spills. This SDS should be retained and available for employees and other users of this product. For specif intended-use guidance, please refer to the information provided on the package or instruction sheet.	ably are Imer. SDS ling and ditions s large

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning



ersion 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
Hazard statements	: H226 Flammable liquid and vapo H319 Causes serious eye irritati	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/spar No smoking. P233 Keep container tightly clos P240 Ground/bond container an P241 Use explosion-proof electr equipment. P242 Use only non-sparking too P243 Take precautionary measu P280 Wear eye protection/ face <b>Response:</b> P305 + P351 + P338 IF IN EYES for several minutes. Remove con to do. Continue rinsing. P337 + P313 If eye irritation pers attention. P370 + P378 In case of fire: Use alcohol-resistant foam to extingu <b>Storage:</b> P403 + P235 Store in a well-ven <b>Disposal:</b> P501 Dispose of contents/ conta disposal plant.</li> </ul>	eed. Id receiving equipment. Trical/ ventilating/ lighting/ Is. ures against static discharge. protection. S: Rinse cautiously with water ntact lenses, if present and easy sists: Get medical advice/ e dry sand, dry chemical or uish. htilated place. Keep cool.
Other hazards		

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

## **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water

\_



## PURELL® Professional CRT HEALTHY SOAP™ Naturally Clean Fragrance Free Foam

Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
	for at least 15 minutes. If easy to do, remove contact lens Seek medical advice.	s, if worn.
If swallowed	: If swallowed, DO NOT induce vol Rinse mouth with water. Obtain medical attention.	miting.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay a and use the recommended prote	•

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx) Metal oxides
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
protective equipment and emergency procedures	Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas Keep people away from and upwir Material can create slippery condit	nd of spill/leak.
Environmental precautions	: Discharge into the environment m Prevent further leakage or spillage Retain and dispose of contaminate Local authorities should be advise cannot be contained.	e if safe to do so. ed wash water.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be used Soak up with inert absorbent mate Suppress (knock down) gases/vap spray jet.</li> <li>Keep in suitable, closed container Clean contaminated floors and ob observing environmental regulation</li> </ul>	erial. bours/mists with a water s for disposal. jects thoroughly while

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Keep away from heat.</li> <li>Use with local exhaust ventilation.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1



Version 1.3	SDS Number: 40000005456 Revision Date: 11/09/20	17
Personal protective equipm	ent	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Hand protection Remarks	: No special protective equipment required.	
Eye protection	: Wear face-shield and protective suit for abnormal processing problems.	J
Skin and body protection	: No special measures necessary provided product is used correctly.	
Protective measures	<ul> <li>Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.</li> <li>Ensure that eye flushing systems and safety showers are located close to the working place.</li> </ul>	
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safet practice.</li> <li>Avoid contact with eyes.</li> </ul>	у

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	clear, colourless, light yellow
Odour	:	like soap
Odour Threshold	:	No data available
рН	:	5.3 - 7.0, (20 °C)
Solidification / Setting point	:	-4.6 °C
Initial boiling point and boiling range	:	77 °C
Flash point	:	35 °C
Flash point Evaporation rate		35 °C No data available
Evaporation rate	:	No data available
Evaporation rate Flammability (solid, gas)	:	No data available Not applicable
Evaporation rate Flammability (solid, gas) Flammability (liquids)	::	No data available Not applicable Does not sustain combustion.



Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
Relative vapour density	: No data available	
Density	: 0.98 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity Not classified based on availa	ble information.
<u>Components:</u> Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l



Fragrance Free Foam		
Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
	Exposure time: 4 h Test atmosphere: vapour	
Sodium Laureth Sulfate: Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or toxicity	mixture has no acute oral
<b>Glycerin:</b> Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg	
Skin corrosion/irritation Not classified based on availal	ble information.	
Product:		
Assessment: Not irritating whe Result: No skin irritation	en applied to human skin.	
Components: Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline Result: No skin irritation Sodium Laureth Sulfate: Result: Skin irritation Glycerin: Result: No skin irritation	9 404	
Serious eye damage/eye irrit Causes serious eye irritation.	tation	
<u>Components:</u> Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, rever Method: OECD Test Guideline		
<b>Sodium Laureth Sulfate:</b> Result: Eye irritation Remarks: Severe eye irritation		
<b>Glycerin:</b> Result: No eye irritation		
	<b>ation</b> ed based on available information. classified based on available inform	ation.
_		

Components: Ethyl Alcohol:



agrance Free Foam		
rsion 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
Test Type: Local lymph node Exposure routes: Skin contac Species: Mouse Result: negative		
Germ cell mutagenicity Not classified based on availa	ble information.	
Components:		
Ethyl Alcohol: Genotoxicity in vitro	: Test Type: In vitro mammalian ce Result: negative	ell gene mutation test
Genotoxicity in vivo	: Test Type: Rodent dominant leth Test species: Mouse Application Route: Ingestion Result: negative	al test (germ cell) (in vivo)
<b>Glycerin:</b> Genotoxicity in vitro	: Test Type: In vitro mammalian ce Method: OECD Test Guideline 4 Result: negative	
<u>Components:</u> Glycerin: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative		
IARC	No component of this product prese equal to 0.1% is identified as probal human carcinogen by IARC.	
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	
ΝΤΡ	No component of this product prese equal to 0.1% is identified as a know by NTP.	
<b>Reproductive toxicity</b> Not classified based on availa	ble information.	
<u>Components:</u> Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation repro Species: Mouse	duction toxicity study



## PURELL® Professional CRT HEALTHY SOAP™ Naturally Clean Fragrance Free Foam

agrance Free Foa		Devision Data: 11/00/001
rsion 1.3	SDS Number: 400000005456	Revision Date: 11/09/201
	Application Route: Ingestion Method: OECD Test Guideline Result: negative	416
<b>Glycerin:</b> Effects on fertility	: Test Type: Two-generation repr Species: Rat Application Route: Ingestion Result: negative	roduction toxicity study
Effects on foetal development	: Test Type: Embryo-foetal devel Species: Rabbit Application Route: Ingestion Result: negative	lopment
STOT - single exposure	)	
Not classified based on a	available information.	
STOT - repeated expos		
Not classified based on a	available information.	
Repeated dose toxicity		
Components: Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Inges Exposure time: 2 y	tion	
Sodium Laureth Sulfate Repeated dose toxicity - Assessment		
Glycerin: Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhala Exposure time: 13 w Symptoms: Local irritatio		
Aspiration toxicity		
Not classified based on a	available information.	
CTION 12. ECOLOGICAL	INFORMATION	
Ecotoxicity		
Components:		

**Ethyl Alcohol:** 

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h



sion 1.3	SDS Number: 4000	000005456	Revision Date: 11/09/201
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h		
Toxicity to algae	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d		
Toxicity to bacteria	: EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h		
Glycerin:			
Toxicity to fish	: LC50 (Oncorhy Exposure time:		inbow trout)): 54,000 mg/l
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia Exposure time:		ea)): 1,955 mg/l
Toxicity to bacteria	: NOEC (Pseudo Exposure time:		• 10,000 mg/l
		1011	
Persistence and degradabilit	·		
Persistence and degradabilit <u>Components:</u> Ethyl Alcohol: Biodegradability	·	biodegradable. ∵ 84 %	
<u>Components:</u> Ethyl Alcohol:	: Result: Readily Biodegradation:	biodegradable. 84 % 20 d	
Components: Ethyl Alcohol: Biodegradability Sodium Laureth Sulfate:	: Result: Readily Biodegradation: Exposure time:	biodegradable. : 84 % 20 d biodegradable. biodegradable. : 94 %	
Components: Ethyl Alcohol: Biodegradability Sodium Laureth Sulfate: Biodegradability Glycerin:	<ul> <li>Result: Readily Biodegradation: Exposure time:</li> <li>Result: Readily Biodegradation:</li> </ul>	biodegradable. : 84 % 20 d biodegradable. biodegradable. : 94 %	
Components: Ethyl Alcohol: Biodegradability Sodium Laureth Sulfate: Biodegradability Glycerin: Biodegradability	<ul> <li>Result: Readily Biodegradation: Exposure time:</li> <li>Result: Readily Biodegradation:</li> </ul>	biodegradable. : 84 % 20 d biodegradable. biodegradable. : 94 %	
Components: Ethyl Alcohol: Biodegradability Sodium Laureth Sulfate: Biodegradability Glycerin: Biodegradability Bioaccumulative potential	<ul> <li>Result: Readily Biodegradation: Exposure time:</li> <li>Result: Readily Biodegradation:</li> </ul>	biodegradable. : 84 % 20 d biodegradable. biodegradable. : 94 %	



Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
<b>Mobility in soil</b> No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, ne Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt.	ed by the U.S. Clean Air Act

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>

## **SECTION 14. TRANSPORT INFORMATION**

International Regulation	
IATA-DGR UN/ID No. Proper shipping name Class Packing group Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	: UN 1170 : Ethanol solution : 3 : III : 366 : 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant National Regulations	: UN 1170 : ETHANOL SOLUTION : 3 : III : 3 : F-E, S-D : no
<b>49 CFR</b> UN/ID/NA number Proper shipping name Class Packing group	: UN 1170 : Ethanol solutions : 3 : III



Version 1.3	SDS Number: 400000005456	Revision Date: 11/09/2017
ERG Code Marine pollutant	: 127 : no	

## SECTION 15. REGULATORY INFORMATION

## EPCRA - Emergency Planning and Community Right-to-Know Act

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	Fire Hazard Acute Health Hazard
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 :	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	17.62 %
Glycerin	56-81-5	1.75 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

#### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

#### Massachusetts Right To Know

64-17-5	10 - 20 %
56-81-5	1 - 5 %
7732-18-5	70 - 90 %
64-17-5	10 - 20 %
56-81-5	1 - 5 %
67-63-0	0.1 - 1 %
7732-18-5	70 - 90 %
	56-81-5 7732-18-5 64-17-5 56-81-5 67-63-0




Version 1.3	DS Number: 40000005456 Revision Date: 11/09/20		ate: 11/09/2017		
Ethyl Alcohol Sodium Laure Glycerin	eth Sulfate	64-17-5 68585-34-2 56-81-5	10 - 20 % 1 - 5 % 1 - 5 %		
California Prop 65	This product does not conta of California to cause cance reproductive harm.				
The components of this product are reported in the following inventories:					
TSCA	: On the inventory, or in com	pliance with the inve	entory		
AICS	: On the inventory, or in com	pliance with the inve	entory		
DSL	: On the inventory, or in com	pliance with the inve	entory		
ENCS	: On the inventory, or in com	pliance with the inve	entory		
ISHL	: On the inventory, or in com	pliance with the inve	entory		
KECI	: On the inventory, or in com	pliance with the inve	entory		
PICCS	: On the inventory, or in com	pliance with the inve	entory		
IECSC	: On the inventory, or in com	pliance with the inve	entory		
NZIoC	: On the inventory, or in com	pliance with the inve	entory		

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

#### **SECTION 16. OTHER INFORMATION**



**Further information** 



Version 1.3

SDS Number: 40000005456

Revision Date: 11/09/2017

Revision Date : 11/09/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.