



DUDELL® Advanced Hand Senitizer Creen Cartified

PURELL® Advanced H	and Sanit	tizer Green Cer	tified Foam			
Version 1.0	SDS Numb	er: 40000005938	Revision Date: 10/13/2020			
SECTION 1. IDENTIFICATION						
Product name	: PURELL	® Advanced Hand Sa	nitizer Green Certified Foam			
Manufacturer or supplier's	details					
Company name of supplier Address	: One GO	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 				
Telephone	: 1 (330) 2					
Emergency telephone number		CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: Outside USA & CANADA				
Recommended use of the o	hemical and	restrictions on use				
Recommended use Restrictions on use	consume foreseea specifica exempt While thi contains proper u as well a spills. Th employe intended	personal care or cosh ers and other users un able use. Cosmetics ar ally defined by regulation from the requirement of s material is not consi valuable information of se of the product for ir s unusual and uninter his SDS should be reta- tes and other users of	netic product that is safe for der normal and reasonably nd consumer products, ons around the world, are of an SDS for the consumer. dered hazardous, this SDS critical to the safe handling and ndustrial workplace conditions nded exposures such as large ained and available for this product. For specific e refer to the information struction sheet.			
SECTION 2. HAZARDS IDENTIF	CATION					
GHS Classification Flammable liquids	: Categor	y 3				

Eye irritation : Category 2A

GHS label elements
Hazard pictograms

Signal word

:		
:	Warning	

Hazard statements	:	H226 Flammable liquid and vapour. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking.



None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 60 - < 70
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
lf inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	 Do NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing



 Version 1.0
 SDS Number: 40000005938
 Revision Date: 10/13/2020

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Silicon oxides
Hazardous combustion products	:	Carbon oxides Silicon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	 Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE



Version 1.0	SDS Number: 400000005938	Revision Date: 10/13/2020	
Advice on safe handling	: For personal protection see section 8. Keep away from heat. Use with local exhaust ventilation.		
Conditions for safe storage	 Avoid contact with eyes. Take measures to prevent the build up of electrostatic of Keep in properly labelled containers. Keep containers tightly closed in a cool, well-ventilated Store in accordance with the particular national regulat 		

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio	
		parameters	specimen	y time	n	
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection	
Remarks	: No special protective equipment required.
Eyeprotection	: Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special protective equipment required.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice.



Version 1.0

SDS Number: 400000005938

Revision Date: 10/13/2020

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Colour Odour pH	: liquid : clear, colourless, yellow : alcohol-like : 6 - 9
Melting point/freezing point Initial boiling point and boiling range	: No data available : 73 °C
Flash point	: 26.00 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.8738 g/cm3
Solubility(ies) Water solubility	: soluble
Partition coefficient: n- octanol/water	: Not applicable
Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)
Explosiveproperties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous	: Vapours may form explosive mixture with air.
reactions	



Version 1.0	SDS Number: 400000005938	Revision Date: 10/13/2020
Conditions to avoid Incompatible materials	 Heat, flames and sparks. Strong oxidizing agents Flammable solids Water-reactive substances 	
Hazardous decomposition products	: No hazardous decomposition	products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Skin contact Eye contact					
Acute toxicity					
Not classified based on availa	able information.				
Product: Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method				
<u>Components:</u>					
Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg				
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour				
Isopropyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg				
Acute inhalation toxicity	: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour				
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg				

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.



Version 1.0

SDS Number: 40000005938

Revision Date: 10/13/2020

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol: Genotoxicity in vitro	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Test species: Mouse Application Route: Ingestion Result: negative
Isopropyl Alcohol:	
	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.



	SDS Number: 400000005938	Revision Date: 10/13/2020
<u>Components:</u>		
Isopropyl Alcohol: Species: Rat Application Route: inhala Exposure time: 104 weel Method: OECD Test Gui Result: negative	ks	
IARC	No component of this product pre equal to 0.1% is identified as prol human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kr	
Reproductive toxicity	by NTP.	
Reproductive toxicity Not classified based on a <u>Components:</u> Ethyl Alcohol: Effects on fertility	available information. : Test Type: Two-generation rep Species: Mouse	production toxicity study
Not classified based on a <u>Components:</u> Ethyl Alcohol:	available information. : Test Type: Two-generation rep	
Not classified based on a <u>Components:</u> Ethyl Alcohol:	available information. : Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline	416

Isopropyl Alcohol: Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:



Version 1.0

SDS Number: 400000005938

Revision Date: 10/13/2020

Ethyl Alcohol:

Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapour) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> Ethyl Alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algæ)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
(Chronic toxicity) Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Isopropyl Alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h
Toxicity to bacteria	:	EC50 (Pseudomonas putida): > 1,050 mg/l Exposure time: 16 h
Persistence and degradabilit	y	
<u>Components:</u> Ethyl Alcohol:		

Biodegradability	: Result: Readily biodegradable.
	Biodegradation: 84 %



Version 1.0	SDS Number: 400000005938	Revision Date: 10/13/2020
	Exposure time: 20 d	
Isopropyl Alcohol: Biodegradability	: Result: rapidly degradable	
Bioaccumulative potential		
Components: Ethyl Alcohol: Partition coefficient: n- octanol/water Isopropyl Alcohol: Partition coefficient: n- octanol/water	: log Pow: -0.35 : log Pow: 0.05	
Mobility in soil No data available		
Other adverse effects No data available		
Product: Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, Class I or Class II ODS as defi Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR UN/ID No.	: UN 1987
Proper shipping name	: Alcohols, n.o.s.
	(Ethanol, Propan-2-ol)
Class	: 3
Packing group	: 111
Packing instruction (cargo aircraft)	: 366
Packing instruction (passenger aircraft)	: 355
IMDG-Code UN number	: UN 1987

_



PURELL® Advanced Hand Sanitizer Green Certified Foam

Version 1.0	SDS Number: 400000005938	Revision Date: 10/13/2020
Proper shipping name	: ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)	
Class Packing group Labels EmS Code Marine pollutant National Regulations	: 3 : III : 3 : F-E, S-D : no	
49 CFR UN/ID/NA number Proper shipping name Class Packing group ERG Code Marine pollutant	: UN 1987 : Alcohols, n.o.s. : 3 : III : 127 : no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Isopropyl Alcohol	67-63-0	3.4086 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol	64-17-5	65.2821 %
Isopropyl Alcohol	67-63-0	3.4086 %
This product does not contain any	v VOC exemption	ns listed under the U.S. Clean Air Act

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

California Prop 65	This product does not require a warning label under California
	Proposition 65.

The components of this product are reported in the following inventories:		
TSCA	: On the inventory, or in compliance with the inventory	
AICS	: On the inventory, or in compliance with the inventory	
DSL	: On the inventory, or in compliance with the inventory	




Version 1.0	SDS Number: 400000005938	Revision Date: 10/13/2020
ISHL	: On the inventory, or in compliance	e with the inventory
KECI	: On the inventory, or in compliance	e with the inventory
PICCS	: On the inventory, or in compliance	e with the inventory
ENCS	: On the inventory, or in compliance	e with the inventory
IECSC	: On the inventory, or in compliance	e with the inventory
NZIoC	: On the inventory, or in compliance	e with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION



Further information

Revision Date

: 10/13/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.