\_



# GOJO® SHOWER UP® Soap & Shampoo

Version 1.2	Revision Date: 02/10/2015		SDS Number: 695-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	1. IDENTIFICATION			
Produ	lict name	:	GOJO® SHOWEF	R UP® Soap & Shampoo
Manı	facturer or supplier's	deta	nils	
	pany name of supplier	:		Inc.
Addre	ess	:	One GOJO Plaza, Akron OH 44311	Suite 500
Telep	hone	:	1 (330) 255-6000	
Emer	gency telephone	:	1-800-424-9300 (	CHEMTREC
Reco	mmended use of the c	hen	nical and restrictio	ns on use
Reco	mmended use	:	Shampoo	
Restr	ictions on use	:	consumers and ot foreseeable use. Of specifically defined exempt from the re While this material contains valuable proper use of the p as well as unusual spills. This SDS sh employees and oth intended-use guid	care or cosmetic product that is safe for her users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are equirement of an SDS for the consumer. I is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions I and unintended exposures such as large hould be retained and available for her users of this product. For specific ance, please refer to the information ackage or instruction sheet.

# **SECTION 2. HAZARDS IDENTIFICATION**

## **GHS Classification**

Not a hazardous substance or mixture.

# **GHS Label element**

Not a hazardous substance or mixture.

Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium	68585-34-2	>= 1 - < 5



ersion 2	Revision Date: 02/10/2015	MSDS Number: 31695-00003	Date of last issue: Date of first issue:	
salts				
Cocoan	nidopropyl betaine		61789-40-0	>= 1 - < 5
ECTION 4	FIRST AID MEASI	IRES		
ECTION 4.	FIRST AID MEAS	JRES		
ECTION 4.		JRES : If inhaled, rem	ove to fresh air.	
		: If inhaled, rem	ove to fresh air. Itention if symptoms oc	cur.
lf inhale		: If inhaled, rem Get medical a		

	Get medical attention if symptoms occur.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: No special precautions are necessary for first aid responders.
Notes to physician	: Treat symptomatically and supportively.

# SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	ter spray ohol-resistant foam chemical bon dioxide (CO2)	
Unsuitable extinguishing media	ne known.	
Specific hazards during fire fighting	oosure to combustion pr	oducts may be a hazard to health.
Hazardous combustion prod- ucts	fur oxides bon oxides tal oxides orine compounds ogen oxides (NOx)	
Specific extinguishing methods	umstances and the surr water spray to cool un	•



Vers 1.2	sion	Revision Date: 02/10/2015	-	SDS Number: 695-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
	Special protective equipment for fire-fighters		:	: Wear self-contained breathing apparatus for firefighting necessary. Use personal protective equipment.	
SEC	CTION 6	. ACCIDENTAL RELE	ASE	E MEASURES	
	protecti	al precautions, ive equipment and ency procedures	:	Follow safe handl equipment recom	ing advice and personal protective mendations.
	Enviror	nmental precautions	:	Prevent further lea Prevent spreading barriers). Retain and dispos	e environment must be avoided. akage or spillage if safe to do so. g over a wide area (e.g. by containment or oil se of contaminated wash water. should be advised if significant spillages ed.
		ls and materials for ment and cleaning up	:	For large spills, pr containment to ke can be pumped, s container. Clean up remainir absorbent. Local or national u disposal of this m employed in the c determine which r Sections 13 and 1	absorbent material. Forvide diking or other appropriate ep material from spreading. If diked material store recovered material in appropriate and materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

# SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Handle in accordance with good industrial hygiene and safety practice. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents



12/02/2014 11/24/2014

# GOJO® SHOWER UP® Soap & Shampoo

Version	Revision Date:	MSDS Number:	Date of last issue:
1.2	02/10/2015	31695-00003	Date of first issue:

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

# Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0

Engineering measures :	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.
Personal protective equipment	

Respiratory protection :		General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Will concentrations are above recommended limits or are unknown, appropriate respiratory protection should be wo Follow OSHA respirator regulations (29 CFR 1910.134) a use NIOSH/MSHA approved respirators. Protection provi- by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not prov- adequate protection.	
Hand protection			
Remarks	:	Wash hands before breaks and at the end of workday.	
Eye protection	:	Wear the following personal protective equipment: Safety glasses	
Skin and body protection	:	Skin should be washed after contact.	

Hygiene measures	<ul> <li>Ensure that eye flushing systems and safety showers are located close to the working place.</li> <li>When using do not eat, drink or smoke.</li> <li>Wash contaminated clothing before re-use.</li> </ul>
	5



Version 1.2	Revision Date: 02/10/2015	MSDS Num 31695-0000		ssue: 12/02/2014 ssue: 11/24/2014
SECTION	9. PHYSICAL AND CH	MICAL PRO	PERTIES	
	earance	: liquid		
Color		: clear, r	d orange	
Odor		: citrus		
	Threshold		available	
pH	Threshold	: 4.8 - 6.		
	ng point/freezing point		available	
			avallable	
	lification / Setting point	-0.9 °C		
Initia range	l boiling point and boiling e	: 98.00 °		
Flash	n point	: >100 °		
Evap	ooration rate	: No data	available	
Flam	mability (solid, gas)	: Not app	cable	
Uppe	er explosion limit	: No data	available	
Lowe	er explosion limit	: No data	available	
Vapo	or pressure	: No data	available	
Relat	tive vapor density	: No data	available	
Dens	sity	: 1.0 g/ci	3	
	bility(ies) ater solubility	: soluble		
	tion coefficient: n- nol/water	: Not app	cable	
Autoi	ignition temperature	: No data	available	
Decc	omposition temperature	: The su	stance or mixture is no	t classified self-reactive.
Visco Vis	osity scosity, kinematic	: 3,000 -	8,000 mm2/s (20 °C)	
Explo	osive properties	: Not exp	osive	
Oxidi	izing properties	: The su	stance or mixture is no	t classified as oxidizing.



	Revision Date: 02/10/2015	MSDS Number: 31695-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	10. STABILITY AND RE	EACTIVITY	
Reac	tivity	: Not classified a	as a reactivity hazard.
Cherr	nical stability	: Stable under n	ormal conditions.
Possi tions	bility of hazardous reac-	: Can react with	strong oxidizing agents.
Cond	itions to avoid	: None known.	
Incom	patible materials	: Oxidizing ager	nts
Haza produ	rdous decomposition cts	: No hazardous	decomposition products are known.
ECTION	11. TOXICOLOGICAL I	NFORMATION	
	contact		
Acute	tion ontact <b>e toxicity</b> lassified based on availa	ble information.	
Eye c Acute Not c <u>Prod</u>	ontact <b>e toxicity</b> lassified based on availa		stimate: > 5,000 mg/kg ation method
Eye c Acute Not c <u>Prode</u> Acute <u>Ingre</u> Alcol	ontact e <b>toxicity</b> lassified based on availa u <u>ct:</u>	: Acute toxicity e Method: Calcul ed, sulfates, sodiur : LD50 (Rat): > 2	ation method <b>n salts:</b>
Eye c Acute Not c Produ Acute Acute Acute	ontact <b>e toxicity</b> assified based on availa <u>uct:</u> e oral toxicity <u>dients:</u> nols, C10-16, ethoxylate	<ul> <li>Acute toxicity e Method: Calcul</li> <li>ed, sulfates, sodiur</li> <li>LD50 (Rat): &gt; 2 Assessment: T toxicity</li> <li>LD50: &gt; 5,000 r Method: OECD</li> </ul>	ation method <b>n salts:</b> 2,000 mg/kg he substance or mixture has no acute oral

Not classified based on available information.

## Product:

Result: No skin irritation



Version	Revision Date:	MSDS Number:	Da
1.2	02/10/2015	31695-00003	Da

Date of last issue: 12/02/2014 Date of first issue: 11/24/2014

# Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

## Serious eye damage/eye irritation

Not classified based on available information.

#### Product:

Assessment: No eye irritation

## Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

#### Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

#### Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

#### Product:

Assessment: Does not cause skin sensitization.

## Ingredients:

#### Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

## Germ cell mutagenicity

Not classified based on available information.

#### Ingredients:

#### **Cocoamidopropyl betaine:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative



ersion 2	Revision Date: 02/10/2015	MSDS Number: 31695-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
		Remarks: Base	d on data from similar materials
Carcii	nogenicity		
	assified based on av		
IARC			is product present at levels greater than or lentified as probable, possible or confirmed by IARC.
OSH/	A		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinoge
Repro	ductive toxicity		
-	assified based on av	ailable information.	
Ingred	dients:		
	amidopropyl betain	e:	
Effects	s on fetal developme		oryo-fetal development
		Species: Rat Application Rou	ite: Indestion
			Test Guideline 414
		Result: negative	e d on data from similar materials
		Remarks: Base	d on data from similar materials
STOT	-single exposure		
Not cla	assified based on av	ailable information.	
STOT	-repeated exposure	)	
Not cla	assified based on av	ailable information.	
Repea	ated dose toxicity		
Ingred	<u>dients:</u>		
	amidopropyl betain	e:	
	es: Rat		
	L: 250 mg/kg ation Route: Ingestic	n	
	ure time: 90 d d: OECD Test Guide		

# Aspiration toxicity

Not classified based on available information.



ersion 2	Revision Date: 02/10/2015	MSDS Number: 31695-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
ECTION	12. ECOLOGICAL II	NFORMATION	
Ecote	oxicity		
Ingre	dients:		
	<b>bamidopropyl betain</b> bity to fish	: LC50: > 1 - 10 Exposure time: Method: ISO 73	96 h
Toxic	ity to bacteria		g/l Test Guideline 209 ed on data from similar materials
Persi	istence and degrada	bility	
Prod	uct:		
Biode	egradability	: Result: Biodeg	radable
Ingre	edients:		
		lated, sulfates, sodiu	
DIOUE	egradability	: Result: Readily	biodegradable.
	a <b>midopropyl betain</b> egradability	: Result: Readily Biodegradation Exposure time: Method: OECD	: > 60 %
	<b>ccumulative potentia</b> ata available	al	
Mobi	lity in soil		
	ata available		
	<b>r adverse effects</b> ata available		

# SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> </ul>



Version	Revision Date:	MSDS Number:	Date
1.2	02/10/2015	31695-00003	Date

Date of last issue: 12/02/2014 Date of first issue: 11/24/2014

# SECTION 14. TRANSPORT INFORMATION

#### International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable for product as supplied.

# Domestic regulation

**49 CFR** Not regulated as a dangerous good

# SECTION 15. REGULATORY INFORMATION

# EPCRA - Emergency Planning and Community Right-to-Know

## **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know


Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
Cocoamidopropyl betaine	61789-40-0	1 - 5 %






AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

# **SECTION 16. OTHER INFORMATION**





Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

## Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8