

Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

SECTION 1. IDENTIFICATION

Product name : GOJO® SUPRO MAX™ Hand Cleaner

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone : CHEMTREC 1-800-424-9300

number CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for

consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for

employees and other users of this product. For specific intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
C11-15 Alkane/cycloalkane	64742-47-8	>= 10 - < 20
Sodium Laureth Sulfate	68585-34-2	>= 5 - < 10
Cocamidopropyl Betaine	61789-40-0	>= 1 - < 5
Titanium Dioxide (CI 77891)	13463-67-7	> 0.1 - < 1

SECTION 4. FIRST AID MEASURES



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

General advice : In the case of accident or if you feel unwell, seek medical

advice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

If inhaled : If inhaled, remove to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Get medical attention if irritation develops and persists.
In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

If easy to do, remove contact lens, if worn.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

: None known.

Rinse mouth with water.

Obtain medical attention.

Most important symptoms

delaved

and effects, both acute and

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Unsuitable extinguishing

media

None known.

Hazardous combustion

products

: Carbon oxides Sulphur oxides

Metal oxides

Nitrogen oxides (NOx) Chlorine compounds

Specific extinguishing

methods

: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment. Use water spray to cool unopened containers.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Methods and materials for containment and cleaning up

: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.

Do not swallow.

Avoid contact with eyes.

Keep in properly labelled containers

Conditions for safe storage : Keep in properly labelled containers.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C11-15 Alkane/cycloalkane	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA	200 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
Titanium Dioxide (CI 77891)	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH

Hazardous components without workplace control parameters

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

Eye protection : No special protective equipment required.

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection

: No special protective equipment required.

Protective measures

: Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

No data available

: 94 °C

Appearance : liquid
Colour : opaque, tan
Odour : floral

Odour Threshold : No data available

pH : 4.5 - 8.0, (20 °C)

Solidification / Setting point : 5.5 °C

Melting point/freezing point

Initial boiling point and boiling

range

Flash point : > 100 °C

Method: Pensky-Martens closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.02 g/cm3

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : No data available

Thermal decomposition : The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : 12000 - 40000 mm2/s (20 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard. Chemical stability : Stable under normal conditions.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: No hazardous decomposition products are known.



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

Components:

C11-15 Alkane/cycloalkane:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 3,160 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Sodium Laureth Sulfate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Assessment: The substance or mixture has no acute oral

toxicity

Cocamidopropyl Betaine:

Acute oral toxicity : LD50 : > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

Titanium Dioxide (CI 77891):

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The substance or mixture has no acute

inhalation toxicity



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment: Not irritating when applied to human skin.

Result: No skin irritation

Components:

C11-15 Alkane/cycloalkane:

Assessment: Repeated exposure may cause skin dryness or cracking.

Sodium Laureth Sulfate:

Result: Skin irritation

Cocamidopropyl Betaine:

Result: Skin irritation

Titanium Dioxide (CI 77891):

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

Species: Rabbit

Result: No eye irritation

Sodium Laureth Sulfate:

Result: Eye irritation

Remarks: Severe eye irritation

Cocamidopropyl Betaine:

Result: Eye irritation

Remarks: Severe eye irritation

Titanium Dioxide (CI 77891):

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Cocamidopropyl Betaine:



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

Titanium Dioxide (CI 77891):

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration

Test species: Rat

Application Route: Intraperitoneal injection

Result: negative

Remarks: Based on data from similar materials

Cocamidopropyl Betaine:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)
Test species: Mouse

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Titanium Dioxide (CI 77891):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test

Test species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Titanium Dioxide (CI 77891):

Species: Rat

Application Route: inhalation (dust/mist/fume)



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Method: OECD Test Guideline 453

Result: positive

Remarks: The mechanism or mode of action may not be releva nt in humans., The substance is inextricably bound in the product and therefore does not contribute to a dust inhalation hazard.

IARC Group 2B: Possibly carcinogenic to humans

Titanium Dioxide (CI 77891) 13463-67-7

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

Effects on fertility : Test Type: One-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat

Application Route: Ingestion

Result: negative

Cocamidopropyl Betaine:

Effects on foetal : Test Type: Embryo-foetal development

development Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

C11-15 Alkane/cycloalkane:

Species: Rat

NOAEL: > 10.4 mg/l

Application Route: inhalation (vapour)

Exposure time: 90 d

Remarks: Based on data from similar materials



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Cocamidopropyl Betaine:

Species: Rat NOAEL: 250 mg/kg

Application Route: Ingestion

Exposure time: 90 d

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

Titanium Dioxide (CI 77891):

Species: Rat

NOAEL: 24,000 mg/kg Application Route: Ingestion

Species: Rat NOAEL: 10 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 2 y

Remarks: The substance is inextricably bound in the product and therefore does not contribute

to a dust inhalation hazard.

Aspiration toxicity

Not classified based on available information.

Components:

C11-15 Alkane/cycloalkane:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

C11-15 Alkane/cycloalkane:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 250 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EL50 (Acartia tonsa): > 3,193 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae : EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

NOELR (Skeletonema costatum (marine diatom)): 993 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Toxicity to daphnia and other

aquatic invertebrates (Chronic toxicity)

: NOELR (Ceriodaphnia Dubia (water flea)): > 70 mg/l

Exposure time: 8 d

Test substance: Water Accommodated Fraction



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Toxicity to bacteria : EC50: > 100 mg/l

Exposure time: 3 h

Cocamidopropyl Betaine:

Toxicity to fish : LC50: > 1 - 10 mg/l

Exposure time: 96 h Method: ISO 7346/2

Remarks: Based on data from similar materials

Toxicity to bacteria : EC50: > 100 mg/l

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Titanium Dioxide (CI 77891):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

Exposure time: 72 h

Toxicity to bacteria : EC50: > 1,000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Persistence and degradability

Components:

C11-15 Alkane/cycloalkane:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 82 % Exposure time: 24 d

Method: OECD Test Guideline 301F

Sodium Laureth Sulfate:

Biodegradability : Result: Readily biodegradable.

Cocamidopropyl Betaine:

Biodegradability : Result: Readily biodegradable.

Biodegradation: > 60 % Exposure time: 28 d

Method: OECD Test Guideline 301

Remarks: Based on data from similar materials

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards : No SARA Hazards

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section

California Prop 65 This product does not require a warning label under California

Proposition 65.

The components of this product are reported in the following inventories:

TSCA : On the inventory, or in compliance with the inventory

AICS : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL.

ENCS : On the inventory, or in compliance with the inventory

ISHL : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 01/16/2020

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release



Version 1.0 SDS Number: 400000000217 Revision Date: 01/16/2020

and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.