

Version 1.3	Revision Date: 02/10/2015		SDS Number: 432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
SECTION	1. IDENTIFICATION			
Produ	ict name	:	PURELL® Green	Certified Instant Hand Sanitizer
Manu	facturer or supplier's	deta	ails	
	pany name of supplier	:		Inc.
Addre	255	:	One GOJO Plaza Akron OH 44311	, Suite 500
Telep	hone	:	1 (330) 255-6000	
Emer	gency telephone	:	1-800-424-9300	CHEMTREC
Reco	mmended use of the o	chen	nical and restriction	ons on use
Reco	mmended use	:	Hand Sanitizer	
Restr	ictions on use	:	consumers and o foreseeable use. specifically define exempt from the n While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H226 Flammable liquid and vapor.



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 36432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
		H319 Causes se	erious eye irritation.
Preca	autionary Statements	No smoking. P233 Keep cont P241 Use explo equipment. P242 Use only r P243 Take prec P264 Wash skir P280 Wear prot Response: P303 + P361 + all contaminated P305 + P351 + for several minu to do. Continue P337 + P313 If attention. Storage: P403 + P235 St Disposal:	y from heat/sparks/open flames/hot surfaces ainer tightly closed. sion-proof electrical/ ventilating/ lighting/ non-sparking tools. autionary measures against static discharge. htoroughly after handling. ective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 IF IN EYES: Rinse cautiously with water tes. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/ ore in a well-ventilated place. Keep cool. f contents/ container to an approved waste

Other hazards

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 50 - < 70
Propan-2-ol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	In the case of accident or if you feel unwell, seek medica advice immediately. When symptoms persist or in all cases of doubt seek me advice.	
If inhaled	If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	Wash with water and soap as a precaution. Get medical attention if symptoms occur.	



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 36432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
In c	ase of eye contact	for at least 15 r	emove contact lens, if worn.
If s	wallowed	Get medical att	O NOT induce vomiting. ention if symptoms occur. oroughly with water.
and	st important symptoms I effects, both acute and ayed	: Causes serious	s eye irritation.
Pro	tection of first-aiders	and use the rec	nders should pay attention to self-protection, commended personal protective equipment tial for exposure exists.
Not	es to physician	: Treat symptom	atically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : Remove all sources of ignition.



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 36432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
	tective equipment and ergency procedures	Follow safe ha	protective equipment. andling advice and personal protective commendations.
En	rironmental precautions	Prevent furthe Prevent sprea barriers). Retain and dis	o the environment must be avoided. er leakage or spillage if safe to do so. ding over a wide area (e.g. by containment or oil spose of contaminated wash water. es should be advised if significant spillages ttained.
	hods and materials for tainment and cleaning up	Soak up with i Suppress (kno jet. For large spills containment to can be pumpe container. Clean up rema absorbent. Local or nation disposal of thi employed in the determine who Sections 13 a	tools should be used. Inert absorbent material. bock down) gases/vapors/mists with a water spray s, provide diking or other appropriate b keep material from spreading. If diked material ed, store recovered material in appropriate aining materials from spill with suitable hal regulations may apply to releases and s material, as well as those materials and items he cleanup of releases. You will need to ich regulations are applicable. Ind 15 of this SDS provide information regarding r national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	:	Do not breathe vapors or spray mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labeled containers. Keep tightly closed.



Version 1.3	Revision Date: 02/10/2015	MSDS Number: 36432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
Materia	als to avoid	Store in accordar Keep away from I : Do not store with Strong oxidizing a	•
			s s stances and mixtures mixtures which in contact with water emit

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Ingredients with workplace control parameters

Biological occupational exposure limits

Ingredients	CAS-No.	Control	Biological	Sam-	Permissible	Basis
3		parameters	specimen	pling	concentratio	
		•		time	n	
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation. Use with local exhaust ventilation.



Version 1.3	Revision Date: 02/10/2015	MSDS Number 36432-00004	: Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
Pers	onal protective equipr	nent	
Resp	biratory protection	maintain va concentratio unknown, a Follow OSH use NIOSH by air purify hazardous supplied res release, exp	d local exhaust ventilation is recommended to por exposures below recommended limits. Where ons are above recommended limits or are ppropriate respiratory protection should be worn. A respirator regulations (29 CFR 1910.134) and /MSHA approved respirators. Protection provided ring respirators against exposure to any chemical is limited. Use a positive pressure air spirator if there is any potential for uncontrolled posure levels are unknown, or any other ce where air purifying respirators may not provide rotection.
	d protection aterial	: Impervious	gloves
Ma	aterial	: Flame retar	dant gloves
Re	emarks	on the cond time is not of For special resistance t gloves with	ves to protect hands against chemicals depending entration specific to place of work. Breakthrough determined for the product. Change gloves often! applications, we recommend clarifying the o chemicals of the aforementioned protective the glove manufacturer. Wash hands before at the end of workday.
Eye	protection	: Wear the fo Safety gogo	Ilowing personal protective equipment: gles
Skin	and body protection	resistance of potential. Wear the fo Flame retar Skin contac	opriate protective clothing based on chemical data and an assessment of the local exposure llowing personal protective equipment: dant antistatic protective clothing. et must be avoided by using impervious protective byes, aprons, boots, etc).
Hygi	ene measures	located close When using	eye flushing systems and safety showers are se to the working place. g do not eat, drink or smoke. aminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear
Odor	: alcohol-like



Vers 1.3	sion	Revision Date: 02/10/2015		DS Number: 32-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
	Odor T	hreshold	:	No data available	
	рН		:	6.5 - 8.5	
	Melting	point/freezing point	:	No data available	
	Initial b range	oiling point and boiling	:	No data available	
	Flash p	oint	:	24 °C	
	Evapor	ation rate	:	No data available	
	Flamma	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	
	Lower e	explosion limit	:	No data available	
	Vapor p	pressure	:	No data available	
	Relative	e vapor density	:	No data available	
	Density	,	:	0.88 g/cm3	
	Solubili Wate	ty(ies) er solubility	:	soluble	
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Autoign	ition temperature	:	No data available	
	Decom	position temperature	:	The substance or	mixture is not classified self-reactive.
	Viscosi [.] Visco	ty osity, kinematic	:	6,000 - 17,000 m	m2/s (20 °C)
	Explosi	ve properties	:	Not explosive	
	Oxidizir	ng properties	:	The substance or	mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.



ersion 3	Revision Date: 02/10/2015	MSDS Number: 36432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
Condi	tions to avoid	: Heat, flames	and sparks.
Incom	patible materials	: Oxidizing age	ents
Hazaı produ	dous decomposition	: No hazardou	s decomposition products are known.
ECTION	11. TOXICOLOGICA	_ INFORMATION	
Inhala Skin o Inges	contact	es of exposure	
	e toxicity assified based on ava	ilable information.	
Produ			
	oral toxicity		estimate: > 5,000 mg/kg ulation method
	dients:		
Ethar Acute	oral toxicity	: LD50 (Rat): >	5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 1 Exposure time Test atmosph	e: 4 h
	an-2-ol:		5 000 mm//m
Acute	oral toxicity	: LD50 (Rat): >	5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 7 Exposure time Test atmosph	e: 4 h
Acute	dermal toxicity	: LD50 (Rat): >	5,000 mg/kg
	corrosion/irritation assified based on ava	ilable information.	
<u>Produ</u> Resul	uct: t: No skin irritation		
Ethar Speci	<mark>dients:</mark> iol: es: Rabbit od: OECD Test Guidel	ine 404	

Result: No skin irritation



Version	Revision Date:
1.3	02/10/2015

MSDS Number: 36432-00004

Date of last issue: 12/19/2014 Date of first issue: 12/11/2014

Propan-2-ol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Ingredients:

Ethanol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Propan-2-ol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Ethanol:

Test Type: Local lymph node assay (LLNA) Routes of exposure: Skin contact Species: Mouse Result: negative

Propan-2-ol:

Test Type: Buehler Test Routes of exposure: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Ethanol: Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Ingestion Result: negative



/ersion .3	Revision Date: 02/10/2015		SDS Number: 432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
	ppan-2-ol: notoxicity in vitro	:	Test Type: Bacter Result: negative	ial reverse mutation assay (AMES)
Ge	notoxicity in vivo	:	cytogenetic assay Species: Mouse	nalian erythrocyte micronucleus test (in vivo /) : Intraperitoneal injection
	rcinogenicity classified based on availa	able	information.	
Pro Spe App Exp Me	redients: opan-2-ol: ecies: Rat blication Route: inhalation posure time: 104 weeks thod: OECD Test Guidelin sult: negative			
IAI	SC	e		product present at levels greater than or ntified as probable, possible or confirmed y IARC.
05	SHA	e		product present at levels greater than or ntified as a carcinogen or potential carcino-
NT	Ρ	e		product present at levels greater than or ntified as a known or anticipated carcinogen
	productive toxicity classified based on availa	able	information.	
Ing	redients:			
	anol: ects on fertility	:	Test Type: Two-g Species: Mouse Application Route Method: OECD To Result: negative	
	ppan-2-ol: ects on fertility	:	Test Type: Two-g Species: Rat Application Route Result: negative	eneration reproduction toxicity study : Ingestion
Effe	ects on fetal development	:	Test Type: Embry Species: Rat Application Route	ro-fetal development : Ingestion



Version	Revision Date:	MSDS Number:	Date of last issue: 12/19/2014
1.3	02/10/2015	36432-00004	Date of first issue: 12/11/2014

Result: negative

STOT-single exposure

Not classified based on available information.

Ingredients:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Ethanol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

Propan-2-ol:

Species: Rat NOAEL: 5000 ppm Application Route: inhalation (vapor) Exposure time: 104 w Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d



ersion 3	Revision Date: 02/10/2015		SDS Number: 432-00004	Date of last issue: 12/19/2014 Date of first issue: 12/11/2014
Toxicity to bacteria		:	EC50 (Photoba Exposure time:	cterium phosphoreum): 32.1 mg/l 0.25 h
	an-2-ol: ity to fish	:	LC50 (Pimepha Exposure time:	les promelas (fathead minnow)): 10,000 mg/ 96 h
	ty to daphnia and other ic invertebrates	:	EC50 (Daphnia Exposure time:	magna (Water flea)): > 10,000 mg/l 24 h
Toxici	ty to algae	:	ErC50 (Scened mg/l Exposure time:	esmus quadricauda (Green algae)): > 1,800 8 d
Toxici	ty to bacteria	:	EC50 (Pseudor Exposure time:	nonas putida): > 1,050 mg/l 16 h
Persi	stence and degradabil	ity		
Ethar	<u>dients:</u> nol: gradability	:	Result: Readily Biodegradation: Exposure time:	84 %
	a n-2-ol: gradability	:	Result: rapidly o	legradable
Bioac	cumulative potential			
	dients:			
	iol: on coefficient: n- ol/water	:	log Pow: -0.35	
Partiti	an-2-ol: on coefficient: n- ol/water	:	log Pow: 0.05	
Mobil	ity in soil			
No da	ta available			
Other	adverse effects			
No da	ita available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product.



Version	Revision Date:	MSDS Number:	Date of last issue: 12/19/2014
1.3	02/10/2015	36432-00004	Date of first issue: 12/11/2014
		Empty containe	ers should be taken to an approved was

Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation		
UNRTDG UN number Proper shipping name	:	UN 1987 ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol)
Class Packing group Labels	-	3 III 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft)	::	UN 1987 Alcohols, n.o.s. (Ethanol, Propan-2-ol) 3 III Flammable Liquids 366 355
IMDG-Code UN number Proper shipping name Class Packing group Labels EmS Code Marine pollutant	: : : : : : : : : : : : : : : : : : : :	UN 1987 ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) 3 III 3 F-E, S-D no
Transport in bulk according t	0	Annex II of MARPOL 73/78 a

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR UN/ID/NA number Proper shipping name	: UN 1987 : ALCOHOLS, N.O.S.
Class	: 3
Packing group	: III
Labels	: FLAMMABLE LIQUID
ERG Code	: 127



Version	Revision Date:	MSDS Number:	Date of last issue: 12/19/2014
1.3	02/10/2015	36432-00004	Date of first issue: 12/11/2014
Marine	e pollutant	: no	

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Hazards :	Fire Hazard Acute Health Hazard		
SARA 302	:	No chemicals in this materi requirements of SARA Title	-	reporting
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:		
		Propan-2-ol	67-63-0	3.4086 %
US State Regu	llations			
Pennsylvania Right To Know				
-	Ethanol		64-17-5	50 - 70 %
	Water		7732-18-5	30 - 50 %
	Propan-2-ol		67-63-0	1 - 5 %
New Jersey Ri	ght To Know			
-	Ethanol		64-17-5	50 - 70 %
	Water		7732-18-5	30 - 50 %
	Propan-2-ol		67-63-0	1 - 5 %
California Prop 65		This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		

The ingredients of this product are reported in the following inventories:AICS: All ingredients listed or exempt.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)




Version Revision Date: 1.3 02/10/2015

MSDS Number: 36432-00004

Date of last issue: 12/19/2014 Date of first issue: 12/11/2014

SECTION 16. OTHER INFORMATION

Further information



HMIS III:

HEALTH	2
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,

2 = Moderate, 3 = High 4 = Extreme, * = Chronic

4 = Extreme, = Chro

Full text of other abbreviations

ACGIH		USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim-
		its for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour
		workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded
		at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/
Revision Date	:	02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8