

Version 2.0	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
SECTION	1. IDENTIFICATION				
Produ	Product name		: GOJO® Antibacterial Plum Foam Handwash		
Manu	facturer or supplier's	deta	ils		
Comp	pany name of supplier	:			
Addre	ess	:	One GOJO Plaza, Suite 500 Akron OH 44311		
Telep	hone	:	1 (330) 255-6000		
Emer	gency telephone	:	1-800-424-9300	CHEMTREC	
Reco	mmended use of the o	chem	nical and restriction	ons on use	
Reco	mmended use	:	Antibacterial Soap		
Recommended use Restrictions on use		:	consumers and o foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	I care or cosmetic product that is safe for other users under normal and reasonably Cosmetics and consumer products, ed by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS e information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information backage or instruction sheet.	

### SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H226 Flammable liquid and vapor. H318 Causes serious eye damage.



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
	utionary Statements	No smoking. P233 Keep com P241 Use explo- equipment. P242 Use only i P243 Take pred P280 Wear prof <b>Response:</b> P303 + P361 + all contaminated P305 + P351 + water for severa and easy to do. CENTER or doo <b>Storage:</b> P403 + P235 St <b>Disposal:</b>	ay from heat/sparks/open flames/hot surfaces. tainer tightly closed. osion-proof electrical/ ventilating/ lighting/ non-sparking tools. cautionary measures against static discharge. tective gloves/ eye protection/ face protection. P353 IF ON SKIN (or hair): Take off immediately d clothing. Rinse skin with water/shower. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON ctor/ physician. tore in a well-ventilated place. Keep cool.
Other	<sup>.</sup> hazards		

#### Other hazards

Vapors may form explosive mixture with air.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Ethanol	64-17-5	>= 10 - < 20
Dodecanoic acid	143-07-7	>= 5 - < 10
Propylene glycol	57-55-6	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Imidazolium compounds, 1-[2- (carboxymethoxy)ethyl]-1-(carboxymethyl)-4,5- dihydro-2-norcoco alkyl, hydroxides, sodium salts	68650-39-5	>= 1 - < 5

#### **SECTION 4. FIRST AID MEASURES**

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014		
In case of eye contact		<ul> <li>In case of contact, immediately flush eyes with plenty of wa for at least 15 minutes.</li> <li>If easy to do, remove contact lens, if worn.</li> <li>Get medical attention immediately.</li> </ul>			
If swallowed		Get medical a	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.		
Most important symptoms and effects, both acute and delayed		: Causes seriou	is eye damage.		
Protect	ction of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.			
Notes	to physician	: Treat symptomatically and supportively.			

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire fighting	:	Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Remove all sources of ignition.



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014		
protective equipment and emergency procedures		Follow safe h	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.		
Environmental precautions		Prevent furthe Prevent sprea barriers). Retain and dia Local authorit	<ul> <li>Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.</li> </ul>		
Methods and materials for containment and cleaning up		Soak up with Suppress (kn jet. For large spill containment t can be pumpe container. Clean up rem absorbent. Local or natio disposal of the employed in t determine wh Sections 13 a	tools should be used. inert absorbent material. ock down) gases/vapors/mists with a water spray s, provide diking or other appropriate o keep material from spreading. If diked material ed, store recovered material in appropriate aining materials from spill with suitable nal regulations may apply to releases and is material, as well as those materials and items he cleanup of releases. You will need to ich regulations are applicable. nd 15 of this SDS provide information regarding or national requirements.		

### SECTION 7. HANDLING AND STORAGE

Technical measures	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.	
Local/Total ventilation :	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.	
Advice on safe handling :	Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Non-sparking tools should be used. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.	
Conditions for safe storage	Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place.	



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
			nce with the particular national regulations. heat and sources of ignition.
Materials to avoid		Strong oxidizing Organic peroxide Flammable solid Pyrophoric liquid Pyrophoric solide Self-heating subs	es s s stances and mixtures mixtures which in contact with water emit

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Propylene glycol	57-55-6	TWA	10 mg/m3	US WEEL
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1

#### Ingredients with workplace control parameters

#### Hazardous components without workplace control parameters

Ingredients	CAS-No.
Dodecanoic acid	143-07-7
Imidazolium compounds, 1-[2- (carboxymethoxy)ethyl]-1- (carboxymethyl)-4,5-dihydro-2- norcoco alkyl, hydroxides,	68650-39-5
(carboxymethoxy)ethyl]-1-	
(carboxymethyl)-4,5-dihydro-2-	
norcoco alkyl, hydroxides,	
sodium salts	

### Engineering measures

: Minimize workplace exposure concentrations. Use only in an area equipped with explosion proof exhaust ventilation.

Use with local exhaust ventilation.

#### Personal protective equipment



Version 2.0	Revision Date: 04/17/2015		DS Number: 354-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
Resp	Respiratory protection		maintain vapor ex concentrations ar unknown, approp Follow OSHA res use NIOSH/MSH/ by air purifying re- hazardous chemic supplied respirator release, exposure	I exhaust ventilation is recommended to sposures below recommended limits. Where e above recommended limits or are riate respiratory protection should be worn. pirator regulations (29 CFR 1910.134) and A approved respirators. Protection provided spirators against exposure to any cal is limited. Use a positive pressure air or if there is any potential for uncontrolled e levels are unknown, or any other ere air purifying respirators may not provide on.
	l protection aterial	:	Impervious gloves	6
Ma	aterial	:	Flame retardant g	loves
Re	emarks	:	on the concentrat time is not determ For special applic resistance to cher	protect hands against chemicals depending ion specific to place of work. Breakthrough nined for the product. Change gloves often! ations, we recommend clarifying the micals of the aforementioned protective ove manufacturer. Wash hands before end of workday.
Eye ı	protection	:	Chemical resistar	g personal protective equipment: nt goggles must be worn. ely to occur, wear:
Skin	and body protection	:	resistance data a potential. Wear the followin Flame retardant a Skin contact must	e protective clothing based on chemical nd an assessment of the local exposure g personal protective equipment: intistatic protective clothing. t be avoided by using impervious protective aprons, boots, etc).
Hygie	ene measures	:	located close to the When using do not	ushing systems and safety showers are ne working place. ot eat, drink or smoke. ed clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	clear, purple
Odor	:	citrus
Odor Threshold	:	No data available



Vers 2.0	sion	Revision Date: 04/17/2015		DS Number: 54-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
I	рН		:	7.8 - 9.7	
		point/freezing point	:	No data available	)
	Initial boiling point and boiling range		:	97.00 °C	
	Flash p	point	:	56.00 °C	
I	Evapor	ation rate	:	No data available	)
	Flamm	ability (solid, gas)	:	Not applicable	
	Upper e	explosion limit	:	No data available	)
	Lower	explosion limit	:	No data available	)
	Vapor pressure		:	No data available	)
	Relative vapor density		:	No data available	)
	Density	/	:	1.00 g/cm3	
	Solubili Wate	ity(ies) er solubility	:	soluble	
	Partitio octanol	n coefficient: n- l/water	:	Not applicable	
	Autoigr	nition temperature	:	No data available	)
	Decom	position temperature	:	The substance of	r mixture is not classified self-reactive.
	Viscosi Visco	ty osity, kinematic	:	10 - 20 mm2/s (2	0 °C)
	Explosi	ive properties	:	Not explosive	
	Oxidiziı	ng properties	:	The substance of	r mixture is not classified as oxidizing.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.



ersion .0	Revision Date: 04/17/2015	MSDS Number:Date of last issue: 02/16/201531854-00003Date of first issue: 11/24/2014
Incom	patible materials	: Oxidizing agents
Hazar produ	dous decomposition	: No hazardous decomposition products are known.
ECTION	11. TOXICOLOGICAL	INFORMATION
Inhala	contact tion	s of exposure
Acute	e toxicity	
Not cl	assified based on avai	lable information.
<u>Produ</u>	<u>ict:</u>	
Acute	oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute	inhalation toxicity	<ul> <li>Acute toxicity estimate: &gt; 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method</li> </ul>
Acute	dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingree	dients:	
Ethan		
Acute	oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor
Dode	canoic acid:	
	oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute	inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 0.162 mg/l Exposure time: 4 h Test atmosphere: vapor Remarks: Based on data from similar materials</li> </ul>
Acute	dermal toxicity	<ul> <li>LD50 (Rabbit): &gt; 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials</li> </ul>
	/lene glycol:	
	oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute	inhalation toxicity	: LC50 (Rabbit): > 159 mg/l, > 51091 ppm Exposure time: 4 h



/ersion 2.0	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
			Test atmospher Assessment: Th inhalation toxici	ne substance or mixture has no acute
Acute	e dermal toxicity	:	LD50 (Rabbit): Assessment: TI toxicity	> 2,000 mg/kg ne substance or mixture has no acute dermal
II Ethar	nolamine:			
	oral toxicity	:	LD50 (Rat): 1,5	15 mg/kg
Acute	inhalation toxicity	:	Acute toxicity e Test atmospher Method: Expert Remarks: Base 1272/2008, Anr	e: vapor judgment d on harmonised classification in EU regulation
Acute	dermal toxicity	:	LD50 (Rabbit):	1,025 mg/kg
	zolium compounds, oco alkyl, hydroxides			y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	oral toxicity		LD50 (Rat, mal	e): > 5,000 mg/kg d on data from similar materials
Acute	e dermal toxicity	:		,000 mg/kg Test Guideline 402 d on data from similar materials
	corrosion/irritation lassified based on ava	ilable	information.	
	t: No skin irritation			
Ingre	dients:			
Ethar	-			
Metho	es: Rabbit od: OECD Test Guidel lt: No skin irritation	ine 40	4	
II Dode	canoic acid:			
Speci	es: Rabbit			
	bd: OECD Test Guidel It: No skin irritation	ine 40	4	
	ylene glycol:			
	es: Rabbit		4	
	od: OECD Test Guidel It: No skin irritation	ine 40	4	
	nolamine:			
	es: Rabbit It: Corrosive after 3 mi	nutes	to 1 hour of expo	osure
11				



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
norce Spec Methe Resu	azolium compounds oco alkyl, hydroxide ies: Rabbit od: OECD Test Guide It: No skin irritation arks: Based on data fi	s, sodium salts: line 404	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
Serio	ous eye damage/eye	irritation	
Caus	es serious eye dama	ge.	
<b>Etha</b> Spec Resu	ies: Rabbit	eversing within 21 days line 405	
Spec Resu	e <b>canoic acid:</b> ies: Rabbit lt: Irreversible effects od: OECD Test Guide		
Spec Resu	<b>ylene glycol:</b> ies: Rabbit lt: No eye irritation od: OECD Test Guide	line 405	
Spec	n <b>olamine:</b> ies: Rabbit lt: Irreversible effects	on the eye	
norce Spec Resu Methe	azolium compounds oco alkyl, hydroxide ies: Rabbit It: Irreversible effects od: OECD Test Guide arks: Based on data fr	<b>s, sodium salts:</b> on the eye line 405	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
Resp	iratory or skin sens	itization	
Skin	sensitization: Not clas	sified based on availab Not classified based on	
<u>Prod</u> Asse	<u>uct:</u> ssment: Does not cau	se skin sensitization.	
<b>Etha</b> Test Route	e <mark>dients:</mark> nol: Type: Local lymph no es of exposure: Skin d ios: Mouse		

Species: Mouse Result: negative

Н

Dodecanoic acid: Test Type: Maximization Test (GPMT)



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
Speci	s of exposure: Skin co es: Guinea pig t: negative	ntact	
Test T Route Specie	<b>rlene glycol:</b> Type: Maximization Tes s of exposure: Skin col es: Guinea pig t: negative		
Test T Route Specie	<b>olamine:</b> Type: Maximization Tes s of exposure: Skin col es: Guinea pig t: negative		
norco Test T Route Specie Metho Result	zolium compounds, 1 pco alkyl, hydroxides, Type: Maximization Tes s of exposure: Skin col es: Guinea pig od: OECD Test Guidelir t: negative rks: Based on data from	<b>sodium salts:</b> it (GPMT) intact ne 406	y)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	cell mutagenicity	able information	
	assified based on avail <b>dients:</b>	able mormation.	
Ethan			
Genot	oxicity in vitro	: Test Type: In vit Result: negative	ro mammalian cell gene mutation test
Genot	oxicity in vivo	: Test Type: Rode Species: Mouse Application Rou Result: negative	te: Ingestion
Dode	canoic acid:		
	oxicity in vitro	Method: OECD Result: negative	ro mammalian cell gene mutation test Test Guideline 476 e d on data from similar materials
II Prony	/lene glycol:		
	coxicity in vitro	: Test Type: Bact Result: negative	erial reverse mutation assay (AMES)
Genot	oxicity in vivo	Species: Mouse	te: Intraperitoneal injection
	olamine:		
Genot	oxicity in vitro	: Test Type: In vit	ro mammalian cell gene mutation test
		11 / 21	



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
		Method: OECD T Result: negative	est Guideline 476
Genot	oxicity in vivo	cytogenetic assa Species: Mouse Application Route	
			)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	<b>co alkyl, hydroxides,</b> s oxicity in vitro	: Test Type: Chron Method: OECD T Result: negative	nosome aberration test in vitro Test Guideline 473 on data from similar materials
		: Test Type: Bacte Result: negative	rial reverse mutation assay (AMES)
		Remarks: Based	on data from similar materials
		Method: OECD T	o mammalian cell gene mutation test est Guideline 476
		Result: negative Remarks: Based	on data from similar materials
	n <b>ogenicity</b> assified based on availa	ble information.	
Propy Specie Applic Expos	<b>lients:</b> lene glycol: es: Rat ation Route: Ingestion ure time: 2 Years :: negative		
II IARC			product present at levels greater than or ntified as probable, possible or confirmed by IARC.
OSHA	A		product present at levels greater than or ntified as a carcinogen or potential carcino-
NTP			s product present at levels greater than or ntified as a known or anticipated carcinogen
	ductive toxicity assified based on availa	ble information.	
	lients:		
Ethan	<b>ol:</b> s on fertility	: Test Type: Two-ç	generation reproduction toxicity study



rsion )	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014			
			Route: Ingestion CD Test Guideline 416			
Dodecanoic acid: Effects on fertility		reproduction Species: Rat Application F Method: OE0 Result: nega	<ul> <li>Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative Remarks: Based on data from similar materials</li> </ul>			
Effect	s on fetal development	reproduction Species: Rat Application F Method: OE0 Result: nega	Route: Ingestion CD Test Guideline 422			
	<b>/lene glycol:</b> s on fertility	: Species: Mo Application F Result: nega	Route: Ingestion			
Effect	s on fetal development	Species: Mo	Route: Ingestion			
II Ethan	olamine:					
	s on fertility	Species: Rat	Route: Ingestion			
Effect	s on fetal development	Species: Rat Application F	Route: Ingestion CD Test Guideline 414			

Not classified based on available information.

## Ingredients:

### Ethanolamine:

Assessment: May cause respiratory irritation.

### STOT-repeated exposure

Not classified based on available information.



ersion 0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
Ingre	dients:		
Ethar	nolamine:		
	es of exposure: inhala		
		t health effects observe	ed in animals at concentrations of 0.2 mg/l/6h/o
or les	S.		
Repe	ated dose toxicity		
Ingre	dients:		
Ethar			
	es: Rat		
	EL: 2,400 mg/kg		
	cation Route: Ingestio	n	
	sure time: 2 y		
	canoic acid:		
	es: Rat		
	EL: 10,000 mg/kg		
	cation Route: Ingestic	n	
	sure time: 18 w		
LAPO			
	vlene glycol:		
	es: Rat		
	EL: 1,700 mg/kg	n	
	cation Route: Ingestio sure time: 2 y	'n	
Expo	sure unie. 2 y		
	nolamine:		
	es: Rat		
	EL: 150 mg/m3		
	cation Route: inhalatio	on (dust/mist/fume)	
Expos	sure time: 28 d		
			xy)ethyl]-1-(carboxymethyl)-4,5-dihydro-2-
	oco alkyl, hydroxide	s, sodium salts:	
	es: Rat, female		
	EL: 250 mg/kg		
	L: 500 mg/kg		
Applic	cation Route: Ingestio	n	
	sure time: 28 d arks: Based on data fr	om cimilar matariale	
Reina	irks. Daseu on uala n	Uni similar materiais	
Aspir	ation toxicity		
Not cl	assified based on ava	ailable information.	
ECTION	12. ECOLOGICAL IN	NFORMATION	

Ingredients:

Ethanol: Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h



rsion )	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
	ty to daphnia and other c invertebrates	:	EC50 (Daphnia r Exposure time: 4	nagna (Water flea)): > 1,000 mg/l 8 h	
Toxici	ty to algae	:	: EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg Exposure time: 72 h Method: OECD Test Guideline 201		
aquati	ty to daphnia and other c invertebrates nic toxicity)	:	NOEC (Daphnia Exposure time: 9	magna (Water flea)): 9.6 mg/l d	
Toxici	ty to bacteria	:	EC50 (Photobac Exposure time: 0	terium phosphoreum): 32.1 mg/l .25 h	
	<b>canoic acid:</b> ty to fish	:	Exposure time: 9	tipes (Japanese medaka)): 5 mg/l 6 h <sup>-</sup> est Guideline 203	
	ty to daphnia and other c invertebrates	:	Exposure time: 4	nagna (Water flea)): 3.6 mg/l 8 h <sup>-</sup> est Guideline 202	
Toxici	ty to algae	:	Exposure time: 7 Method: OECD 7	um capricornutum (green algae)): > 7.6 mg 2 h <sup>-</sup> est Guideline 201 icity at the limit of solubility.	
			Exposure time: 7 Method: OECD	rum capricornutum (green algae)): > 7.6 m 2 h <sup>-</sup> est Guideline 201 icity at the limit of solubility.	
Toxici toxicit	ty to fish (Chronic y)	:	Exposure time: 2	rio (zebra fish)): 2 mg/l 8 d on data from similar materials	
aquati	ty to daphnia and other ic invertebrates nic toxicity)	:	Exposure time: 2	magna (Water flea)): 0.47 mg/l 1 d <sup>-</sup> est Guideline 211	
Toxici	ty to bacteria	:	Exposure time: 3	onas putida): > 1,000 mg/l 0 min ēest Guideline 209	
	<b>/lene glycol:</b> ty to fish	:	LC50 (Oncorhyn Exposure time: 9	chus mykiss (rainbow trout)): 40,613 mg/l 6 h	
	ty to daphnia and other c invertebrates	:	EC50 (Ceriodapl Exposure time: 4	nnia dubia (water flea)): 18,340 mg/l 8 h	
Toxici	ty to algae	:	EC50 (Skeletone Exposure time: 4	ma costatum (marine diatom)): 19,000 mg/ 8 h	



rsion	Revision Date: 04/17/2015		SDS Number: 854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
II			Method: OECD T	est Guideline 201
Toxic toxicit	ity to fish (Chronic ty)	:	Chronic Toxicity Exposure time: 3	
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	NOEC (Ceriodap Exposure time: 7	hnia dubia (water flea)): 29,000 mg/l d
Toxic	ity to bacteria	:	NOEC (Pseudom Exposure time: 1	ionas putida): > 20,000 mg/l 8 h
	nolamine: ity to fish	:	LC50 (Cyprinus c Exposure time: 9	arpio (Carp)): 349 mg/l 6 h
	ity to daphnia and other ic invertebrates	:	EC50 (Daphnia n Exposure time: 4	nagna (Water flea)): 65 mg/l 8 h
Toxic	ity to algae	:	ErC50 (Selenastr Exposure time: 7	rum capricornutum (green algae)): 2.8 mg/l 2 h
			NOEC (Scenedes mg/l Exposure time: 72	smus capricornutum (fresh water algae)): 1 2 h
Toxic toxicit	ity to fish (Chronic ty)	:	NOEC (Oryzias la Exposure time: 4	atipes (Orange-red killifish)): 1.24 mg/l 1 d
aquat	ity to daphnia and other ic invertebrates nic toxicity)	:	NOEC (Daphnia Exposure time: 2	magna (Water flea)): 0.85 mg/l 1 d
Toxic	ity to bacteria	:	EC50 (Pseudomo Exposure time: 1	onas putida): 110 mg/l 7 h
norco	<b>Izolium compounds, 1</b> - DCO alkyl, hydroxides, s ity to fish	sod	LC50 (Oncorhyno Exposure time: 9 Method: OECD T	ethyl]-1-(carboxymethyl)-4,5-dihydro-2- chus mykiss (rainbow trout)): 4.2 mg/l 6 h est Guideline 203 on data from similar materials
	ity to daphnia and other ic invertebrates	:	Exposure time: 4 Method: OECD T	nagna (Water flea)): 17.9 mg/l 8 h est Guideline 202 on data from similar materials
Toxic	ity to algae	:	mg/l Exposure time: 72 Method: Directive	rchneriella subcapitata (green algae)): 3.2 2 h e 67/548/EEC, Annex V, C.3. on data from similar materials
			ErC50 (Pseudoki	rchneriella subcapitata (green algae)): 10



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014
			e: 72 h ctive 67/548/EEC, Annex V, C.3. sed on data from similar materials
Persi	istence and degradab	ility	
<u>Prod</u>	uct:		
Biode	egradability	: Result: Biode	egradable
Etha	e <mark>dients:</mark> nol: egradability	: Result: Read Biodegradatio	ily biodegradable.
		Exposure tim	
	ecanoic acid: egradability	Biodegradation Exposure time	
	<b>ylene glycol:</b> egradability	Biodegradation Exposure time	
	<b>nolamine:</b> egradability	: Result: Read Biodegradati Exposure tim	
norce	azolium compounds, oco alkyl, hydroxides egradability	, sodium salts: : Result: Read Biodegradation Exposure tim Method: OEC	
Bioa	ccumulative potential		
<b>Etha</b> Partit	edients: nol: ion coefficient: n- nol/water	: log Pow: -0.3	5
	ecanoic acid: ccumulation		n tion factor (BCF): 234 - 288 sed on data from similar materials



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
Partition coefficient: n- octanol/water		: Pow: 4.6		
<b>Propylene glycol:</b> Partition coefficient: n- octanol/water		: log Pow: -1.07		
<b>Ethanolamine:</b> Partition coefficient: n- octanol/water		: log Pow: -1.91		
	<b>lity in soil</b> ata available			
	r <b>adverse effects</b> ata available			

### SECTION 13. DISPOSAL CONSIDERATIONS

<b>Disposal methods</b> Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	<ul> <li>Dispose of as unused product.</li> <li>Empty containers should be taken to an approved waste handling site for recycling or disposal.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

#### International Regulation

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels	: UN 1170 : ETHYL ALCOHOL SOLUTION : 3 : III : 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft)	<ul> <li>: UN 1170</li> <li>: Ethanol solution</li> <li>: 3</li> <li>: III</li> <li>: Flammable Liquids</li> <li>: 366</li> </ul>
Packing instruction (passenger aircraft)	: 355
IMDG-Code UN number	: UN 1170



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
Proper shipping name Class Packing group Labels EmS Code Marine pollutant		<ul> <li>ETHYL ALCOHOL SOLUTION (Triclosan)</li> <li>3</li> <li>III</li> <li>3</li> <li>F-E, S-D</li> <li>yes</li> </ul>		
Transport in bulk accordin Not applicable for product as Domestic regulation		-	POL 73/78 and the IBC Code	
0.4.27	<b>R</b> /NA number r shipping name	: UN 1170 : ETHYL ALCOHO	DL SOLUTIONS	
Labels ERG (		: 3 : III : FLAMMABLE LIG : 127 : yes (Triclosan)	QUID	

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

	SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard		
II SARA 302 :			No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
	SARA 313	:	: This material does not contain any chemical components wit known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.		
	US State Regulations				
	Pennsylvania Right To Know	,			
	Water			7732-18-5	70 - 90 %
	Ethanol			64-17-5	10 - 20 %
	Propylopo dy	0		57 55 6	5 10 %

Ethanol	64-17-5	10 - 20 %
Propylene glycol	57-55-6	5 - 10 %
Dodecanoic acid	143-07-7	5 - 10 %
Ethanolamine	141-43-5	1 - 5 %
Propan-2-ol	67-63-0	0.1 - 1 %



Version 2.0	Revision Date: 04/17/2015	MSDS Number: 31854-00003	Date of last issue: 02/16/2 Date of first issue: 11/24/2	
New J	ersey Right To Know			
11	Water		7732-18-5	70 - 90 %
	Ethanol		64-17-5	10 - 20 %
	Propylene gl	ycol	57-55-6	5 - 10 %
	Dodecanoic	acid	143-07-7	5 - 10 %
	Ethanolamin	е	141-43-5	1 - 5 %
-			bes not contain any chemicals nia to cause cancer, birth, or a efects.	

### The ingredients of this product are reported in the following inventories:


AICS : All ingredients listed or exempt.

#### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### **SECTION 16. OTHER INFORMATION**

#### **Further information**



Full text of other	r abbreviations
--------------------	-----------------

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL		USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
US WEEL	-	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday



Version 2.0	Revision Date: 04/17/2015	MSDS N 31854-0		Date of last issue: 02/16/2015 Date of first issue: 11/24/2014	
OSHA Z-1 / TWA US WEEL / TWA			<ul><li>8-hour time weighted average</li><li>8-hr TWA</li></ul>		
Sources of key data used to compile the Material Safety Data Sheet		<ul> <li>Internal technical data, data from raw material SDSs, OEC eChem Portal search results and European Chemicals Ag cy, http://echa.europa.eu/</li> </ul>		arch results and European Chemicals Agen-	
Revision Date		: 04/1	7/2015		

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8