SAFETY DATA SHEET



PURELL® Foodservice Surface Sanitizing Wipes

| Version 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
|---|--|---------------------------|
| SECTION 1. IDENTIFICATION | | |
| Product name | : PURELL® Foodservice Surface | e Sanitizing Wipes |
| Manufacturer or supplier's Company name of supplier Address Telephone | details : GOJO Industries, Inc. : One GOJO Plaza, Suite 500 Akron, Ohio 44311 : 1 (330) 255-6000 | |
| Emergency telephone number | : CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887: | Outside USA & CANADA |

Recommended use of the chemical and restrictions on use

| Recommended use | : | Disinfectants and general biocidal products |
|-----------------|---|---|
| | | |

SECTION 2. HAZARDS IDENTIFICATION

| GHS Classification Flammable liquids | : Category 3 |
|---|--|
| GHS label elements Hazard pictograms | |
| Signal word | : Warning |
| Hazard statements | : H226 Flammable liquid and vapour. |
| Precautionary statements | Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/ equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Response: P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P235 Store in a well-ventilated place. Keep cool. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant. |
| | |

Other hazards

None known.



Version 1.4

SDS Number: 400000005611

Revision Date: 09/09/2021

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

| Chemical name | CAS-No. | Concentration (%) |
|-------------------|---------|-------------------|
| Ethyl Alcohol | 64-17-5 | >= 20 - < 30 |
| Isopropyl Alcohol | 67-63-0 | >= 1 - < 5 |

SECTION 4. FIRST AID MEASURES

| General advice | In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. |
|---|--|
| If inhaled | : If inhaled, remove to fresh air. If symptoms persist, call a physician. |
| In case of skin contact | : Get medical attention if irritation develops and persists. |
| In case of eye contact | Rinse thoroughly with plenty of water, also under the eyelids. If easy to do, remove contact lens, if worn. Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing |

SECTION 5. FIREFIGHTING MEASURES

| Suitable extinguishing media Unsuitable extinguishing media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. High volume water jet |
|---|---|
| Specific hazards during firefighting | Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. |
| Further information | : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,

: Use personal protective equipment.



| Version 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
|---|---|--|
| protective equipment and emergency procedures | Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe are Material can create slippery co | as. |
| Environmental precautions | : Discharge into the environmen Prevent further leakage or spill Retain and dispose of contamin Local authorities should be adv cannot be contained. | age if safe to do so. nated wash water. |
| Methods and materials for containment and cleaning up | : Non-sparking tools should be u Soak up with inert absorbent m Keep in suitable, closed contain Clean contaminated floors and observing environmental regula | aterial. ners for disposal. objects thoroughly while |

SECTION 7. HANDLING AND STORAGE

| Advice on safe handling | : For personal protection see section 8. Avoid contact with eyes. |
|-----------------------------|--|
| Conditions for safe storage | : No smoking. Take measures to prevent the build up of electrostatic charge. Keep containers tightly closed in a dry, cool and well- ventilated place. Store in accordance with the particular national regulations. |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------|---------|-------------------------------------|---|-----------|
| Ethyl Alcohol | 64-17-5 | TWA | 1,000 ppm 1,900 mg/m3 | NIOSH REL |
| | | TWA | 1,000 ppm 1,900 mg/m3 | OSHA Z-1 |
| | | STEL | 1,000 ppm | ACGIH |
| Isopropyl Alcohol | 67-63-0 | TWA | 200 ppm | ACGIH |
| | | STEL | 400 ppm | ACGIH |
| | | TWA | 400 ppm 980 mg/m3 | NIOSH REL |
| | | ST | 500 ppm 1,225 mg/m3 | NIOSH REL |
| | | TWA | 400 ppm 980 mg/m3 | OSHA Z-1 |

Biological occupational exposure limits

| Components | CAS-No. | Control parameters | • • • | | Permissible concentratio n | |
|-------------------|---------|-----------------------|-------|--------------------|----------------------------------|--------------|
| Isopropyl Alcohol | 67-63-0 | Acetone | Urine | End of shift at | 40 mg/l | ACGIH BEI |



| | . | |
|----------------------------|--|---|
| sion 1.4 | SDS Number: 40000005611 Revision Date: 09/09/20 | |
| | | end of workwee k |
| Personal protective equipr | nent | |
| Respiratory protection | : No personal respiratory prote required. | ctive equipment normally |
| Eyeprotection | : No special protective equipmed Wear face-shield and protecti problems. | ent required. ive suit for abnormal processing |
| Skin and body protection | : No special measures necessa correctly. | ary provided product is used |
| Protective measures | : Choose body protection in rel | ation to its type, to the dangerous substances, and to |
| Hygiene measures | : Handle in accordance with go practice. Avoid contact with eyes. | ood industrial hygiene and safety |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance Colour Odour Odour Threshold | | sheets colourless, light yellow alcohol-like No data available |
|---|---|---|
| рН | : | 3.1 - 4.1, (20 °C) |
| Melting point/freezing point Initial boiling point and boiling | : | No data available 86.8 °C |
| range Flash point | : | 33.5 °C Method: Pensky-Martens closed cup |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit | : | No data available |
| Lower explosion limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Density | : | 0.974 g/cm3 |
| Solubility(ies) Water solubility | : | soluble |



| Version 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
|---|--------------------------------------|------------------------------|
| Partition coefficient: n- octanol/water Auto-ignition temperature | : Not applicable : not determined | |
| Thermal decomposition | : The substance or mixture is no | ot classified self-reactive. |
| Viscosity Viscosity, kinematic | : No data available | |
| Explosive properties | : Not explosive | |
| Oxidizing properties | : The substance or mixture is no | ot classified as oxidizing. |

SECTION 10. STABILITY AND REACTIVITY

| Reactivity | : Not classified as a reactivity hazard. |
|---------------------------------------|--|
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air. |
| Conditions to avoid | : Heat, flames and sparks. |
| Incompatible materials | : Strong oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

SECTION 11. TOXICOLOGICAL INFORMATION

| Information on likely routes Inhalation Eye contact Skin contact | of exposure |
|--|---|
| Acute toxicity Not classified based on availa | able information. |
| Product: Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |
| Components: Ethyl Alcohol: Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour |
| Isopropyl Alcohol: Acute oral toxicity | : LD50 (Rat): > 5,000 mg/kg |
| Acute inhalation toxicity | : LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour |
| Acute dermal toxicity | : LD50 (Rat): > 5,000 mg/kg |



Version 1.4

SDS Number: 40000005611

Revision Date: 09/09/2021

Skin corrosion/irritation

Not classified based on available information.

Components:

Ethyl Alcohol: Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Components:

Ethyl Alcohol: Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Isopropyl Alcohol:

Species: Rabbit Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components: Ethyl Alcohol:

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test



| sion 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
|--|--|----------------------------------|
| | Result: negative | |
| Genotoxicity in vivo | : Test Type: Rodent dominant le Test species: Mouse Application Route: Ingestion Result: negative | ethal test (germ cell) (in vivo) |
| Isopropyl Alcohol: Genotoxicity in vitro | : Test Type: Bacterial reverse m Result: negative | nutation assay (AMES) |
| Genotoxicity in vivo | : Test Type: Mammalian erythro cytogenetic assay) Test species: Mouse Application Route: Intraperiton Result: negative | |
| Carcinogenicity Not classified based on av | vailable information. | |
| <u>Components:</u> | | |
| Species: Rat Application Route: inhalat Exposure time: 104 weeks Method: OECD Test Guid Result: negative | eline 451 | |
| IARC | No component of this product pre equal to 0.1% is identified as prol human carcinogen by IARC. | |
| OSHA | No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA. | |
| NTP | No component of this product pre equal to 0.1% is identified as a kr by NTP. | |
| Reproductive toxicity Not classified based on av | vailable information. | |
| <u>Components:</u> Ethyl Alcohol: Effects on fertility | : Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative | |
| Isopropyl Alcohol: | | |



DUDELL® Foodconvice Surface Senitizing Wine

| PURELL® Foodservice | Surface Sanitizing Wipes | S |
|--|---|-----------------------------|
| Version 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
| | Application Route: Ingestion Result: negative | |
| Effects on foetal development | : Test Type: Embryo-foetal develo Species: Rat Application Route: Ingestion Result: negative | pment |
| STOT - single exposure Not classified based on availal | ble information. | |
| <u>Components:</u> Isopropyl Alcohol: Assessment: May cause drow | siness or dizziness. | |
| STOT - repeated exposure Not classified based on availal | ble information. | |
| Repeated dose toxicity | | |
| <u>Components:</u> Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y | | |
| Isopropyl Alcohol: Species: Rat NOAEL: 5000 ppm Application Route: inhalation (Exposure time: 104 w Method: OECD Test Guideline | . , | |
| Aspiration toxicity | | |
| Not classified based on availal | ble information. | |
| SECTION 12. ECOLOGICAL INFO | ORMATION | |
| Ecotoxicity | | |
| Components: Ethyl Alcohol: Toxicity to fish | : LC50 (Pimephales promelas (fat Exposure time: 96 h | head minnow)): > 1,000 mg/l |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water fl Exposure time: 48 h | ea)): > 1,000 mg/l |
| | | () 075 (|

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 9.6 mg/l



| sion 1.4 | S | DS Number: 400000005611 | Revision Date: 09/09/2 |
|--|-----|--|----------------------------|
| aquatic invertebrates | | Exposure time: 9 d | |
| (Chronic toxicity) Toxicity to bacteria | : | EC50 (Photobacterium phosphor Exposure time: 0.25 h | reum): 32.1 mg/l |
| Isopropyl Alcohol: Toxicity to fish | : | LC50 (Pimephales promelas (fat Exposure time: 96 h | head minnow)): 10,000 m |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water fle Exposure time: 24 h | ea)): > 10,000 mg/l |
| Toxicity to bacteria | : | EC50 (Pseudomonas putida): > 7 Exposure time: 16 h | 1,050 mg/l |
| Persistence and degradabil | ity | | |
| Components: | | | |
| Ethyl Alcohol: Biodegradability | : | Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d | |
| Isopropyl Alcohol: Biodegradability | : | Result: rapidly degradable | |
| Bioaccumulative potential | | | |
| Components: | | | |
| Ethyl Alcohol: Partition coefficient: n- octanol/water | : | log Pow: -0.35 | |
| Isopropyl Alcohol: Partition coefficient: n- octanol/water | : | log Pow: 0.05 | |
| Mobility in soil No data available | | | |
| Other adverse effects No data available | | | |
| Product: | | | |
| Regulation | | 40 CFR Protection of Environme Stratospheric Ozone - CAA Sect | |
| Remarks | | This product neither contains, no Class I or Class II ODS as define Section 602 (40 CFR 82, Subpt. | ed by the U.S. Clean Air A |

SECTION 13. DISPOSAL CONSIDERATIONS

| Disposal methods | |
|---------------------|--|
| Waste from residues | : Dispose of in accordance with local regulations. |



| Version 1.4 | SDS Number: 400000005611 | Revision Date: 09/09/2021 |
|------------------------|--|---------------------------|
| Contaminated packaging | : Dispose of as unused product. Empty containers should be take | en to an approved waste |

handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

| International Regulation | |
|--|---|
| IATA-DGR UN/ID No. Proper shipping name | : UN 1987 : Alcohols, n.o.s. (Ethanol, Propan-2-ol) |
| Class | : 3 |
| Packing group | : 111 |
| Packing instruction (cargo aircraft) | : 366 |
| Packing instruction (passenger aircraft) | : 355 |
| IMDG-Code | |
| UN number | : UN 1987 |
| Proper shipping name | : ALCOHOLS, N.O.S. (Ethanol, Propan-2-ol) |
| Class | : 3 |
| Packing group | : 111 |
| Labels | : 3 |
| EmS Code Marine pollutant | : F-E, S-D : no |
| National Regulations | . 110 |
| 49 CFR | |
| UN/ID/NA number | : UN 1987 |
| Proper shipping name | : Alcohols, n.o.s. |
| Class | : 3 |
| Packing group | : 111 |
| ERG Code | : 127 |
| Marine pollutant | : no |

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

| SARA 311/312 Hazards | : Fire Hazard |
|----------------------|---|
| SARA 302 | : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302. |

ISHL



| JRELL® Foodse | ervice Surface Sanitiz | ingWipes | ß |
|----------------------------|--|--|---------------------|
| rsion 1.4 | SDS Number: 400000 | 0005611 Revisior | n Date: 09/09/2021 |
| SARA 313 | | ponents are subject to rep RA Title III, Section 313: | porting levels |
| | Isopropyl Alcohol | 67-63-0 | 1.0704 % |
| Clean Air Act | | | |
| Air Act Section 12 (40 | | | |
| Accidental Release P | t contain any chemicals listed ur revention (40 CFR 68.130, Subj al(s) are listed under the U.S. Cl | part F). | |
| | VOC's (40 CFR 60.489): | | |
| Ethyl Alcol | hol 64-17-5 | 20.5008 % | |
| Isopropyl A | | 1.0704 % | |
| This product does not 450. | t contain any VOC exemptions li | isted under the U.S. Clea | n Air Act Section |
| Clean Water Act | | | |
| This product does not 307 | t contain any toxic pollutants list | ed under the U.S. Clean | Nater Act Section |
| US State Regulation | S | | |
| Massachusetts Righ | | | |
| Ethyl | Alcohol | 64-17-5 | 20 - 30 % |
| • | opyl Alcohol | 67-63-0 | 1 - 5 % |
| Hydr | ochloric Acid | 7647-01-0 | 0.1 - 1 % |
| Pennsylvania Right | To Know | | |
| Wate | er (Aqua) | 7732-18-5 | 70 - 90 % |
| Ethyl | Alcohol | 64-17-5 | 20 - 30 % |
| lsopi | opyl Alcohol | 67-63-0 | 1 - 5 % |
| Hydr | ochloric Acid | 7647-01-0 | 0.1 - 1 % |
| Sodi | um Hydroxide | 1310-73-2 | 0 - 0.1 % |
| New Jersey Right To | Know | | |
| | er (Aqua) | 7732-18-5 | 70 - 90 % |
| | Alcohol | 64-17-5 | 20 - 30 % |
| • | osodium Citrate | 18996-35-5 | 1 - 5 % |
| | opyl Alcohol | 67-63-0 | 1 - 5 % |
| California Prop 65 | This product does Proposition 65. | not require a warning lab | el under California |
| The components of TSCA | this product are reported in the control of the con | - | :: |
| AICS | : On the inventory, c | or in compliance with the | nventory |
| DSL | : All components of | this product are on the C | anadian DSL. |
| ENCS | : On the inventory, c | or in compliance with the | inventory |
| | | | |

: On the inventory, or in compliance with the inventory



0

3

0

PURELL® Foodservice Surface Sanitizing Wipes


| Version 1.4 | SDS Number: 40000005611 | Revision Date: 09/09/2021 |
|-------------|-----------------------------------|---------------------------|
| KECI | : On the inventory, or in complia | nce with the inventory |
| PICCS | : On the inventory, or in complia | nce with the inventory |
| IECSC | : On the inventory, or in complia | nce with the inventory |
| NZIoC | : On the inventory, or in complia | nce with the inventory |
| | | |

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date : 09/09/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.