Printing date 03/13/2017 Reviewed on 03/13/2017

1 Identification

- · Product identifier ETAAS72
- · Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black
- · Manufacturer article number: ETAAS72
- · Application of the substance / the mixture Air Freshener
- · Details of the supplier of the safety data sheet (823)(217)

· Manufacturer/Supplier:

HOSPECO

Cleveland OH 44143

P: 800.321.9832

F: 800.362.0073

www.hospeco.com

- · Information department: HOSPECO Technical Support
- · Emergency telephone number: P: 800.321.9832

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

(R)-p-mentha-1,8-diene

2-(4-tert-Butylbenzyl)propionaldehyde

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 0FIRE 1 Fire = 1REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- \cdot **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
	Fragance Trade Secret (823)	2.5-<10%		
5989-27-	5 (R)-p-mentha-1,8-diene	1-≤2.5%		
80-54-	6 2-(4-tert-Butylbenzyl)propionaldehyde	0.1-<1%		

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- $\cdot \textit{After skin contact:} \ \textit{Immediately wash with water and soap and rinse thoroughly}.$
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

General measures:

Avoid contact with skin and eyes. Eliminate all ignition sources if safe to do so. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust, fume. Spilled material may present a slipping hazard.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 3)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:					
24937-78-8	Elvax resin 250	30 mg/m3			
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm			
· PAC-2:	· PAC-2:				
24937-78-8	Elvax resin 250	330 mg/m3			
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm			
· PAC-3:	· PAC-3:				
24937-78-8	Elvax resin 250	2,000 mg/m3			
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm			

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot *Specific end use*(s) *No further relevant information available.*

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 4)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

Information on basis abusing and	chamical proporties			
· Information on basic physical and chemical properties · General Information				
Appearance:				
Form:	Solid			
Color:	According to product specification			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not applicable.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	170 °C (338 °F)			
Flash point:	23 - 60 °C (73 - 140 °F)			
Flammability (solid, gaseous):	Not determined.			
Ignition temperature:	343 °C (649 °F)			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure:	Not applicable.			
Density:	Not determined.			
Relative density	Not determined.			
Vapor density	Not applicable.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water:	Insoluble.			
Partition coefficient (n-octanol/wat	er): Not determined.			
Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
Solvent content:				
Organic solvents:	1.9 %			
VOC content:	1.9 %			

(Contd. on page 5)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 4)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

5989-27-5 (R)-p-mentha-1,8-diene

Oral | LD50 | 4400 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

5989-27-5 (R)-p-mentha-1,8-diene

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name	
DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
DOT, ADN, IMDG, IATA	
· Class	not regulated
Packing group	
DOT, IMDG, IATA	not regulated
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

5392-40-5 Citral 106-22-9 Citronellol

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara				
· Section 355 (extremely hazardous substances):				
None of the ingredients is listed.				
· Section 313 (Specific toxic chemical listings):				
None of the ingredients is listed.				
· TSCA (Toxic Substances Control Act):				
24937-78-8	Elvax resin 250			
5989-27-5	(R)-p-mentha-1,8-diene			
118-58-1	benzyl salicylate			
80-54-6	2-(4-tert-Butylbenzyl)propionaldehyde			
127-51-5	Iraldeine gamma			
78-70-6	Linalool			
106-24-1	Geraniol			

(Contd. on page 7)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 6)

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling:

(R)-p-mentha-1,8-diene

2-(4-tert-Butylbenzyl)propionaldehyde

· Hazard statements

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves.

Contaminated work clothing must not be allowed out of the workplace.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

IF ON SKIN: Wash with plenty of water.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: P: 800.321.9832
- · Date of preparation / last revision 03/13/2017 / 2
- · Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 8)

Printing date 03/13/2017 Reviewed on 03/13/2017

Trade name: AWSFUS235-BX AIRWORKS SF US Midnight Sky, Black

(Contd. of page 7)

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Sens. 1: Skin sensitisation – Category 1

· * Data compared to the previous version altered.

US