

## SAFETY DATA SHEFT

SAFETY DATA SHEET			
1. Identification			
Product identifier Product code	Everwlpe Disinfecting Wipes 75ct (101075)		
Recommended use	Disinfecting Wipe		
Manufacturer/Importer/Supplier/D	istributor Infonnation		
Manufacturer			
Company name	Legacy		
Address	3 Security Dr. Ste 301, Cranbury NJ 08512		
Telephone	1-800-521-4190		
2. Hazard(s) identification			
Physical hazards		0.1	
Health hazards	Flammable liquids	Category4	
Environmental hazards	Serious eye damage/eye initiation	Category 28	
	Hazardous to the aquatic environment, acute hazard	Category 2	
OSHA defined hazards	Hazardous to the aquatic environment, long-term hazard	Category3	
Label elements	Not classified.		
Hazard symbol			
(#1)	None.		
Signal word	Warning		
Hazard statement	Combustible liquid. Causes eye irritation. Toxic lasting effects.	to aquatic life. Harmful to aquatic	c life with long
Prevention	Keep away from heat/sparks/open flames/hot shandling. Avoid release to the environment. We protection.	surfaces No smoking. Wash th /ear protective gloves/eye protecti	oroughly after ion/face
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.		
Storage	Store in a well-ventilated place. Keep cool.		
Disposal	Dispose of contents/container in accordance w	vith local/regional/national/internation	onal regulations.
Hazard(s) not otherwise classified {HNOC)	None known.		
Supplemental information	Not applicable.		
3. Composition/information	n on ingredients		
Mixtures			
Chemical name	Common name and synonyms	CASnumber	%
Tetra sodium ethylenediamlne te acetic acid (Na4 EDTA)	atra di stata di stat	64-02-8	1-< 3
_Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride (Alternate CAS 68956-79-6)		85409-23-0	<0.2

Chemical name	Common name and synonyms	CASnumber	%
Tetra sodium ethylenediamlne tetra acetic acid (Na4 EDTA)		64-02-8	1-< 3
_Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride (Alternate CAS 68956-79-6)		85409-23-0	<0.2
_Alkyl dimethyl benzyl ammonium chloride (C12-18)		68391-01-5	<0.2
Other components below reportable levels			90 - 100

abr 1/7 ×

X

## 1 Eirot aid

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention If symptoms occur.
Most important symptoms/effects, acute and delayed	Exposed individuals may experience eye tearing, redness, and discomfort.
Indication of immediate medical attention and special treatment needed	If the product is ingested, probable mucosal damage may contraindicate the use of gastric lavage. Treat the affected person appropriately.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case offire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.
General fire nazarus	
6. Accidental release mea	sures
6. Accidental release measure Personal precautions, protective equipment and	SURES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection,
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for	SURES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for	Sures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources {no smoking, flares, sparks, or flames in immediate area}. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for	SURES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for	SURES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for	SUFES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State
6. Accidental release measure Personal precautions, protective equipment and emergency procedures Methods and materials for containment and cleaning up	SUTES Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid

Keep away from open flames, hot surfaces and sources of ignition. When using do not smoke. Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities	DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. PESTICIDE STORAGE: Store in a dry place no lower in temperature than 50°F or higher than 120°F. Keep away from heat, sparks and open flame. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SOS). Keep in an area equipped with sprinklers.
8. Exposure controls/perso	onal protection
Occupational exposure limits	No exposure limits noted for ingredient(s).
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures,	such as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear protective gloves.
Skin protection	
Other	Wear suitable protective clothing.
Respiratory protection	h case of insufficient ventilation, wear suitable respiratory equipment. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance		
Physical state	Liquid.	
Form	Liquid saturated on wipe.	
Color	clear-hazy liquid on wipe	
Odor	Lemon	
Odor threshold	Not available.	
pН	10.5 -12.5	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	196.6 °F (91.4 ℃)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or expl	osive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit • upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper(%)	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Not available.	
Partition coefficient (n-octanol/water)	Not available.	

lesi ÷

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available
Density	8.38 lb/gal
10. Stability and reactivity	/
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	Upon decomposition, this product may yield oxides of nitrogen and ammonia, carbon dioxide, carbon monoxide and other low molecular weight hydrocarbons.
11. Toxicological informa	tion
Information on likely routes of	
Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes mild skin irritation.
Eye contact	Causes eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Exposed individuals may experience eye tearing, redness, and discomfort.
Information on toxicological eff	rects
Acute toxicity	Not available.
Skin corrosion/irritation	Causes mild skin irritation.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitizatior	1
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1 % are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
US. OSHA Specifically Reg Not listed.	ulated Substances (29 CFR 1910.1001-1050)
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not applicable.
Specific target organ toxicity - repeated exposure	Not applicable.
Aspiration hazard	Not applicable.
12. Ecological information	
Ecotoxicity	Toxic to aquatic life. Harmful to aquatic life with long iastingeffects.
Components	Species Test Results
Tetra sodium ethylenediamine Aquatic	tetra acetic acid (Na4 EDTA) (CAS 64-02-8)
Fish	LC50 Bluegill (Lepomis macrochirus) 472 - 500 mg/l, 96 hours

sdsus

<ul> <li>Estimates for product may be</li> </ul>	e based on additional component data not shown.
Persistence and degradability	No data is available on the degradability of this product.
Bloaccumulative potential	No data available.
Mobility In soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this componentDisposal considerations
Disposal Instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.
13. Transport information	
General	Note - Shipper/offeror is responsible for confirming appropriate proper shipping name, hazard classification(s), packing group, marking, labeling, placarding, packaging, and other regulatory requirements applicable to packages offered for transport. These requirements may vary depending on the quantity of material, packaging, mode of transportation, and carrier.
DOT	
UN number UN proper shipping name Transport hazard class(es)	NA1993 COMBUSTIBLE LIQUID, N.O.S. (Ethanol)
Class	Combustible Liquid
Subsidiary risk	
Packing group	

Transport In bulk according to Not available. Annex II of MARPOL 73n8 and the IBC Code DOT

Special precautions for user Read safety instructions, SOS and emergency procedures before handling.



## 14. Regulatory information

US federal regulations	This product is a U.S. EPA registered pesticide.		
	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
CERCLA Hazardous Subst	ance List (40 CFR 302.4)		
Not listed.			
US. OSHA Specifically Reg	ulated Substances (29 CFR 1910.1001-1050)		
Not listed.			
Superfund Amendments and R	eauthorization Act of 1986(SARA)		
Hazard categories	Immediate Hazard - Yes		
Ū.	Delayed Hazard - No		
	Fire Hazard - Yes		
	Pressure Hazard - No		
	Reactivity Hazard - No		
SARA 302 Extremely	SARA 311/312 Hazardous chemical		
hazardous substance	SARA 313 (TRI reporting)		

-

1


Chemical name		CAS number	%bywt.
Acetaldehyde		75-07-0	< 0.1
Other federal regulations			
	112 Hazardous Air Pollutants	s (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Section Not regulated.	112(r) Accidental Release Pr	revention (40 CFR 6	8.130)
Safe Drinking Water Act (SOWA)	Not regulated.		
FIFRA Information	subject to certain labeling req	uirements under fede and hazard information	the Environmental Protection Agency and is ral pesticide law. These requirements differ on required for safety data sheets, and for wing is the hazard information as required on
Signal word	CAUTION		
Hazard statement	Causes moderate eye irritation	n.	
US state regulations			
US. Massachusetts RTK - Se	ubstance List		
Not regulated.			
US. Rhode Island RTK			
Not regulated.			
US. California Proposition 6	5		
WARNING: This product	contains a chemical known to th	ne State of California	to cause cancer.
•	an GE - CDT: Listed date/Car		

US - California Proposition 65 • CRT: Listed date/Carcinogenic substance

Acetaldehyde (CAS 75-07-0) Listed: April 1, 1988 International Inventories Country(s) or region Inventory name On inventory (yes/no)\* Australia Australian Inventory of Chemical Substances (AICS) Nb Canada Domestic Substances List (DSL) Nb Canada Non-Domestic Substances List (NDSL) Nb Inventory of Existing Chemical Substances in China (IECSC) China Nb European Inventory of Existing Commercial Chemical Europe Nb Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe Nb Inventory of Existing and New Chemical Substances (ENCS) Japan Nb Korea Existing Chemicals List (ECL) No New Zealand New Zealand Inventory Nb Philippines Philippine Inventory of Chemicals and Chemical Substances Nb (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Nb

"A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the Inventory administered by the governing country(s)

15. Other information, including date of preparation or last revision



 $\sim$ 

.

~

Terms and Conditions. This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantibility or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subject to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein, and neither the provider nor the manufacturer (nor the agents, directors, officers, contractors or employees of either) are liable to any party for any damages of any nature, including direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions.