

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 01/01/2018 Version: 1.0

	according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 01/01/2018 Version: 1.0
SECTION 1: Identification	
1.1. Product identifier Product name	: CUCUMBER MELON TCELL
Product code	: 4870431
SKU #	: FG402470
1.2. Recommended use and restr	ictions on use
Recommended use	: Air care products,Odour agents
Restrictions on use	: Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
1.3. Supplier	
Manufacturer	Other
Rubbermaid Commercial Products LLC 3124 Valley Avenue	Rubbermaid Commercial Products LLC 20 Hereford Street
VA 22601-2694 Winchester - USA	L6Y 0M1 Brampton - Canada
T 1.800.347.9800	T 1.800.998.7004
www.rubbermaidcommercial.com	
1.4. Emergency telephone number	er
Emergency number	: 24-Hour Emergency: INFOTRAC: 1-800535-5063
SECTION 2: Hazard identificati	on
2.1. Classification of the substan	
Classification (GHS-CA)	
Flammable liquids, Category 4	H227
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Categ	
Skin sensitisation, Category 1	H317
Full text of H statements : see section 16	
2.2. GHS Label elements, includin	ig precautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	
Signal word (GHS-CA)	: Warning
Hazard statements (GHS-CA)	: H227 - Combustible liquid
	H315 - Causes skin irritation.
	H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.
Precautionary statements (GHS-CA)	<ul> <li>P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280 - Wear protective gloves, eye protection.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> </ul>
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS	j-CA)
No data available	
SECTION 3: Composition/infor	mation on ingredients
3.1. Substances	
Not applicable 3.2. Mixtures	
U.L. MIALUICS	

3.2. Mixtures

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Name	Product identifier	%	Classification (GHS-CA)
LINALOOL	(CAS-No.) 78-70-6	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
ISOAMYL ALLYLGLYCOLATE	(CAS-No.) 67634-00-8	1 - 5	Acute Tox. 4 (Oral), H302
2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	(CAS-No.) 68039-49-6	0.1 - 1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
DELTA-DAMASCONE	(CAS-No.) 57378-68-4	0.1 - 1	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medica advice. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. Get medical advice if skin irritation persists.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Obtain emergency medical attention.
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after inhalation	: None under normal use. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

OFOT	ION F. Fine fighting measures		
SECI	ION 5: Fire-fighting measures		
5.1.	Suitable extinguishing media		
Suitable	e extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray. Sand.	
5.2.	Unsuitable extinguishing media		
Unsuita	ble extinguishing media	: Do not use a heavy water stream.	
5.3.	Specific hazards arising from the h	azardous product	
Fire haz	zard	: Combustible liquid.	
Explosi	on hazard	: May form flammable/explosive vapour-air mixture.	
5.4.	5.4. Special protective equipment and precautions for fire-fighters		
Firefigh	ting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.	
Protecti	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.	
SECTION 6: Accidental release measures			
6.1.	6.1. Personal precautions, protective equipment and emergency procedures		
Genera	Imeasures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.	
6.2.	Methods and materials for containr	nent and cleaning up	
Method	s for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.	
6.3.	Reference to other sections		

For further information refer to section 8: "Exposure controls/personal protection"

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Keep away from sources of ignition - No smoking. Provide good ventilation in process area to prevent formation of vapour. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. No open flames. No smoking.	
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Comply with applicable regulations.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight, Ignition sources.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.	

## SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

No additional information available

8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

None under normal use

#### **Respiratory protection:**

None under normal use

#### Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemica	al properties
9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Appearance	: clear. Transparent.
Colour	: colourless to slightly yellow
Odour	: characteristic
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 156 °F (69ºC)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: 0.925 - 0.929
Solubility	: No data available

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)		
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Explosive limits	: No data available	
9.2. Other information		
No additional information avai	lable	

<b>SECTION 10: Stability and reactivi</b>	ty
10.1. Reactivity	
Chemical stability	: The product is stable at normal handling and storage conditions. Combustible liquid. May form flammable/explosive vapour-air mixture.
Possibility of hazardous reactions	: Not established.
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.
Incompatible materials	: Strong acids. Strong bases. Oxidizing agent.
Hazardous decomposition products	: fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information			
11.1. Information on toxicologica	11.1. Information on toxicological effects		
Acute toxicity (oral)	: Oral: Not classified.		
Acute toxicity (dermal)	: Dermal: Not classified.		
Acute toxicity (inhalation)	: Not classified		
CUCUMBER MELON TCELL	CUCUMBER MELON TCELL		
LD50 oral rat	11564.07 mg/kg		
LD50 dermal rat	26437.35 mg/kg		
ATE CA (oral)	11564.07 mg/kg bodyweight		
ATE CA (dermal)	26437.35 mg/kg bodyweight		
LINALOOL (78-70-6)	LINALOOL (78-70-6)		
LD50 oral	2790 mg/kg bodyweight		

LD00 0rai	2750 mg/kg bodyweight	
LD50 dermal	5610 mg/kg bodyweight	
ISOAMYL ALLYLGLYCOLATE (67634-00-8)		
LD50 oral rat	730 mg/kg	
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		
LD50 oral rat	4000 mg/kg	
LD50 oral	2830 mg/kg	
LD50 dermal	> 2000 mg/kg bodyweight	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
Aspiration hazard	: Not classified	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.	
Symptoms/effects after inhalation	: None under normal use. May cause an allergic skin reaction.	
Symptoms/effects after skin contact	: Causes skin irritation.	

Symptoms/effects after eye contact	: Causes serious eye irritation.
------------------------------------	----------------------------------

# SECTION 12: Ecological information 12.1. Toxicity LINALOOL (78-70-6) LC50 fish 1 27.8 mg/l EC50 other aquatic organisms 1 20 mg/l waterflea

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

LINALOOL (78-70-6)		
EC50 other aquatic organisms 2	88.3 mg/l	
12.2. Persistence and degradability		
CUCUMBER MELON TCELL		
Persistence and degradability	May cause long-term adverse effects in the environment. Not established.	
12.3. Bioaccumulative potential		
CUCUMBER MELON TCELL		
Bioaccumulative potential	Not established.	
LINALOOL (78-70-6)		
Log Pow	Log Pow 2.84	
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		
Log Pow	2.7	
12.4. Mobility in soil		
LINALOOL (78-70-6)		
Log Pow	2.84	
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)		
Log Pow	2.7	
12.5. Other adverse effects		
Effect on the global warming	: No known effects from this product.	
Effect on ozone layer	: None to our knowledge.	
GWPmix comment	: No known effects from this product.	
Other information	: Avoid release to the environment.	

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Additional information	: Empty containers should be taken for recycling, recovery or waste in accordance with local regulation. Handle empty containers with care because residual vapours are flammable.		
Ecology - waste materials	: Avoid release to the environment.		

# **SECTION 14: Transport information**

# 14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT	
Department of Transport	
DOT NA no.	: UN3082
UN-No.(DOT)	: 3082
Packing group (DOT)	: III - Minor Danger
DOT Symbols	: G - Identifies PSN requiring a technical name
Transport document description	: UN3082 Environmentally hazardous substances, liquid, n.o.s. (CONTAINS ; HEXYL ACETATE(142-92-7) ; 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)), 9, III
Proper Shipping Name (DOT)	: Environmentally hazardous substances, liquid, n.o.s.
	CONTAINS ; HEXYL ACETATE(142-92-7) ; 2-t-BUTYLCYCLOHEXYL ACETATE(88-41-5)
Contains Statement Field Selection (DOT)	:
Class (DOT)	: 9 - Class 9 - Miscellaneous hazardous material 49 CFR 173.140
Division (DOT)	: 9
Hazard labels (DOT)	: 9 - Class 9 (Miscellaneous dangerous materials)
Dangerous for the environment	: No

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

DOT Special Provisions (49 CFR 172.102)	<ul> <li>8 - A hazardous substance that is not a hazardous waste may be shipped under the shipping description "Other regulated substances, liquid or solid, n.o.s.", as appropriate. In addition, for solid materials, special provision B54 applies.</li> <li>146 - This description may be used for a material that poses a hazard to the environment but does not meet the definition for a hazardous waste or a hazardous substance, as defined in 171.8 of this subchapter, or any hazard class as defined in Part 173 of this subchapter, if it is designated as environmentally hazardous by the Competent Authority of the country of origin, transit or destination.</li> <li>173 - An appropriate generic entry may be used for this material.</li> <li>335 - Mixtures of solids that are not subject to this subchapter and environmentally hazardous liquids or solids may be classified as "Environmentally hazardous substances, solid, n.o.s," UN3077 and may be transported under this entry, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Each transport unit must be leakproof when used as 51H21 and 31H42, 31HB2, 31HD2 and 31H); Rigid plastics (31H1 and 31H2); Composite (31H21 and 31HA2, 31HB2, 31HD2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672).</li> <li>T4 - 2.65 178.274(d)(2) Normal</li></ul>
DOT Packaging Exceptions (49 CFR 173.xxx)	MAWP. : 155
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
IBC code	: Not applicable.
Other information	: No supplementary information available.
14.3. Air and sea transport	
IMDG	
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., 9, III, MARINE POLLUTANT
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
ΙΑΤΑ	
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s., 9, III
Class (IATA)	: 9 - Miscellaneous Dangerous Goods
Packing group (IATA)	: III - Minor Danger
SECTION 15: Regulatory information	
15.1 National regulations	

# 15.1. National regulations LINALOOL (78-70-6) Listed on the Canadian DSL (Domestic Substances List) ISOAMYL ALLYLGLYCOLATE (67634-00-8) Listed on the Canadian DSL (Domestic Substances List) 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6) Listed on the Canadian DSL (Domestic Substances List)

# Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

LINALOOL (78-70-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
ISOAMYL ALLYLGLYCOLATE (67634-00-8)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE (68039-49-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
DELTA-DAMASCONE (57378-68-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

# SECTION 16: Other information

#### Date of issue

#### : 01/01/2018

Other information

#### : REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

#### Full text of H-statements:

H227	Combustible liquid
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### SDS\_CANADA\_GHS\_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product