

February 25, 2002

Dear Customer:

The enclosed Material Safety Data Sheet(s) (MSDSs) is/are being sent as a result of either a request or a recent product order from PGI Nonwovens.

The Occupational Safety and Health Administration (OSHA) mandates the issuance of MSDSs pursuant to the requirements of the Federal Hazard Communication Standard (29 CFR 1910.1200). Although MSDSs are required only for "hazardous chemicals", PGI Nonwovens typically prepares MSDSs for most of our products whether hazardous or not. Even for products determined not to be hazardous, PGI Nonwovens believes that MSDSs offer important handling and safety information. To the best of our knowledge, the enclosed MSDS(s) is/are in compliance with the requirements of the OSHA Hazard Communication Standard. In most cases, we have provided more information than is required by the Standard.

For more information about the contents of this MSDS, please contact the Regulatory phone number listed on the sheet. To obtain copies of MSDSs on other PGI Nonwoven products, call (501) 399-2537 or fax your request to us at (501) 399-2518.

Thank you for your interest in PGI Nonwovens.

Sincerely,

PGI Nonwovens - Regulatory Affairs

Product Code: 0911-002 2351 U. S. Route 130 Issue Date: 02/25/02 Supersedes: Dayton, NJ 08810-1004 Rev 2 Telephone: 1-800-835-2442 Supersedes Date: 10/05/01

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

Product Code: 0911-002

Chix[®] Masslinn[®] Dust Cloth - Heavy Duty with Microban[®] Product Name/Synonyms:

Rayon Based Nonwoven Fabric Chemical Description:

SECTION II - COMPOSITION, INFORMATION ON INGREDIENTS

Exposure Limits

Percent TWA Short Term Components by Weight CAS No. (8 Hour) (15 Min.) White Mineral Oil 10 - 15 5 mg/m^3 8042-47-5 Not Established (OSHA) 5 mg/m^3 10 mg/m^3 (ACGIH)

SECTION III - HAZARDS IDENTIFICATION

Health Effects:

Eyes: May cause slight irritation. May cause slight irritation. Skin:

Inhalation: N.A. Ingestion: N.A.

2351 U. S. Route 130 Dayton, NJ 08810-1004 Telephone: 1-800-835-2442 Product Code: 0911-002 Issue Date: 02/25/02 Supersedes: Rev 2 Supersedes Date: 10/05/01

MATERIAL SAFETY DATA SHEET

SECTION IV - FIRST AID MEASURES

First Aid Procedures:

Eyes: Flush eyes immediately with large amounts of water for at least 15 minutes and

continue flushing until irritation subsides. If redness or irritation persists, contact

a physician.

Skin: Use good personal hygiene and wash thoroughly after handling. If redness or

irritation persist, contact a physician.

Inhalation: N.A. Ingestion: N.A.

SECTION V - FIRE FIGHTING MEASURES

Flammable (Explosive) Limits

(Percent by Volume)

Flash Point(Specify Method): N.A. Lower Explosive Limit: N.A. Flammability Class: N.A. Upper Explosive Limit: N.A.

Fire Extinguishing Media: Water, Carbon Dioxide, Foam, Dry Chemical

Special Fire Fighting Procedures: None

Unusual Fire & Explosion Hazards: None known; expected to be similar to ordinary combustible

SECTION VI - ACCIDENTAL RELEASE

Steps to be taken in case material is released or spilled: N.A.

Product Code: 0911-002 2351 U. S. Route 130 Issue Date: 02/25/02 Dayton, NJ 08810-1004 Supersedes: Rev 2 Telephone: 1-800-835-2442 Supersedes Date: 10/05/01

MATERIAL SAFETY DATA SHEET

SECTION VII - HANDLING AND STORAGE

Handling: None

Storage: Avoid storing near strong oxidizers.

Avoid sources of ignition.

Use caution when stacking to avoid unstable conditions.

Store at temperatures below 140°F Store in a sprinklered warehouse.

SECTION VIII - EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye Protection: None required when used as intended. Gloves: None required when used as intended.

Respiratory: None required. Ventilation: None required.

Other: N.A.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Yellow fabric with little odor

Odor Threshold: **Boiling Point:** NΑ N.A. Specific Gravity (Water=1): Freezing Point: N.A. N.A. Vapor Density (Air=1): N.A. pH: N.A. Vapor Pressure(mm of mercury): Solubility in Water: N.A. N.A

Evaporation Rate: N.A.

 2351 U. S. Route 130
 Issue Date:
 02/25/02

 Dayton, NJ 08810-1004
 Supersedes:
 Rev 2

 Telephone: 1-800-835-2442
 Supersedes Date:
 10/05/01

MATERIAL SAFETY DATA SHEET

Product Code:

0911-002

SECTION X - STABILITY AND REACTIVITY

General Reactivity: Stable Incompatibility (Materials to Avoid): N.A.

Hazardous Decomposition Products: Not tested; expected to be similar to ordinary combustion.

Hazardous Polymerization: ...X.. Will Not Occur Will Occur

Conditions to Avoid: N.A.

SECTION XI - TOXICOLOGICAL INFORMATION

Reported Human Effects:

No primary dermal irritation human patch tests have been carried out with this product.

Reported Animal Effects:

No animal toxicity studies have been carried out with this product.

Carcinogenicity Information:

Not classifiable as a Human Carcinogen by ACGIH.

SECTION XII - ECOLOGICAL INFORMATION

Ecotoxicity:

No ecological studies have been carried out on this product.

2351 U. S. Route 130 Dayton, NJ 08810-1004 Telephone: 1-800-835-2442 Product Code: 0911-002 Issue Date: 02/25/02 Supersedes: Rev 2 Supersedes Date: 10/05/01

MATERIAL SAFETY DATA SHEET

SECTION XIII - DISPOSAL CONSIDERATION

Waste Disposal Methods:

Dispose in accordance with Federal, State and local regulations. Be aware that state and local requirements may differ widely depending on location and may in many cases be different from federal rules.

When a decision is made to discard this material as supplied, it does not meet RCRA's (Resource Conservation and Recovery Act) characteristic definition of ignitability, corrosivity, or reactivity, and is not listed in 40 CFR 261.33. The toxicity characteristic (TC), however, has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP).

SECTION XIV - TRANSPORTATION INFORMATION

Shipping Information:

Shipments of Chix® Masslinn® Dust Cloth - Heavy Duty with Microban® are not regulated by the U.S. Department of Transportation (DOT). There is no identification number. No special labels are required.

SECTION XV - REGULATORY INFORMATION

U.S. Federal Regulations

OSHA:

This MSDS is provided to comply with provisions of the Hazard Communication Standard (29 CFR 1910.1200).

 2351 U. S. Route 130
 Issue Date:
 02/25/02

 Dayton, NJ 08810-1004
 Supersedes:
 Rev 2

 Telephone: 1-800-835-2442
 Supersedes Date:
 10/05/01

MATERIAL SAFETY DATA SHEET

Product Code:

0911-002

EPA:

TSCA:

All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

CERCLA Information (40 CFR 302.4):

Releases of this material to land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

SARA TITLE III, Section 313 Information (40 CFR 372):

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.

CLEAN AIR ACT AMENDMENTS OF 1990:

This product and its packaging do not contain, nor are they manufactured with, any of the ozone-depleting substances listed in either Class I chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform) or Class II (hydrochlorofluorocarbons) of the Clean Air Act Amendments of 1990.

FIFRA:

This product contains MicrobanTM 8102-400. EPA Registration No. 42182-1.

FDA:

This product does not have FDA approval as a food additive either direct or indirect per 21 CFR. Therefore, it is not approved for use as articles or components of articles intended for repeated contact with food.

USDA:

This product has not been evaluated by USDA for use in packaging material in direct contact with meat or poultry food products prepared under federal inspection.

 2351 U. S. Route 130
 Issue Date:
 02/25/02

 Dayton, NJ 08810-1004
 Supersedes:
 Rev 2

 Telephone: 1-800-835-2442
 Supersedes Date:
 10/05/01

MATERIAL SAFETY DATA SHEET

Product Code:

0911-002

State Regulations

California's Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This product contains trace levels of Formaldehyde CAS # 50-00-0 and 1,3-Butadiene CAS # 106-99-0 known to the State of California to cause cancer, contributed by the binder and resin.

Massachusetts Right-to-Know, Hazardous Substance List (MSL):

This product contains trace levels of Formaldehyde CAS # 50-00-0, 1,3-Butadiene CAS # 106-99-0, and Styrene CAS # 100-42-5 known to the State of Massachusetts to cause cancer, contributed by the binder and resin. In addition, this product contains trace levels of Sodium Nitrite CAS # 7632-00-0, Silica, Amorphous CAS # 7631-86-9, Isopropyl Alcohol CAS # 67-63-0 and Ammonium Nitrate CAS # 6484-52-2 contributed by finishes.

New Jersey Right-to-Know Hazardous Substance List:

This product contains trace levels of Formaldehyde CAS # 50-00-0, 1,3-Butadiene CAS # 106-99-0, and Styrene CAS # 100-42-5 known to the State of New Jersey to cause cancer, contributed by the binder and resin. In addition, this product contains trace levels of Sodium Nitrite CAS # 7632-00-0, Silica, Amorphous CAS # 7631-86-9, Isopropyl Alcohol CAS # 67-63-0 and Ammonium Nitrate CAS # 6484-52-2 contributed by finishes.

SECTION XVI - OTHER INFORMATION

PGI Nonwovens Hazard Rating		Scale
Health Fire Reactivity Special	1 1 0	4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant

Ratings are based on PGI guidelines, and are intended for internal use.

Product Code: 0911-002 2351 U. S. Route 130 Issue Date: 02/25/02 Dayton, NJ 08810-1004 Supersedes: Rev 2 10/05/01 Telephone: 1-800-835-2442 Supersedes Date:

MATERIAL SAFETY DATA SHEET

References Documentation: Component MSDS(s)

2000 ACGIH Guide To Occupational Exposure

Values

The Book of Chemical Lists on CD-ROM, February 2002

Important Notice:

All statements, technical information and recommendations set forth herein are based on information or tests which PGI Nonwovens believes to be reliable as of the date of this material safety data sheet. However, nothing contained in this information is to be taken as a representation, guarantee, or warranty, for which PGI Nonwovens bears legal responsibility. PGI Nonwovens urges persons receiving this information to make their own determination as to the information's suitability and completeness for their particular application(s).

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists

OSHA = Occupational Safety and Health Administration

TLV = Threshold Limit Value

PEL = Permissible Exposure Limit

TWA = Time Weighted Average

STEL = Short-Term Exposure Limit

EPA = Environmental Protection Agency

FIFRA = Federal Insecticide, Fungicide, and Rodenticide Act

FDA = Food & Drug Administration

USDA = United States Department of Agriculture

Responsibility For This MSDS:

Elizabeth Howard, Assistant Director, Regulatory Affairs

1301 E. 8th Street

North Little Rock, AR 727504

Phone Number: (501) 399-2537 Fax Number: (501) 399-2518

2351 U. S. Route 130 Dayton, NJ 08810-1004 Telephone: 1-800-835-2442

Internet Address: HowardB@PGINW.COM

Product Code: 0911-002 Issue Date: 02/25/02 Supersedes: Rev 2 Supersedes Date: 10/05/01