Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Trade name: Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Other Information: Articles covered by this safety data sheet are shown in the attached list.

Article no

| Article no | Description |
|---------------------------|---|
| _Article no/VBK no | Nominal Voltage / Nominal Capacity / Nominal Energy / Weight |
| 106479001 / 56654 799 099 | Battery, 36V, Li-ion, 10S14P, MH1 / 37.0 V / 44.8 Ah / 1658 Wh / 9600 g |
| 106479002 / 56654 799 094 | Battery, 24V, Li-ion, 7S20P, MH1 / 25.9 V / 64.0 Ah / 1658 Wh / 9600 g |
| 106479003 / 56654 799 090 | Battery, 48V, Li-ion, 14S10P, MH1 / 51.8 V / 32.0 Ah / 1658 Wh / 9600 g |
| 106479004 / 56660 799 091 | Battery, 24V, Li-ion, 7S20P, M26 / 25.55 V / 52.0 Ah / 1329 Wh / 9530 g |
| 106479005 / 56660 799 093 | Battery, 36V, Li-ion, 10S14P, M26 / 36.5 V / 36.4 Ah / 1329 Wh / 9530 g |
| 106479006 / 56660 799 092 | Battery, 48V, Li-ion, 14S10P, M26 / 51.1 V / 26.0 Ah / 1329 Wh / 9530 g |
| 106479007 / 56667 799 093 | Battery, 24V, Li-ion, 7S20P, VTC6 / 25.2 V / 62.4 Ah / 1572 Wh / 9894 g |
| 106479008 / 56667 799 092 | Battery, 36V, Li-ion, 10S14P, VTC6 / 36.0 V / 43.68 Ah / 1572 Wh / 9894 g |
| 106479009 / 56667 799 091 | Battery, 48V, Li-ion, 14S10P, VTC6 / 50.4 V / 31.2 Ah / 1572 Wh / 9894 g |
| 107408866 / | Battery Pack 36 Volt 10S4P / 36 V / 7,8 Ah / 280,8 Wh / 2500 g |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Lithium ion rechargeable battery.

During normal use and handling the hazardous materials are fully contained inside the

battery cell.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Nilfisk A/S
Address: Kornmarksvej 1

Zip code: 2605
City: Brøndby
Country: DENMARK

E-mail: sds.com@nilfisk.com
Phone: +45 43 23 81 00

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification: The product shall not be classified as hazardous according to the classification and

labeling rules for substance and mixtures.

Most serious harmful effects: According to REACH, the product is an article and is consequently not subject to the

requirement for a safety data sheet. The intact article does not pose any danger. This safety data sheet describes the danger of the mixture inside the article. Contact is only

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

possible if the article is not intact. The mixture inside the article has the following hazardous characteristics:

The leaking electrolyte is flammable and corrosive. Causes severe skin burns and eye damage. May cause an allergic skin reaction. In contact with water releases hydrogen.

2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substance and mixtures.

Supplemental information

According to REACH the product is an article and thus not subject to the requirements regarding labelling.

2.3. Other hazards

Assessment to determine PBT and vPvB has not been made.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| Substance | CAS No | EC No | REACH Reg. No. | Concentration | Notes | CLP- classification |
|--|------------|-----------|----------------|---------------|-------|---|
| Metal oxide | | | | 20 - 50% | | Skin Sens. 1;H317 Acute Tox. 2;H330 Resp. Sens. 1;H334 Carc. 18;H350 STOT RE 1;H372 Aquatic Chronic 3;H412 |
| Graphite | | | | 10 - 30% | | |
| Electrolyte | | | | 10 - 20% | | Flam. Liq. 2;H225 Acute Tox. 4;H312 Skin Corr. 1B;H314 Skin Sens. 1;H317 Muta. 2;H341 Carc. 2;H351 Aquatic Chronic 2;H411 |
| Aluminum | 7429-90-5 | 231-072-3 | | 2 - 10% | | |
| Copper | 7440-50-8 | 231-159-6 | | 2 - 10% | | |
| Polyvinylidene Fluoride | 24937-79-9 | | | < 5% | | |
| 1,3-Butadiene- Styrene copolymer | 9003-55-8 | | | < 5% | | |
| 1,3- propanesultone | 1120-71-4 | 214-317-9 | | > 0.1% | 14 | Acute Tox. 4;H302 Acute Tox. 4;H312 Carc. 1B;H350 |
| Lead | 7439-92-1 | 231-100-4 | | < 0.0010% | | Repr. 1A;H360Fd Repr. 1A;H360FD Lact.;H362 |
| cadmium (non- pyrophoric) | 7440-43-9 | 231-152-8 | | < 0.00010% | | Acute Tox. 2;H330 Muta. 2;H341 Carc. 1B;H350 Repr. 2;H361fd STOT RE 1;H372 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 |
| mercury | 7439-97-6 | 231-106-7 | | < 0.00010% | | Acute Tox. 2;H330 Repr. 1B;H360D STOT RE 1;H372 Aquatic Acute 1;H400 Aquatic Chronic 1;H410 |

Please see section 16 for the full text of H-phrases.

14 = The substance is included in the candidate list (SVHC), Regulation 1907/2006/EC, Article 59.

Ingredient comments:

CAS 24937-79-9, CAS 9003-55-8: Only relevant for: 107408866

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of leaking battery: Seek fresh air. Seek medical advice in case of persistent

discomfort.

Ingestion: In case of leaking battery: Wash out mouth thoroughly and drink 1-2 glasses of water in

small sips. Do not induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

Skin contact: In case of leaking battery: Remove contaminated clothing. Wash skin with soap and water.

Immediately call a POISON CENTER or doctor/physician.

Eye contact: In case of leaking battery: Open eye wide, remove any contact lenses and flush

immediately with water (preferably using eye wash equipment). Seek medical advice

immediately. Continue flushing until medical attention is obtained.

Burns: Flush with water until pain ceases. Remove clothing that is not stuck to the skin - seek

medical advice/transport to hospital. If possible, continue flushing until medical attention is

obtained.

General: When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

In case of leaking battery: Ingestion may cause caustic burning in mouth, aesophagus and stomach. Pains in mouth, throat and stomach. Difficulty swallowing, feeling unwell and vomiting of blood. Brown spots and burns may appear in and around the mouth. Has a caustic burning effect and causes burning pain, reddening, blistering and burning sores if it comes in contact with skin. Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight. May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and ulceration - often slowly developing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. Ensure that medical personnel are aware of the material involved, and take precautions to protect themselves.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Metal fire extinction powder, rock salt or dry sand shall be used. In case only water is

available, it can be used in large amounts.

Unsuitable extinguishing

media:

Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Exposures to high temperatures (>100 °C), electrical or mechanical abuse can cause venting of the liquid electrolyte. The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Hydrogen fluoride.

5.3. Advice for fire-fighters

Extinguishing water which has been in contact with the product may be corrosive. Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

For non-emergency personnel: In case of leaking battery: Wear gloves. Wear safety goggles/face protection. Provide

adequate ventilation. Smoking and naked flames prohibited. In case of missing process

ventilation: Wear respiratory protective equipment.

For emergency responders: In addition to the above: Chemical protective suit equivalent to EN 943-2 is recommended.

6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent, non-combustible material and transfer to suitable waste containers. Caution! Causes burns. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking and naked flames prohibited. Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc. Store in a dry, cool, well-ventilated area. Avoid high temperatures, electrical or mechanical abuse. Keep away from sources of ignition. Do not short circuit the battery.

7.3. Specific end use(s)

None.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit: Contains no substances subject to reporting requirements

Legal basis: EH40/2005 Workplace exposure limits. Last amended January 2020.

8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, In case of leaking battery: Wear safety goggles/face protection. Eye protection must

conform to EN 166.

hand protection:

Personal protective equipment, In case of leaking battery: Wear gloves. Type of material: Latex/ Neoprene rubber. Gloves must conform to EN 374.

Personal protective equipment, Not required.

respiratory protection:

Environmental exposure

controls:

Ensure compliance with local regulations for emissions.

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| on monator on addition and one modern properties | | | |
|--|------------|--|--|
| Parameter | Value/unit | | |
| State | Battery. | | |
| Colour | No data | | |
| Odour | No data | | |
| Solubility | Insoluble | | |
| Explosive properties | No data | | |
| Oxidising properties | No data | | |

| Parameter | Value/unit | Remarks |
|---|------------|---------|
| pH (solution for use) | No data | |
| pH (concentrate) | No data | |
| Melting point | No data | |
| Freezing point | No data | |
| Initial boiling point and boiling range | No data | |
| Flash Point | No data | |
| Evaporation rate | No data | |
| Flammability (solid, gas) | No data | |
| Flammability limits | No data | |
| Explosion limits | No data | |
| Vapour pressure | No data | |
| Vapour density | No data | |
| Relative density | No data | |
| Partition coefficient n-octonol/water | No data | |
| Auto-ignition temperature | No data | |
| Decomposition temperature | No data | |
| Viscosity | No data | |
| Odour threshold | No data | |

9.2 Other information

Other Information: None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Not reactive.

10.2. Chemical stability

The battery is hermetically sealed. The battery is stable under normal conditions. Exposure to high temperatures can cause venting of the liquid electrolyte and/or heat generation and ignition. Internal shorting or mechanical abuse could also cause venting of the electrolyte.

10.3. Possibility of hazardous reactions

In contact with water releases hydrogen.

10.4. Conditions to avoid

Avoid heating and contact with ignition sources. Avoid direct sunlight. Avoid temperatures >100°C. Avoid contact with moisture and water.

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions. The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide/ Hydrogen fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral: The product does not have to be classified.

Acute toxicity - dermal: The product does not have to be classified.

Acute toxicity - inhalation: The product does not have to be classified.

Skin corrosion/irritation: The product does not have to be classified. In case of leaking battery: Has a caustic

burning effect and causes burning pain, reddening, blistering and burning sores if it comes

in contact with skin.

Serious eye damage/eye

irritation:

The product does not have to be classified. In case of leaking battery: Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye

injury and loss of sight.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. In case of leaking battery: May cause sensitization by skin contact. Symptoms include reddening, swelling, blistering and

ulceration - often slowly developing.

Germ cell mutagenicity: The product does not have to be classified. In case of leaking battery: The product contains

at least one substance suspected of being mutagenic.

Carcinogenic properties: The product does not have to be classified. In case of leaking battery: The product contains

at least one substance that is suspected of being carcinogenic.

Reproductive toxicity: The product does not have to be classified.

Single STOT exposure: The product does not have to be classified. In case of leaking battery: Inhalation of vapours

may cause irritation to the upper airways.

Repeated STOT exposure: The product does not have to be classified. In case of leaking battery: Causes damage to

organs through prolonged or repeated exposure.

Aspiration hazard: The product does not have to be classified.

Other toxicological effects: In case of leaking battery: Ingestion may cause caustic burning in mouth, aesophagus and

stomach. Pains in mouth, throat and stomach. Difficulty swallowing, feeling unwell and vomiting of blood. Brown spots and burns may appear in and around the mouth.

SECTION 12: Ecological information

12.1. Toxicity

In case of leaking battery: Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

Test data are not available.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

No assessment has been made.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it meets the criteria of a hazardous waste (Dir. 2008/98/EU). Collect spills and waste in closed, leak-proof containers for disposal at the local hazardous waste site.

Product: 16 06 05 other batteries and accumulators Category of waste:

> Absorbent/cloth contaminated with the product: EWC code: 15 02 02 absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing

contaminated by dangerous substances.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN-No.: 3480

14.2. UN proper shipping

LITHIUM ION BATTERIES

14.4. Packing group:

Tunnel restriction code:

name:

14.5. Environmental

hazards:

The product should not be

labelled as an

Ε

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

class(es):

9

Hazard label(s):

LITH Hazard identification number:

Other Information: Alternative UN number:

UN 3481 LITHIUM ION BATTERIES CONTAINED IN

EQUIPMENT

UN 3481 LITHIUM ION BATTERIES PACKED WITH

EQUIPMENT

Inland water ways transport (ADN)

14.1. UN-No.: 14.2. UN proper shipping

name:

3480

LITHIUM ION BATTERIES

14.4. Packing group:

14.5. Environmental

hazards:

The product should not be

labelled as an environmental hazard (symbol: fish and tree).

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

14.3. Transport hazard

class(es):

9

Hazard label(s):

LITH

Transport in tank vessels:

Other Information:

Alternative UN number: UN 3481 LITHIUM ION

BATTERIES CONTAINED IN EQUIPMENT

UN 3481 LITHIUM ION **BATTERIES PACKED** WITH EQUIPMENT

Sea transport (IMDG)

14.2. UN proper shipping

14.1. UN-No.:

3480

LITHIUM ION BATTERIES

14.4. Packing group:

14.5. Environmental

Substance Name(s):

hazards:

The product is not a Marine

Pollutant (MP).

14.3. Transport hazard

class(es):

Hazard label(s):

name:

EmS:

LITH

F-A. S-I

IMDG Code segregation

Environmental Hazardous

Other Information:

Alternative UN number: **UN 3481 LITHIUM ION BATTERIES CONTAINED IN**

EQUIPMENT

UN 3481 LITHIUM ION BATTERIES PACKED WITH

EQUIPMENT

- None -

group:

Air transport (ICAO-TI / IATA-DGR)

14.1. UN-No.:

LITHIUM ION BATTERIES

14.4. Packing group:

14.5. Environmental

hazards:

The product should not be labelled as an

environmental hazard (symbol: fish and tree).

14.3. Transport hazard

14.2. UN proper shipping

class(es):

name:

Hazard label(s):

LITH

Other Information:

Alternative UN number: UN 3481 LITHIUM ION

BATTERIES CONTAINED

IN EQUIPMENT UN 3481 LITHIUM ION **BATTERIES PACKED** WITH EQUIPMENT

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: The product contains at least one substance comprised by Regulation 1907/2006/EC.

Article 59 (SVHC).

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

15.2. Chemical Safety Assessment

Other Information: Chemical safety assessment has not been performed.

SECTION 16: Other information

Version history and indication of changes

| Version | Revision date | Responsible | Changes |
|---------|---------------|------------------------|---------|
| 1.0.0 | 29/04/2021 | Bureau Veritas HSE/JST | |

Abbreviations: PBT: Persistent. Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as

subsequently changed.

Training advice: A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

List of relevant H-statements

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer. H360D May damage the unborn child.

H360Fd May damage fertility. Suspected of damaging the unborn child.

H360FD May damage fertility. May damage the unborn child.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

SDS is prepared by

Company: Bureau Veritas HSE Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000

Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery

Issued: 29/04/2021 Version: 1.0.0

City: Fredericia
Country: DENMARK

E-mail: infohse@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: https://www.bvhse.dk/

Document language: GB

Appendix to Safety Data Sheet



Nilfisk 36V Li-ion Battery Pack and Nilfisk Lithium-Ion Battery

| Revisions date: | 14-06-2021 | Version: | 1.0 | Language | EN |
|-----------------|---------------------|--------------|----------------------|----------|----|
| Replaces date: | None | Version: | - | | |
| Author: | Lars Thorlaksen, Gl | lobal Packaç | ging Engineer / DGSA | Pages: | 2 |

This document, only available in English, is an appendix to "Safety Data Sheet for Nilfisk 36V Li-ion Battery Pack / Nilfisk Lithium-Ion Battery".

The document lists the series of Nilfisk Lithium-Ion Batteries, their specifications and in which kitsets, packages and machines they can occur.

Specifications for HazMat shipping condition can be found in section 4 of this document.

| Section 1. E | Section 1. Batteries and their specifications | | | | | | |
|----------------|---|--------|------------------|-------------------|-----------------|---------------|---------------------------------|
| Nilfisk item # | Description | Weight | Rated Voltage | Rated Capacity | Rated Energy | VBK# | HazMat Shipping Condition |
| 106479001 | BATTERY PACK, 36 VOLT, 10S14P, MH1 | 9600 g | 37.0 V | 44.8 Ah | 1658 Wh | 56654 799 099 | 1 |
| 106479002 | BATTERY PACK, 24 VOLT, 7S20P, MH1 | 9600 g | 25.9 V | 64.0 Ah | 1658 Wh | 56654 799 094 | 1 |
| 106479003 | BATTERY PACK, 48 VOLT, 14S10P, MH1 | 9600 g | 51.8 V | 32.0 Ah | 1658 Wh | 56654 799 090 | 1 |
| 106479004 | BATTERY PACK, 24 VOLT, 7S20P, M26 | 9530 g | 25.55 V | 52.0 Ah | 1329 Wh | 56660 799 091 | 1 |
| 106479005 | BATTERY PACK, 36 VOLT, 10S14P, M26 | 9530 g | 36.5 V | 36.4 Ah | 1329 Wh | 56660 799 093 | 1 |
| 106479006 | BATTERY PACK, 48 VOLT, 4S10P, M26 | 9530 g | 51.1 V | 26.0 Ah | 1329 Wh | 56660 799 092 | 1 |
| 106479007 | BATTERY PACK, 24 VOLT, 7S20P, VTC6 | 9894 g | 25.2 V | 62.4 Ah | 1572 Wh | 56667 799 093 | 1 |
| 106479008 | BATTERY PACK, 36 VOLT, 10S14P, VTC6 | 9894 g | 36.0 V | 43.68 Ah | 1572 Wh | 56667 799 092 | 1 |
| 106479009 | BATTERY PACK, 48 VOLT, 14S10P, VTC6 | 9894 g | 50.4 V | 31.2 Ah | 1572 Wh | 56667 799 091 | 1 |
| 107408866 | BATTERY PACK, 36 VOLT, 10S4P | 2500 g | 36 V | 7,8 Ah | 280,8 Wh | | 1 |

| | | | HazMat |
|----------------|--|--------------------------------|-----------------------|
| Nilfisk item # | Description | Battery (or Battery kit) incl. | Shipping Condition |
| 41600820 | VP600 Battery AUS/NZ | 9100002070 | 2 |
| 41600821 | VP600 Battery EU | 9100002070 | 2 |
| 41600822 | VP600 Battery UK/CH | 9100002070 | 2 |
| 41600823 | VP600 Battery US | 9100002070 | 2 |
| 41600840 | GD 5 Battery AUS/NZ | 9100002070 | 2 |
| 41600841 | GD 5 Battery EU | 9100002070 | 2 |
| 41600842 | GD 5 Battery UK/CH | 9100002070 | 2 |
| 41600843 | GD 5 Battery US | 9100002070 | 2 |
| 41600844 | GD 5 Battery PSU STD. EU/UK | 9100002056 | 2 |
| 41600869 | BATTERY LI 36V 10S4P + VP600B BATT COVER | 9100002070 | 1 |
| 41600872 | BATTERY LI 36V 10S4P + BATTERY HANDLE | 9100002070 | 1 |
| 41600874 | GD 5 BATTERY HEPA US | 9100002070 | 2 |
| 41600875 | GD 5 BATTERY EXCL. CHARGER | 9100002070 | 2 |
| 41600900 | VP600 BATTERY – EXCL CHARGER | 9100002070 | 2 |
| 41600901 | VP600 BATTERY 2B EU | 9100002070 | 2 |
| 41600941 | GD 5 BATTERY 2B EU | 9100002070 | 2 |

Appendix to Safety Data Sheet



Nilfisk 36V Li-ion Battery Pack and Nilfisk Lithium-Ion Battery

| Revisions date: | 14-06-2021 | Version: | 1.0 | Language | EN |
|-----------------|---------------------|-------------|----------------------|----------|----|
| Replaces date: | None | Version: | - | | |
| Author: | Lars Thorlaksen, Gl | obal Packag | ging Engineer / DGSA | Pages: | 2 |

| 400470040 | DATTEDY DACK 24 VOLT 7020D CID | 106479002 | 4 |
|------------|--------------------------------------|-----------|---|
| 106479012 | BATTERY PACK 24 VOLT 7S20P SIP | 100479002 | 1 |
| 107415230 | GD5 BATTERY COMMON MACHINE | | 2 |
| 107415240 | GD 5 Battery CN | | 2 |
| 107417384 | VP600 BATTERY US | | 2 |
| 107417387 | VP600 BATTERY COMMON MACHINE | | 2 |
| 107417388 | VP600 Battery CN | | 2 |
| 107417543 | GD5 BATTERY US | | 2 |
| 9087380020 | SCRUBBER SC250 34C B | 107408866 | 2 |
| 9087381020 | SCRUBBER SC250 13C B | 107408866 | 2 |
| 9087382020 | SCRUBBER SCRUBTEC 334C B | 107408866 | 2 |
| 9087383020 | SCRUBBER MA30 13 B | 107408866 | 2 |
| 9100002056 | BATTERY LI KIT INCL CHARGER EU UK | 107408866 | 1 |
| 9100002057 | BATTERY LI KIT INCL CHARGER US | 107408866 | 1 |
| 9100002070 | BATTERY LI 36V 10S4P | 107408866 | 1 |
| 9100003047 | SC500 LITHIUM ION STANDARD KIT | 106479002 | 1 |
| 9100003048 | SC2000 LITHIUM ION STANDARD KIT | 106479002 | 1 |
| 9100003110 | LITHIUM ION UPGRADE KIT SC500/SC2000 | 106479002 | 1 |

Section 3. Other occurrences

The majority of the Nilfisk floor-care machine portfolio, can be equipped with the Nilfisk Lithium-Ion Battery. For any machine defined as a vehicle, the shipping condition will be shipping condition 4. For non-vehicles, meaning equipment, the shipping condition will be 2 or 3.

| Section 4. H | Section 4. HazMat Shipping Condition Specification | | | |
|--------------|--|--|--|--|
| 1 | UN3480, LITHIUM ION BATTERIES | | | |
| 2 | UN3481, LITHIUM ION BATTERIES PACKED WITH EQUIPMENT | | | |
| 3 | UN3481, LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT | | | |
| 4 | UN3171, BATTERY-POWERED VEHICLE | | | |