## Safety Data Sheet



#### **SECTION 1: Product and company identification**

Product name : Electro Wipes
Use of the substance/mixture : Anti-Static
Product code : 1449
Company : Total Solutions

P.O. Box 240014

Milwaukee, WI 53224 - USA

T 800-743-6417

athea.com

Contact:Technical Department
Emergency number : Chemtrec: 1-800-424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**GHS-US** classification

Flam. Liq. 3 H226

#### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS02

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapour.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof ventilating, lighting, electrical equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Wear protective clothing, eye protection, face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use Water spray, dry extinguishing powder, foam to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to comply with local/regional/national/international regulations..

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

	Name	Product identifier	%	GHS-US classification
	Isopropanol	(CAS-No.) 67-63-0	1.0 - 5.0	Flam. Liq. 2, H225
	(Cleansing Agent)			Eye Irrit. 2A, H319
				STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z\_US GHS SDS 24 Page 1 of 6

## Safety Data Sheet

SOLUTIONS<sup>™</sup>

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

1.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate h

: Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact
Symptoms/effects after eye contact
Symptoms/effects after ingestion

: None under normal conditions.
Symptoms/effects after ingestion
: None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Explosion hazard : No direct explosion hazard.

Reactivity : Upon combustion: CO and CO2 are formed. Flammable liquid and vapour.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective

equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to

prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent

migration and entry into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z US GHS SDS 24 Page 2 of 6

## Safety Data Sheet



#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Packaging materials : Store always product in container of same material as original container.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Isopropanol (67-63-0)			
ACGIH	ACGIH OEL TWA	200 ppm	
ACGIH	ACGIH OEL STEL	400 ppm	
ACGIH	Remark (ACGIH)	TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not	
		classifiable as a Human Carcinogen); BEI	
OSHA	OSHA PEL TWA	980 mg/m³	
OSHA	OSHA PEL TWA	400 ppm	

#### 8.2. Exposure controls

Appropriate engineering controls
Personal protective equipment

: Ensure good ventilation of the work station.

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Wear

eye protection. Wear protective clothing. Wear protective gloves.







Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Premoistened wipe
Odour : Mild odor
Odour threshold : No data available
pH : 8.23 – 8.25

Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
No data available

Flash point : 131 °F Tested using the liquid component of the towelette

Relative evaporation rate (butylacetate=1) No data available No data available Flammability No data available **Explosive limits** No data available Explosive properties Oxidising properties No data available No data available Vapour pressure No data available Relative density Relative vapour density at 20°C No data available

Density : 1 g/ml Tested using the liquid component of the towelette

Solubility : Liquid component is soluble in water.

Partition coefficient n-octanol/water (Log Pow)
Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Kow)
No data available
No data available
No data available
Viscosity
No data available
No data available
Viscosity, kinematic
Viscosity, dynamic
No data available
No data available

VOC content : < 5 % Tested using the liquid component of the towelette

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed. Flammable liquid and vapour.

Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z\_US GHS SDS 24 Page 3 of 6

## Safety Data Sheet



#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Isopropanol (67-63-0)		
LD50 oral rat	5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14	
	day(s))	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14	
	day(s))	
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value,	
	Inhalation (vapours), 14 day(s))	
ATE CLP (oral)	5840 mg/kg bodyweight	
ATE CLP (dermal)	16400000 mg/kg bodyweight	

Skin corrosion/irritation : Not classified pH: 8.23 – 8.25
Serious eye damage/irritation : Not classified pH: 8.23 – 8.25
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Isopropanol (67-63-0)	Isopropanol (67-63-0)		
IARC group	3 - Not classifiable		

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : Not classified Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this material is

Symptoms/effects after skin contact expected to be an inhalation hazard.

Symptoms/effects after skin contact None under normal conditions.

Symptoms/effects after eye contact
Symptoms/effects after eye contact
Symptoms/effects after ingestion
Likely routes of exposure

Symptoms/effects after eye contact
None under normal conditions.

## **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general	<ul> <li>The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.</li> </ul>
Isopropanol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through
	system, Fresh water, Experimental value, Lethal)
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas

Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z\_US GHS SDS 24 Page 4 of 6

## Safety Data Sheet



12.2. Persistence and degradability		
Isopropanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily	
	biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	

12.3. Bioaccumulative potential		
Isopropanol (67-63-0)		
BCF - Fish [1]	1015 (BCFBAF v3.01, Estimated value)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations
Product/Packaging disposal
recommendations

Disposal must be done according to official regulations.

Disposal must be done according to official regulations.

Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

### **SECTION 14: Transport information**

**Department of Transportation (DOT)** 

### **Additional information**

Other information : When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended,

CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

**ADR** 

No additional information available

#### Transport by sea

No additional information available

## Air transport

No additional information available

#### **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### **SECTION 16: Other information**

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 2 - Materials that must be moderately heated or exposed to relatively high ambient

temperatures before ignition can occur.


Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z\_US GHS SDS 24 Page 5 of 6

## Safety Data Sheet

NFPA reactivity

0 - Material that in themselves are normally stable, even under fire conditions.





Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 3/12/2024 Revision date: 02/19/2024 Version: 1.2 Z\_US GHS SDS 24 Page 6 of 6