

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 04/21/2015 Date of issue: 04/21/2015 Supersedes Date: 05/06/2011

CDW5703700071

Version: 1.0

SECTION 1: IDENTIFICATION

<u>Product Identifier</u> <u>Product Form: Mixture</u>

Product Name: KaboomTM Foam-TasticTM Bathroom Cleaner

Synonyms: Cleaner

Intended Use of the Product

Bathroom Cleaner.

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

www.churchdwight.com

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828, For Chemical Emergency: 1-800-424-9300 (CHEMTREC)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

Classification (GHS-US)

Compressed gas H280 Skin Corr. 1A H314 Eye Dam. 1 H318 Skin Sens. 1 H317 Aquatic Acute 2 H401

Full text of H-phrases: see section 16

Label Elements
GHS-US Labeling

Hazard Pictograms (GHS-US)







Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H280 - Contains gas under pressure; may explode if heated.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H318 - Causes serious eye damage.

H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US): P260 - Do not breathe vapors, mist, or spray.

 ${\tt P264-Wash\ hands,\ forearms,\ and\ other\ exposed\ areas\ thoroughly\ after\ handling.}$

P272 - Contaminated work clothing must not be allowed out of the workplace. P273 - Avoid release to the environment.

04/21/2015 EN (English US) 1/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

P280 - Wear protective gloves, protective clothing, and eye protection.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353+P363 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse.

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 - Dispose of contents/container in accordance with local, regional, national,

territorial, provincial, and international regulations.

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May be corrosive to respiratory tract. May aggravate an existing allergic or asthmatic condition.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

r	И	lix	κt	u	r	e
	•			·	•	•

Name	Product Identifier	% (w/w)	Classification (GHS-US)
Water	(CAS No) 7732-18-5	60 - 100	Not classified
Glycine, N-methyl-N-(1-oxododecyl)-,	(CAS No) 137-16-6	3 - 7	Acute Tox. 2 (Inhalation: dust, mist), H330
sodium salt			Skin Irrit. 2, H315
			Eye Dam. 1, H318
Isobutane	(CAS No) 75-28-5	1 - 5	Simple Asphy
			Flam. Gas 1, H220
			Liquefied gas, H280
Tripropylene glycol monomethyl ether	(CAS No) 25498-49-1	1 - 5	Not classified
2-Propanol, 1-(1-methyl-2-propoxyethoxy)-	(CAS No) 29911-27-1	1 - 5	Not classified
Amines, coco alkyldimethyl, N-oxides	(CAS No) 61788-90-7	1 - 5	Skin Corr. 1A, H314
			Eye Dam. 1, H318
			Aquatic Acute 1, H400
Butane	(CAS No) 106-97-8	0.1 - 1	Simple Asphy
			Flam. Gas 1, H220
			Liquefied gas, H280
Triethanolamine	(CAS No) 102-71-6	0.1 - 1	Not classified
2-Dimethylamino-2-methyl-1-propanol	(CAS No) 7005-47-2	0.1 - 1	Flam. Liq. 3, H226
			Acute Tox. 4 (Oral), H302
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
Sodium benzoate	(CAS No) 532-32-1	0.1 - 1	Comb. Dust
			Eye Irrit. 2A, H319
D-Limonene	(CAS No) 5989-27-5	< 0.1,	Flam. Liq. 3, H226
		0.1 - 1	Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
7-Octen-2-ol, 2,6-dimethyl-	(CAS No) 18479-58-8	< 0.1,	Skin Irrit. 2, H315
		0.1 - 1	Eye Irrit. 2A, H319
			Aquatic Acute 3, H402

04/21/2015 EN (English US) 2/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Cyclohexanol, 2-(1,1-dimethylethyl)-,	(CAS No) 20298-69-5	< 0.1,	Aquatic Acute 2, H401
acetate, cis-		0.1 - 1	Aquatic Chronic 2, H411
Thymolphthalein	(CAS No) 125-20-2	0.1 - 1	Not classified

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

A range of concentration as prescribed by the Controlled Products Regulations has been used where necessary, due to varying composition.

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

Skin Contact: Immediately flush skin with plenty of water for at least 60 minutes. Remove contaminated clothing. Get immediate medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes severe skin burns and eye damage. May cause an allergic skin reaction.

Inhalation: Contact may cause immediate severe irritation progressing quickly to chemical burns.

Skin Contact: Corrosive. Causes burns. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: Causes serious eye damage. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision. Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Pressurized container: may burst if heated.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe.

Hazardous Combustion Products: Emission of toxic gases and oxides of sodium and sulfur.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

04/21/2015 EN (English US) 3/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Contact competent authorities after a spill.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Absorb spillage to prevent material damage.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate container.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Ensure all national/local regulations are observed.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Keep only in original container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Ammonia.

Specific End Use(s)

Bathroom cleaner.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government

Isobutane (75-28-5)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	800 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Ontario	OEL TWA (ppm)	800 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Butane (106-97-8)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	1900 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)	800 ppm
Alberta	OEL TWA (ppm)	1000 ppm
British Columbia	OEL STEL (ppm)	750 ppm
British Columbia	OEL TWA (ppm)	600 ppm
Manitoba	OEL STEL (ppm)	1000 ppm
New Brunswick	OEL TWA (mg/m³)	1900 mg/m³

04/21/2015 EN (English US) 4/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

	, , , , , , , ,	
New Brunswick	OEL TWA (ppm)	800 ppm
Newfoundland & Labrador	OEL STEL (ppm)	1000 ppm
Nova Scotia	OEL STEL (ppm)	1000 ppm
Nunavut	OEL STEL (mg/m³)	2576 mg/m³
Nunavut	OEL STEL (ppm)	1000 ppm
Nunavut	OEL TWA (mg/m³)	1901 mg/m³
Nunavut	OEL TWA (ppm)	800 ppm
Northwest Territories	OEL STEL (mg/m³)	2576 mg/m³
Northwest Territories	OEL STEL (ppm)	1000 ppm
Northwest Territories	OEL TWA (mg/m³)	1901 mg/m³
Northwest Territories	OEL TWA (ppm)	800 ppm
Ontario	OEL TWA (ppm)	800 ppm
Prince Edward Island	OEL STEL (ppm)	1000 ppm
Québec	VEMP (mg/m³)	1900 mg/m³
Québec	VEMP (ppm)	800 ppm
Saskatchewan	OEL STEL (ppm)	1250 ppm
Saskatchewan	OEL TWA (ppm)	1000 ppm
Yukon	OEL STEL (mg/m³)	1600 mg/m³
Yukon	OEL STEL (ppm)	750 ppm
Yukon	OEL TWA (mg/m³)	1400 mg/m³
Yukon	OEL TWA (ppm)	600 ppm
Triethanolamine (102-71-6)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³
Alberta	OEL TWA (mg/m³)	5 mg/m³
British Columbia	OEL TWA (mg/m³)	5 mg/m³
Manitoba	OEL TWA (mg/m³)	5 mg/m³
New Brunswick	OEL TWA (mg/m³)	5 mg/m³
Newfoundland & Labrador	OEL TWA (mg/m³)	5 mg/m³
Nova Scotia	OEL TWA (mg/m³)	5 mg/m³
Ontario	OEL TWA (mg/m³)	3.1 mg/m³
Ontario	OEL TWA (ppm)	0.5 ppm
Prince Edward Island	OEL TWA (mg/m³)	5 mg/m³
Québec	VEMP (mg/m³)	5 mg/m³
Saskatchewan	OEL STEL (mg/m³)	10 mg/m³
Saskatchewan	OEL TWA (mg/m³)	5 mg/m³
F Cautuala		

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective goggles. Face shield. Protective clothing. Insufficient ventilation: wear respiratory protection.











Materials for Protective Clothing: For occupational/workplace settings: Corrosion-proof clothing. Hand Protection: For occupational/workplace settings: Wear chemically resistant protective gloves. Eye Protection: For occupational/workplace settings: Chemical safety goggles and face shield.

Skin and Body Protection: For occupational/workplace settings: Chemical resistant suit.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.

Other Information: When using, do not eat, drink or smoke.

04/21/2015 EN (English US) 5/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: Dark blueOdor: Citrus

Odor Threshold : Not available

pH : 12

Evaporation Rate Not available **Melting Point** Not applicable **Freezing Point** Not available **Boiling Point** Not available **Flash Point** Not applicable Not available **Auto-ignition Temperature Decomposition Temperature** Not available Flammability (solid, gas) Not available **Lower Flammable Limit** Not available **Upper Flammable Limit** Not available **Vapor Pressure** Not available Relative Vapor Density at 20 °C Not available **Relative Density** Not available **Specific Gravity** 1.01 g/ml

Solubility : Complete in water Partition Coefficient: N-Octanol/Water : Not available Viscosity : Not available

Explosion Data – Sensitivity to Mechanical Impact : Not expected to present an explosion hazard due to mechanical impact : Not expected to present an explosion hazard due to static discharge

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: The product is stable at normal handling and storage conditions. May release corrosive vapors.

<u>Possibility of Hazardous Reactions</u>: Hazardous polymerization will not occur.
 <u>Conditions to Avoid</u>: Direct sunlight. Extremely high or low temperatures.
 <u>Incompatible Materials</u>: Strong acids. Strong bases. Strong oxidizers. Ammonia.
 <u>Hazardous Decomposition Products</u>: Toxic gases. Sodium oxides. Sulfur oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity: Not classified LD50 and LC50 Data: Not available

Skin Corrosion/Irritation: Causes severe skin burns and eye damage

pH: 12

Serious Eye Damage/Irritation: Causes serious eye damage

pH: 12

Respiratory or Skin Sensitization: May cause an allergic skin reaction

Germ Cell Mutagenicity: Not classified

Teratogenicity: Not classified **Carcinogenicity:** Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

04/21/2015 EN (English US) 6/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Symptoms/Injuries After Inhalation: Contact may cause immediate severe irritation progressing quickly to chemical burns Symptoms/Injuries After Skin Contact: Corrosive. Causes burns. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis

Symptoms/Injuries After Eye Contact: Causes serious eye damage. Symptoms may include: Redness, pain, swelling, itching, burning, tearing, and blurred vision. Causes permanent damage to the cornea, iris, or conjunctiva

Symptoms/Injuries After Ingestion: May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None known

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Isobutane (75-28-5) LC50 Inhalation Rat 658 mg/l/4h Butane (106-97-8) 658 mg/l/4h LC50 Inhalation Rat 30957 mg/m³ (Exposure time: 4 h) 2-Dimethylamino-2-methyl-1-propanol (7005-47-2) ATE US (oral) 500.00 mg/kg body weight D-Limonene (5989-27-5) U550 Oral Rat 4400 mg/kg LD50 Oral Rat 3600 mg/kg LD50 Oral Rat 3600 mg/kg LD50 Oral Rat 5 g/kg ILD50 Oral Rat 5 g/kg LD50 Oral Rat 0.5 mg/l/4h LC50 Inhalation Rat 0.5 mg/l/4h Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat 3184 mg/kg LD50 Oral Rat 3184 mg/kg LD50 Oral Rat 6400 mg/kg LD50 Oral Rat 6400 mg/kg LD50 Oral Rat 2000 mg/kg LD50 Oral Rat 6400 mg/kg LD50 Oral Rat 2000 mg/kg LD50 Oral Rat 6400 mg/kg LD50 Oral Rat 2000 mg/kg LD50 Oral Rat 6400 mg/kg	LD30 and LC30 Data:					
Butane (106-97-8) LCSO Inhalation Rat 30957 mg/m³ (Exposure time: 4 h) 2-Dimethylamino-2-methyl-1-propanol (7005-47-2) ATE US (oral) 500.00 mg/kg body weight D-Limonene (5989-27-5) LD50 Oral Rat 4400 mg/kg LD50 Dermal Rabbit >5 g/kg 7-Octen-2-ol, 2,6-dimethyl- (18479-58-8) LD50 Oral Rat 3600 mg/kg LD50 Dermal Rabbit >5 g/kg Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt (137-16-6) LD50 Oral Rat 0.5 mg/l/4h Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) LRCC Group 3						
LC50 Inhalation Rat 30957 mg/m³ (Exposure time: 4 h)	LC50 Inhalation Rat	658 mg/l/4h				
2-Dimethylamino-2-methyl-1-propanol (7005-47-2) ATE US (oral) 500.00 mg/kg body weight D-Limonene (5989-27-5) LD50 Oral Rat 4400 mg/kg LD50 Dermal Rabbit >5 g/kg 7-Octen-2-ol, 2,6-dimethyl- (18479-58-8) LD50 Oral Rat 3600 mg/kg LD50 Dermal Rabbit >5 g/kg Glycine, N-methyl-N-{1-oxododecyl}-, sodium salt (137-16-6) LD50 Oral Rat 5000 mg/kg LC50 Oral Rat 3184 mg/kg LD50 Oral Rat 3184 mg/kg LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 Rational Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	Butane (106-97-8)	Butane (106-97-8)				
ATE US (oral) 500.00 mg/kg body weight	LC50 Inhalation Rat	30957 mg/m³ (Exposure time: 4 h)				
D-Limonene (5989-27-5) LD50 Oral Rat	2-Dimethylamino-2-methyl-1-propanol (7005-47-2)					
LD50 Oral Rat	ATE US (oral)	500.00 mg/kg body weight				
D50 Dermal Rabbit > 5 g/kg	D-Limonene (5989-27-5)					
Tool	LD50 Oral Rat	4400 mg/kg				
LD50 Oral Rat 3600 mg/kg 55 g/kg 5 g/kg	LD50 Dermal Rabbit	> 5 g/kg				
LD50 Dermal Rabbit >5 g/kg Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt (137-16-6) LD50 Oral Rat >5000 mg/kg LC50 Inhalation Rat 0.5 mg/l/4h Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit >2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	7-Octen-2-ol, 2,6-dimethyl- (18479-58-8)					
Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt (137-16-6) LD50 Oral Rat > 5000 mg/kg LC50 Inhalation Rat 0.5 mg/l/4h Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	LD50 Oral Rat	3600 mg/kg				
LD50 Oral Rat > 5000 mg/kg LC50 Inhalation Rat 0.5 mg/l/4h Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	LD50 Dermal Rabbit	> 5 g/kg				
LC50 Inhalation Rat Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat LD50 Dermal Rabbit Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Triethanolamine (102-71-6) IARC Group 3 National monomethyl ether (25498-49-1) 1	Glycine, N-methyl-N-(1-oxododecyl)-, sodium salt (137-16-6)					
Tripropylene glycol monomethyl ether (25498-49-1) LD50 Oral Rat LD50 Dermal Rabbit Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group National Toxicology Program (NTP) Status Triethanolamine (102-71-6) IARC Group 3 National Toxicology Program (NTP) Status Triethanolamine (102-71-6) IARC Group 3 Sodium Service of Carcinogenicity.	LD50 Oral Rat	> 5000 mg/kg				
LD50 Oral Rat 3184 mg/kg LD50 Dermal Rabbit 15440 mg/kg Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) 3 IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) 1 IARC Group 3	LC50 Inhalation Rat	0.5 mg/l/4h				
LD50 Dermal Rabbit Triethanolamine (102-71-6) LD50 Oral Rat LD50 Dermal Rabbit > 2000 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3 National Toxicology Program (NTP) Status Triethanolamine (102-71-6)	Tripropylene glycol monomethyl ether (25498-49-1)					
Triethanolamine (102-71-6) LD50 Oral Rat 6400 mg/kg LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	LD50 Oral Rat	3184 mg/kg				
LD50 Oral Rat LD50 Dermal Rabbit > 2000 mg/kg Sodium benzoate (532-32-1) LD50 Oral Rat 2100 mg/kg D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	LD50 Dermal Rabbit	15440 mg/kg				
LD50 Dermal Rabbit> 2000 mg/kgSodium benzoate (532-32-1)2100 mg/kgLD50 Oral Rat2100 mg/kgD-Limonene (5989-27-5)3IARC Group3National Toxicology Program (NTP) StatusEvidence of Carcinogenicity.Triethanolamine (102-71-6)1ARC GroupIARC Group3	Triethanolamine (102-71-6)					
Sodium benzoate (532-32-1) LD50 Oral Rat D-Limonene (5989-27-5) IARC Group National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3 Solimone (102-71-6) IARC Group 3	LD50 Oral Rat	6400 mg/kg				
LD50 Oral Rat D-Limonene (5989-27-5) IARC Group National Toxicology Program (NTP) Status Triethanolamine (102-71-6) IARC Group 3 Stational Toxicology Program (NTP) Status Triethanolamine (102-71-6) IARC Group 3	LD50 Dermal Rabbit	> 2000 mg/kg				
D-Limonene (5989-27-5) IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	Sodium benzoate (532-32-1)					
IARC Group 3 National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	LD50 Oral Rat	2100 mg/kg				
National Toxicology Program (NTP) Status Evidence of Carcinogenicity. Triethanolamine (102-71-6) IARC Group 3	D-Limonene (5989-27-5)					
Triethanolamine (102-71-6) IARC Group 3	IARC Group	3				
IARC Group 3	National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.				
	Triethanolamine (102-71-6)					
National Toxicology Program (NTP) Status Evidence of Carcinogenicity.	•					
	National Toxicology Program (NTP) Status	Evidence of Carcinogenicity.				

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life. High pH (alkalinity) of product may be harmful to aquatic life.

D-Limonene (5989-27-5)		
LC50 Fish 1	0.619 - 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC 50 Fish 2	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Tripropylene glycol monomethyl ether (25498-49-1)		
LC50 Fish 1	11619 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	> 10 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

04/21/2015 EN (English US) 7/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Triethanolamine (102-71-6)	
LC50 Fish 1	10600 (10600 - 13000) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC 50 Fish 2	1000 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Sodium benzoate (532-32-1)	
LC50 Fish 1	420 (420 - 558) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	650 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Persistence and Degradability

Kaboom [™] Foam-Tastic [™] Bathroom Cleaner	
Persistence and Degradability	Not established.

Bioaccumulative Potential

Kaboom [™] Foam-Tastic [™] Bathroom Cleaner			
Bioaccumulative Potential	umulative Potential Not established.		
Isobutane (75-28-5)			
BCF Fish 1	1.57 - 1.97		
Log POW	2.88 (at 20 °C)		
Butane (106-97-8)			
Log POW	Log POW 2.89		
Tripropylene glycol monomethyl ether (25498-49-1)			
BCF Fish 1	(no bioaccumulation expected)		
Triethanolamine (102-71-6)			
BCF Fish 1	3.9		
Log POW	-2.53		
Sodium benzoate (532-32-1)			
BCF Fish 1	(no bioaccumulation)		
Log POW	-2.13		

Mobility in Soil Not available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Empty cans completely through use-up or proper industrial can evacuation procedures. Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

Additional Information: Pressurized container: may burst if heated.

Ecology – Waste Materials: Hazardous waste (corrosive) based on pH.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT

Proper Shipping Name : AEROSOLS non-flammable, (each not exceeding 1 L capacity) (Contains Isobutane; Butane)

Hazard Class : 2.2 Identification Number : UN1950 Label Codes : 2.2 ERG Number : 126



^{*} For US Ground only: Consumer Commodity, ORM-D (non-bulk packages)

04/21/2015 EN (English US) 8/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

In Accordance with IMDG

Proper Shipping Name : AEROSOLS (Contains Isobutane; Butane)

Hazard Class

Identification Number : UN1950 **Label Codes** : 2.2 : F-D EmS-No. (Fire) EmS-No. (Spillage) : S-U



In Accordance with IATA

: AEROSOLS, NON-FLAMMABLE (Contains Isobutane; Butane) **Proper Shipping Name**


Identification Number : UN1950

Hazard Class : 2 **Label Codes** : 2.2 **ERG Code (IATA)** : 2L

In Accordance with TDG

Proper Shipping Name : AEROSOLS, NONFLAMMABLE (Contains Isobutane; Butane)

Hazard Class Identification Number : UN1950 **Label Codes** : 2.2



^{*} This product shipped as Consumer Commodity.

SECTION 15: REGULATORY INFORMATION

US Federal and international regulations

Kaboom [™] Foam-Tastic [™] Bathroom Cleaner	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Sudden release of pressure hazard

Water (7732-18-5)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Amines, Coco Alkyldimethyl, N-Oxides (61788-90-7)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Isobutane (75-28-5)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

04/21/2015 EN (English US) 9/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Butane (106-97-8)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

2-Dimethylamino-2-Methyl-1-Propanol (7005-47-2)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

D-Limonene (5989-27-5)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

Cyclohexanol, 2-(1,1-Dimethylethyl)-, Acetate, Cis- (20298-69-5)

Regional Legislation

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

7-Octen-2-OI, 2,6-Dimethyl- (18479-58-8)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

04/21/2015 EN (English US) 10/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Glycine, N-Methyl-N-(1-Oxododecyl)-, Sodium Salt (137-16-6)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Propanol, 1-(1-Methyl-2-Propoxyethoxy)- (29911-27-1)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Tripropylene Glycol Monomethyl Ether (25498-49-1)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Triethanolamine (102-71-6)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the Canadian IDL (Ingredient Disclosure List)

04/21/2015 EN (English US) 11/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Sodium Benzoate (532-32-1)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Thymolphthalein (125-20-2)

Regional Legislation

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

US State Regulations

Isobutane (75-28-5)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Butane (106-97-8)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Triethanolamine (102-71-6)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Kaboom[™] Foam-Tastic[™] Bathroom Cleaner

WHMIS Classification Class

Class A - Compressed Gas

Class E - Corrosive Material

Class D Division 2 Subdivision B - Toxic material causing other toxic effects







Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

Amines, coco alkyldimethyl, N-oxides (61788-90-7)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Class E - Corrosive Material

04/21/2015 EN (English US) 12/15

Safety Data Sheet

According To Federal Register / Vol. 77	, No. 58 / Monday, March 26, 2012 / Rules And Regulations			
Isobutane (75-28-5)				
Listed on the Canadian DSL (Domestic Substances List)				
WHMIS Classification	Class A - Compressed Gas			
	Class B Division 1 - Flammable Gas			
Butane (106-97-8)				
Listed on the Canadian DSL (D	omestic Substances List)			
Listed on the Canadian IDL (In	gredient Disclosure List)			
IDL Concentration 1 %				
WHMIS Classification	Class A - Compressed Gas			
	Class B Division 1 - Flammable Gas			
2-Dimethylamino-2-methyl-1	-propanol (7005-47-2)			
Listed on the Canadian DSL (D				
WHMIS Classification	Class B Division 2 - Flammable Liquid			
	Class E - Corrosive Material			
	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects			
D-Limonene (5989-27-5)	<u> </u>			
Listed on the Canadian DSL (D	omestic Substances List)			
Listed on the Canadian IDL (In				
IDL Concentration 1 %	<u> </u>			
WHMIS Classification	Class B Division 3 - Combustible Liquid			
	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Cyclohexanol, 2-(1,1-dimethy	rlethyl)-, acetate, cis- (20298-69-5)			
Listed on the Canadian DSL (D				
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
7-Octen-2-ol, 2,6-dimethyl- (1				
Listed on the Canadian DSL (D				
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Listed on the Canadian DSL (D	odecyl)-, sodium salt (137-16-6)			
2-Propanol, 1-(1-methyl-2-pro				
Listed on the Canadian DSL (D				
Tripropylene glycol monomet				
Listed on the Canadian DSL (D				
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
Triethanolamine (102-71-6)				
Listed on the Canadian DSL (D	omestic Substances List)			
Listed on the Canadian IDL (In				
IDL Concentration 1 %				
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
Sodium benzoate (532-32-1)				
Listed on the Canadian DSL (D	omestic Substances List)			
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects			
Thymolphthalein (125-20-2)	<u> </u>			
Listed on the Canadian DSL (D	omestic Substances List)			
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria			
	, and an analy product decorating to artiffin diddiffication differia			

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : 04/21/2015

04/21/2015 EN (English US) 13/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Asp. Tox. 1	Aspiration hazard Category 1
Comb. Dust	Combustible Dust
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Gas 1	Flammable gases Category 1
Flam. Liq. 3	Flammable liquids Category 3
Liquefied gas	Gases under pressure Liquefied gas
Met. Corr. 1	Corrosive to metals Category 1
Simple Asphy	Simple Asphyxiant
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
Skin Sens. 1B	Skin sensitization Category 1B
H220	Extremely flammable gas
H226	Flammable liquid and vapor
	May form combustible dust concentrations in air
H280	Contains gas under pressure; may explode if heated
H290	May be corrosive to metals
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H400	Very toxic to aquatic life

04/21/2015 EN (English US) 14/15

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Party Responsible for the Preparation of This Document

Church & Dwight 500 Charles Ewing Blvd Ewing Township, NJ 08628 T 1-800-524-1328

This Product Safety Data Sheet is offered solely for your information, consideration and investigation. Church & Dwight Co., Inc. provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Church & Dwight Co., Inc. urges persons receiving this information to make their own determination as to the information suitability for their particular application.

North America GHS US 2012 & WHMIS 2

04/21/2015 EN (English US) 15/15