

Version 1.0	SDS Number: 40000006020	Revision Date: 01/28/2022
SECTION 1. IDENTIFICATION		
Productname	: GOJO® Premium Hair & Body \	Wash
Manufacturer or supplier's	details	
Company name of supplier Address	 GOJO Industries, Inc. One GOJO Plaza, Suite 500 Akron, Ohio 44311 	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: CHEMTREC 1-800-424-9300 CHEMTREC +1-703-527-3887:	Outside USA & CANADA
Recommended use of the o	chemical and restrictions on use	
Recommended use Restrictions on use	 Skin-care This is a personal care or cosm consumers and other users und foreseeable use. Cosmetics and specifically defined by regulation exempt from the requirement of While this material is not consid contains valuable information or 	ler normal and reasonably d consumer products, ns around the world, are an SDS for the consumer. lered hazardous, this SDS ritical to the safe handling and

proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Cocamidopropyl Betaine	61789-40-0	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES



Version 1.0	SDS Number: 40000006020	Revision Date: 01/28/2022
General advice	: In the case of accident or if you advice immediately. When symptoms persist or in a advice.	
If inhaled	 If inhaled, remove to fresh air. If symptoms persist, call a physical symptoms is the symptometry of the symptometry of	sician.
In case of skin contact	: Get medical attention if irritatio	n develops and persists.
In case of eye contact	: Immediately flush eye(s) with p	
	If easy to do, remove contact le Seek medical advice.	ens, if worn.
If swallowed	: If swallowed, DO NOT induce	vomiting.
	Rinse mouth with water.	
	Obtain medical attention.	
Most important symptoms and effects, both acute and delayed	: Causes eye irritation.	
Protection of first-aiders	: First Aid responders should pa and use the recommended pro	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: None known.
Hazardous combustion products	: Sulphur oxides Carbon oxides Nitrogen oxides (NOx)
	Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must
Special protective equipment for firefighters	 be disposed of in accordance with local regulations. In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	:	Contain spillage, and then collect with non-combustible



Version 1.0	SDS Number: 400000006020	Revision Date: 01/28/2022
containment and cleaning up	absorbent material, (e.g. sand, e vermiculite) and place in containe local / national regulations (see s Keep in suitable, closed containe Clean contaminated floors and o observing environmental regulati	er for disposal according to ection 13). ers for disposal. bjects thoroughly while

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Do not swallow. Avoid contact with eyes.
Conditions for safe storage	 Keep container closed when not in use. Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1

Components with workplace control parameters

Hazardous components without workplace control parameters

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required.
Eyeprotection	 No special measures necessary provided product is used correctly. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	 No special measures necessary provided product is used correctly.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	 Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance



rsion 1.0	SDS Number: 40000006020	Revision Date: 01/28/2022
Colour Odour Odour Threshold	clear, colourlesspleasant, like fruitNo data available	
рН	: 4.4 - 6.2	
Solidification / Setting point	: 0.80 °C	
Initial boiling point and boiling range		
Flash point	: > 100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	: No data available	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.973 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n-	: Not applicable	
octanol/water Auto-ignition temperature	: not determined	
Thermal decomposition	: The substance or mixture is r	not classified self-reactive.
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: 2000 - 11000 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is r	not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
	Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Incompatible materials	: Strong oxidizing agents



Version 1.0

SDS Number: 40000006020

Revision Date: 01/28/2022

Hazardous decomposition : No hazardous decomposition products are known. products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Skin Absorption	of exposure
Acute toxicity Not classified based on availa	able information.
<u>Product:</u> Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components: Sodium Laureth Sulfate: Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocamidopropyl Betaine: Acute oral toxicity	: LD50 : > 5,000 mg/kg Method : OECD Test Guideline 401 Remarks : Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials
Glycerin: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Sodium Laureth Sulfate: Result: Skin irritation

Cocamidopropyl Betaine: Result: Skin irritation

Glycerin: Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Sodium Laureth Sulfate: Result: Eye irritation



Version 1.0

SDS Number: 40000006020

Revision Date: 01/28/2022

Remarks: Severe eye irritation

Cocamidopropyl Betaine:

Result: Eye irritation Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Cocamidopropyl Betaine: Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Cocamidopropyl Betaine:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Glycerin:	
Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Glycerin: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative

```
IARC
```

No component of this product present at levels greater than or



rsion 1.0	SDS Number: 40000006020 Revision Date: 01/28/2022	
	equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
Reproductive toxicity Not classified based on availa	able information.	
<u>Components:</u> Cocamidopropyl Betaine: Effects on fœtal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials	
Glycerin: Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative	
Effects on fœtal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Result: negative	

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Cocamidopropyl Betaine:

Species: Rat NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Glycerin:

Species: Rat NOAEL: 167 mg/m3 LOAEL: 660 mg/m3 Application Route: inhalation (dust/mist/fume)



Version 1.0

SDS Number: 40000006020

Revision Date: 01/28/2022

Exposure time: 13 w Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Components:</u> Cocamidopropyl Betaine:	
Toxicity to fish	: LC50: > 1 - 10 mg/l Exposure time: 96 h Method: ISO 7346/2 Remarks: Based on data from similar materials
Toxicity to bacteria	: EC50: > 100 mg/l Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Glycerin: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/ Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 1,955 mg/l Exposure time: 48 h
Toxicity to bacteria	: NOEC (Pseudomonas putida): > 10,000 mg/l Exposure time: 16 h
Persistence and degradabilit	y
<u>Components:</u> Sodium Laureth Sulfate: Biodegradability	: Result: Readily biodegradable.
Cocamidopropyl Betaine: Biodegradability	 Result: Readily biodegradable. Biodegradation: > 60 % Exposure time: 28 d Method: OECD Test Guideline 301 Remarks: Based on data from similar materials
Glycerin: Biodegradability	: Result: Readily biodegradable. Biodegradation: 94 % Exposure time: 1 d
Bioaccumulative potential	
<u>Components:</u> Glycerin: Partition coefficient: n-	: log Pow: -1.76



Version 1.0	SDS Number: 40000006020	Revision Date: 01/28/2022
octanol/water		
Mobility in soil		
No data available		
Other adverse effects		
No data available		
Product:		
Regulation	40 CFR Protection of Environn Stratospheric Ozone - CAA Se	
Remarks	This product neither contains, ı Class I or Class II ODS as defi Section 602 (40 CFR 82, Subp	ned by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal m	ethods
-------------------	--------

Waste from residues Contaminated packaging	 Dispose of in accordance with local regulations. Dispose of as unused product. Empty containers should be taken to an approved waste bandling site for recycling or disposal.
	handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act



ersion 1.0	SDS Number: 40000006020	Revision Date: 01/28/2022
Air Act Section 12 (40 CF This product does not con Accidental Release Preve The following chemical(s) Intermediate or Final VOC Glycerin This product does not con 450. Clean Water Act This product does not con Section 311, Table 116.4 This product does not con Section 311, Table 117.3	ntain any chemicals listed under the U.S ention (40 CFR 68.130, Subpart F).) are listed under the U.S. Clean Air Act C's (40 CFR 60.489): 56-81-5 ntain any VOC exemptions listed under t ntain any Hazardous Substances listed under t A. ntain any Hazardous Chemicals listed under t	S. Clean Air Act Section 112(r) for Section 111 SOCMI 1 % the U.S. Clean Air Act Section under the U.S. CleanWater Act, nder the U.S. CleanWater Act,
California Prop 65	This product does not require Proposition 65.	a warning label under California
The components of this REACH	product are reported in the following : On the inventory, or in complia	
TSCA	: On TSCA Inventory	
AICS	: On the inventory, or in complia	ance with the inventory
DSL	: All components of this product	tare on the Canadian DSL.
ENCS	: On the inventory, or in complia	ance with the inventory
ISHL	: On the inventory, or in complia	ance with the inventory
KECI	: On the inventory, or in complia	ance with the inventory
PICCS	: On the inventory, or in complia	ance with the inventory
IECSC	: On the inventory, or in complia	ance with the inventory
NZIoC	: On the inventory, or in complia	ance with the inventory
Inventories		
	anada), IECSC (China), REACH (Europ ZloC (New Zealand), PICCS (Philippine	




Version 1.0

SDS Number: 40000006020

Revision Date: 01/28/2022

SECTION 16. OTHER INFORMATION

Further information



HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic

Revision Date

: 01/28/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.