

Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017		
SECTION 1. IDENTIFICATION				
Product name		PURELL® Food Processing HEALTHY SOAP™ 0.5% PCMX Antimicrobial E2 Foam Handwash		
Manufacturer or supplier's	details			
Company name of supplier	: GOJO Industries, Inc.			
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311			
Telephone	: 1 (330) 255-6000			
Emergency telephone number	: 1-800-424-9300 CHEMTREC			
Recommended use of the c	chemical and restrictions on use			
Recommended use	: Antibacterial Soap			
Restrictions on use	: This is a personal care or cosh consumers and other users un foreseeable use. Cosmetics ar specifically defined by regulation exempt from the requirement of While this material is not consist contains valuable information of proper use of the product for in as well as unusual and uninten spills. This SDS should be retat employees and other users of intended-use guidance, please provided on the package or inst	der normal and reasonably nd consumer products, ons around the world, are of an SDS for the consumer. dered hazardous, this SDS critical to the safe handling and ndustrial workplace conditions nded exposures such as large nined and available for this product. For specific e refer to the information		

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	: Category 3
Serious eye damage	: Category 1
GHS label elements Hazard pictograms	
Signal word	: Danger



Version 1.0	SDS Number: 40000005374 Revision Date: 05/24	
Hazard statements	: H226 Flammable liquid and vapour. H318 Causes serious eye damage.	
Precautionary statements	<ul> <li>Prevention: P210 Keep away from heat/spar No smoking. P233 Keep container tightly clos P240 Ground/bond container an P241 Use explosion-proof electr equipment. P242 Use only non-sparking too P243 Take precautionary measu P280 Wear eye protection/ face <b>Response:</b> P305 + P351 + P338 + P310 IF water for several minutes. Remo and easy to do. Continue rinsing CENTER or doctor/ physician. P370 + P378 In case of fire: Use alcohol-resistant foam to extingu <b>Storage:</b> P403 + P235 Store in a well-ven <b>Disposal:</b> P501 Dispose of contents/ conta disposal plant.</li> </ul>	ed. d receiving equipment. ical/ ventilating/ lighting/ ls. ures against static discharge. protection. IN EYES: Rinse cautiously with ove contact lenses, if present . Immediately call a POISON e dry sand, dry chemical or iish. tilated place. Keep cool.
Other hazards		

Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

nazarao ao componente		
Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 5 - < 10
Lauric Acid	143-07-7	>= 5 - < 10
Ethanolamine	141-43-5	>= 1 - < 5
Lactic Acid	79-33-4	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

### Hazardous components

### SECTION 4. FIRST AID MEASURES

General advice	<ul> <li>In the case of accident or if you feel unwell, seek medical advice immediately.</li> <li>When symptoms persist or in all cases of doubt seek medical advice.</li> </ul>
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention immediately if irritation develops and persists.



Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017
In case of eye contact	: In case of contact, immediately for at least 15 minutes.	
	If easy to do, remove contact le Seek medical advice.	ns, if worn.
If swallowed	: If swallowed, DO NOT induce v Rinse mouth with water. Obtain medical attention.	omiting.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage.	
Protection of first-aiders	: First Aid responders should pay and use the recommended prot	

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray. Flash back possible over considerable distance. May form explosive mixtures in air. Exposure to decomposition products may be a hazard to health. Carbon oxides Nitrogen oxides (NOx)
Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx)
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES



Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017
Personal precautions, protective equipment and emergency procedures	: Use personal protective equipmer Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas Keep people away from and upwin Material can create slippery condi	nd of spill/leak.
Environmental precautions	: Discharge into the environment m Prevent further leakage or spillage Retain and dispose of contaminate Local authorities should be advise cannot be contained.	e if safe to do so. ed wash water.
Methods and materials for containment and cleaning up	<ul> <li>Non-sparking tools should be used Soak up with inert absorbent mate Suppress (knock down) gases/vap spray jet.</li> <li>Keep in suitable, closed container Clean contaminated floors and ob observing environmental regulation</li> </ul>	erial. pours/mists with a water s for disposal. jects thoroughly while

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Keep away from heat.</li> <li>Use with local exhaust ventilation.</li> <li>Avoid contact with eyes.</li> </ul>
Conditions for safe storage	<ul> <li>Take measures to prevent the build up of electrostatic charge. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well- ventilated place.</li> <li>Store in accordance with the particular national regulations.</li> </ul>

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm	NIOSH REL



sion 1.0	SDS Number:	SDS Number: 40000005374		Revision Date: 05/24/2017	
	I		15 mg/m3		
		TWA	3 ppm 6 mg/m3	OSHA Z-	
		STEL	6 ppm 15 mg/m3	OSHA PO	
		TWA	3 ppm 8 mg/m3	OSHA PO	
Personal protective equip	ment				
Respiratory protection	: No persona required.	No personal respiratory protective equipment normally required.			
Hand protection Remarks	: No special	No special protective equipment required.			
Eye protection	: Wear face- problems.	Wear face-shield and protective suit for abnormal processing problems.			
Skin and body protection	: No special correctly.	No special measures necessary provided product is used correctly.			
Protective measures	concentrati the specific Ensure tha	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.			
Hygiene measures	practice.	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.			

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, light yellow
Odour	: like soap
Odour Threshold	: No data available
рН	: 7.8 - 9.7, (20 °C)
Melting point/freezing point	: No data available
Flash point	: 45.60 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available



Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 0.9998 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is no	t classified self-reactive.
Viscosity Viscosity, kinematic	: 10 - 20 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is no	t classified as oxidizing.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes Inhalation Eye contact Skin contact	of exposure
Acute toxicity Not classified based on availal	ble information.
Product: Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg



sion 1.0	SDS Number: 40000005374 Revision Date: 05/24/20
	Method: Calculation method
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate : &gt; 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method</li> </ul>
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Ethyl Alcohol: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Lauric Acid: Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	<ul> <li>LC50 (Rat): &gt; 0.162 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: Based on data from similar materials</li> </ul>
Acute dermal toxicity	<ul> <li>LD50 (Rabbit): &gt; 2,000 mg/kg Assessment: The substance or mixture has no acute derma toxicity Remarks: Based on data from similar materials</li> </ul>
Ethanolamine: Acute oral toxicity	: LD50 (Rat): 1,515 mg/kg
Acute inhalation toxicity	<ul> <li>Acute toxicity estimate : 11 mg/l</li> <li>Test atmosphere: vapour Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI</li> </ul>
Acute dermal toxicity	: LD50 (Rabbit): 1,025 mg/kg
Lactic Acid: Acute oral toxicity	: LD50 (Rat, female): 3,543 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 7.94 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

\_



# PURELL® Food Processing HEALTHY SOAP™ 0.5% PCMX Antimicrobial E2 Foam Handwash

Antimicrobial E2 Foar	n Handwash			
Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017		
Acute oral toxicity	: Acute toxicity estimate : 500 m Method: Expert judgement Remarks: Based on harmonise on 1272/2008, Annex VI			
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist			
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg			
Skin corrosion/irritation				
Not classified based on ava	ilable information.			
Product:				
Assessment: Not irritating when applied to human skin. Result: No skin irritation				
Components: Ethyl Alcohol: Species: Rabbit Method: OECD Test Guidel Result: No skin irritation Lauric Acid: Species: Rabbit Method: OECD Test Guidel Result: No skin irritation				
<b>Ethanolamine:</b> Species: Rabbit Result: Corrosive after 3 mi	nutes to 1 hour of exposure			
Lactic Acid: Species: Rabbit Result: Skin irritation				
<b>Chloroxylenol:</b> Result: Skin irritation Remarks: Based on harmor	nised classification in EU regulati on 1	272/2008, Annex VI		
<b>Serious eye damage/eye i</b> Causes serious eye damag				
Components:				

**Ethyl Alcohol:** Species: Rabbit Result: Irritation to eyes, reversing within 21 days Method: OECD Test Guideline 405

Lauric Acid: Species: Rabbit Result: Irreversible effects on the eye



Version 1.0

SDS Number: 40000005374

Revision Date: 05/24/2017

Method: OECD Test Guideline 405

### Ethanolamine:

Species: Rabbit Result: Irreversible effects on the eye

#### Lactic Acid:

Species: Chicken eye Result: Irreversible effects on the eye

#### Chloroxylenol:

Result: Irreversible effects on the eye

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

### Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

### Components:

#### Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA) Exposure routes: Skin contact Species: Mouse Result: negative

#### Lauric Acid:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Ethanolamine:

Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

#### Lactic Acid:

Test Type: Buehler Test Exposure routes: Skin contact Species: Guinea pig Result: negative

### Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

### Germ cell mutagenicity

Not classified based on available information.

### Components:



Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017
Ethyl Alcohol:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Result: negative	cell gene mutation test
Genotoxicity in vivo	: Test Type: Rodent dominant le Test species: Mouse Application Route: Ingestion Result: negative	thal test (germ cell) (in vivo)
Lauric Acid:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative	476
	Remarks: Based on data from	similar materials
Ethanolamine:		
Genotoxicity in vitro	: Test Type: In vitro mammalian Method: OECD Test Guideline Result: negative	
Genotoxicity in vivo	: Test Type: Mammalian erythro cytogenetic assay) Test species: Mouse Application Route: Ingestion	cyte micronucleus test (in vivo
	Method: OECD Test Guideline Result: negative	474
Lactic Acid:		
Genotoxicity in vitro	: Test Type: Chromosome aberr Metabolic activation: with and w Result: negative Remarks: Based on data from a	vithout metabolic activation
	: Test Type: Bacterial reverse m Metabolic activation: with and v Result: negative	
Chloroxylenol:		
Genotoxicity in vitro	: Test Type: Bacterial reverse m Result: negative	utation assay (AMES)

### Carcinogenicity

Not classified based on available information.

### **Components:**

Lactic Acid: Species: Rat Application Route: Ingestion Exposure time: 2 Years Result: negative Remarks: Based on data from similar materials

### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed



sion 1.0	SDS Number: 40000005374	Revision Date: 05/24/2017
	human carcinogen by IARC.	
OSHA	No component of this product pre equal to 0.1% is identified as a ca carcinogen by OSHA.	
NTP	No component of this product pre equal to 0.1% is identified as a kr by NTP.	
<b>Reproductive toxicity</b> Not classified based on a	vailable information.	
<u>Components:</u>		
Ethyl Alcohol: Effects on fertility	: Test Type: Two-generation rep Species: Mouse Application Route: Ingestion Method: OECD Test Guideline Result: negative	
Lauric Acid:		
Effects on fertility	: Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from	422
Effects on foetal development	<ul> <li>Test Type: Combined repeated production/developmental toxic Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative Remarks: Based on data from</li> </ul>	e 422
Ethanolamine:		
Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion Result: negative	production toxicity study
Effects on foetal development	: Test Type: Embryo-foetal deve Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative	

### STOT - single exposure

Not classified based on available information.

### **Components:**



Version 1.0

SDS Number: 40000005374

Revision Date: 05/24/2017

#### Ethanolamine:

Assessment: May cause respiratory irritation.

#### Lactic Acid:

Assessment: May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

#### Components:

#### Ethanolamine:

Exposure routes: inhalation (dust/mist/fume) Assessment: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.

#### Repeated dose toxicity

### Components:

Ethyl Alcohol: Species: Rat NOAEL: 2,400 mg/kg Application Route: Ingestion Exposure time: 2 y

### Lauric Acid:

Species: Rat NOAEL: 10,000 mg/kg Application Route: Ingestion Exposure time: 18 w

### Ethanolamine:

Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

### Lactic Acid:

Species: Rat NOAEL: >= 886 mg/kg Application Route: Skin contact Exposure time: 13 w

### Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

### Aspiration toxicity

Not classified based on available information.



Version 1.0

SDS Number: 40000005374

Revision Date: 05/24/2017

### SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Com	ponents:	
	-	

Ethyl Alcohol: Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 9 d
Toxicity to bacteria	:	EC50 (Photobacterium phosphoreum): 32.1 mg/l Exposure time: 0.25 h
Lauric Acid: Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): 5 mg/l Exposure time: 96 h
		Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	:	EC50 (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
		NOEC (Selenastrum capricornutum (green algae)): > 7.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): 2 mg/l Exposure time: 28 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to bacteria	:	EC10 (Pseudomonas putida): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209



sion 1.0	SI	DS Number: 400000005374	Revision Date: 05/24/2017
Ethanolamine: Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 34 Exposure time: 96 h	l9 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea Exposure time: 48 h	a)): 65 mg/l
Toxicity to algae	:	ErC50 (Selenastrum capricornutur Exposure time: 72 h	m (green algae)): 2.8 mg/l
		NOEC (Scenedesmus capricornut mg/l Exposure time: 72 h	tum (fresh water algae)): 1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Orange-re Exposure time: 41 d	ed killifish)): 1.24 mg/l
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water fle Exposure time: 21 d	ea)): 0.85 mg/l
Toxicity to bacteria	:	EC50 (Pseudomonas putida): 110 Exposure time: 17 h	) mg/l
Lactic Acid: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h	bow trout)): 130 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea Exposure time: 48 h Method: OECD Test Guideline 20	
Toxicity to algae	:	EC50 (Selenastrum capricornutun Exposure time: 72 h Method: OECD Test Guideline 20	
		NOEC (Selenastrum capricornutu g/l Exposure time: 72 h Method: OECD Test Guideline 20	
Toxicity to bacteria	:	EC50: > 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 20	9
Chloroxylenol: Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rain Exposure time: 96 h	bow trout)): 0.76 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea Exposure time: 48 h	a)): 7.7 mg/l
M-Factor (Acute aquatic toxicity)	:	1	



<ul> <li>ity</li> <li>Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d</li> <li>Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 30</li> <li>Result: Readily biodegradable. Biodegradation: &gt; 90 % Exposure time: 21 d</li> <li>Result: Not readily biodegradable</li> </ul>	01D
<ul> <li>Biodegradation: 84 % Exposure time: 20 d</li> <li>Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 30</li> <li>Result: Readily biodegradable. Biodegradation: &gt; 90 % Exposure time: 21 d</li> <li>Result: Not readily biodegradable</li> </ul>	01D
<ul> <li>Biodegradation: 84 % Exposure time: 20 d</li> <li>Result: Readily biodegradable. Biodegradation: 86 % Exposure time: 30 d Method: OECD Test Guideline 30</li> <li>Result: Readily biodegradable. Biodegradation: &gt; 90 % Exposure time: 21 d</li> <li>Result: Not readily biodegradable</li> </ul>	01D
<ul> <li>Biodegradation: 86 %</li> <li>Exposure time: 30 d</li> <li>Method: OECD Test Guideline 30</li> <li>Result: Readily biodegradable.</li> <li>Biodegradation: &gt; 90 %</li> <li>Exposure time: 21 d</li> <li>Result: Not readily biodegradable</li> </ul>	01D
<ul> <li>Biodegradation: 86 %</li> <li>Exposure time: 30 d</li> <li>Method: OECD Test Guideline 30</li> <li>Result: Readily biodegradable.</li> <li>Biodegradation: &gt; 90 %</li> <li>Exposure time: 21 d</li> <li>Result: Not readily biodegradable</li> </ul>	01D
Biodegradation: > 90 % Exposure time: 21 d : Result: Not readily biodegradable	
Biodegradation: > 90 % Exposure time: 21 d : Result: Not readily biodegradable	
Biodegradation: 67 % Exposure time: 20 d	9.
: log Pow: -0.35	
: Species: Fish Bioconcentration factor (BCF): 23 Remarks: Based on data from sir	
: Pow: 4.6	
: log Pow: -1.91	
: log Pow: -0.6	
: log Pow: 3.27	
	<ul> <li>Biodegradation: 67 % Exposure time: 20 d</li> <li>iog Pow: -0.35</li> <li>Species: Fish Bioconcentration factor (BCF): 23 Remarks: Based on data from sint</li> <li>Pow: 4.6</li> <li>iog Pow: -1.91</li> <li>iog Pow: -0.6</li> </ul>



Version 1.0	SDS Number: 400000005374	Revision Date: 05/24/2017
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defir Section 602 (40 CFR 82, Subpt	ned by the U.S. Clean Air Act

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	: Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

: Flammable liquid, n.o.s.

: FLAMMABLE LIQUID, N.O.S.

: UN 1993

: 3 : 111 : 366

: 355

: 3 : 111 : 3

: UN 1993

: F-E, <u>S-E</u> : no

(Ethanol)

(Ethanol)

### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulation**

IATA-DGR UN/ID No. Proper shipping name
Class
Packing group
Packing instruction (cargo
aircraft)
Packing instruction
(passenger aircraft)

IMDG-Code UN number Proper shipping name

Class
Packing group
Labels
EmS Code
Marine pollutant
National Regulations

### 49 CFR UN/ID

UN/ID/NA number	: NA 1993
Proper shipping name	: Combustible Liquid, n.o.s.
	(Ethanol)
Class	: CBL

Class



Version 1.0	SDS Number: 40000005374	Revision Date: 05/24/2017
Packing group ERG Code	: III : 128	
Marine pollutant	: no	
Remarks	: Above applies only to container liters. Not regulated if shipped i to 119 gallons (450 liters).	

### SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Dipropylene (		25265-71-8	3%
Ethanolamine	e 1	41-43-5	3.833 %
Ethyl Alcohol	6	64-17-5	8.81 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

### **Clean Water Act**

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

#### **US State Regulations**

Massachusetts Right To Know				
Ethyl Alcohol	64-17-5	5 - 10 %		
Ethanolamine	141-43-5	1 - 5 %		
Sodium Metabisulfite	7681-57-4	0 - 0.1 %		
Pennsylvania Right To Know				
Water (Aqua)	7732-18-5	70 - 90 %		



rsion 1.0	SDS Number: 40000	00005374 Revision	Date: 05/24/2017
	Ethyl Alcohol	64-17-5	5 - 10 %
	Lauric Acid	143-07-7	5 - 10 %
	Ethanolamine	141-43-5	1 - 5 %
	Dipropylene Glycol	25265-71-8	1 - 5 %
	Isopropyl Alcohol	67-63-0	0.1 - 1 %
	Sodium Metabisulfite	7681-57-4	0 - 0.1 %
New Jersey R	Right To Know		
	Water (Aqua)	7732-18-5	70 - 90 %
	Ethyl Alcohol	64-17-5	5 - 10 %
	Lauric Acid	143-07-7	5 - 10 %
	Ethanolamine	141-43-5	1 - 5 %
	Dipropylene Glycol	25265-71-8	1 - 5 %
The compone TSCA	ents of this product are reported in : On TSCA Inventor	•	
AICS	: On the inventory,	, or in compliance with the ir	iventory
DSL	: All components c	of this product are on the Ca	nadian DSL.
ENCS	: On the inventory,	, or in compliance with the ir	iventory
ISHL	: On the inventory,	, or in compliance with the ir	iventory
KECI	: On the inventory,	, or in compliance with the ir	iventory
PICCS	: On the inventory,	, or in compliance with the ir	iventory
IECSC	: On the inventory,	, or in compliance with the ir	iventory
NZIoC	: On the inventory,	, or in compliance with the ir	iventory


### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)



 Version 1.0
 SDS Number: 40000005374
 Revision Date: 05/24/2017

### **SECTION 16. OTHER INFORMATION**



**Revision Date** 

: 05/24/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.