# The Cleaning Resource

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier EXTRA STRENGTH CSP CLEANER** 

Other means of identification

SDS number 548N-02B HIL00125 **Product code** 

Recommended use **Bathroom Cleaner Recommended restrictions** For Labeled Use Only Manufacturer/Importer/Supplier/Distributor information

Manufacturer

HILLYARD INDUSTRIES Company name **Address** 302 North Fourth St.

St. Joseph, MO 64501

**Contact person** Regulatory Affairs

Telephone number (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 **Emergency telephone #** 

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident

involving chemicals)

#### 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 1

> Serious eye damage/eye irritation Category 1

**Environmental hazards** Hazardous to the aquatic environment, acute Category 3

hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes severe skin burns and eye damage. Causes serious eye damage.

**Precautionary statement** 

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all Response

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. Wash contaminated clothing before reuse.

Store locked up. Storage

Material name: EXTRA STRENGTH CSP CLEANER 1/9 HIL00125 Version #: 04 Revision date: 10-20-2021 Issue date: 01-08-2015

Buyer assumes all risk and liability associated with disposal of this product (original concentration **Disposal** 

or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer clean, dry

container for recycling or reconditioning.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name              | Common name and synonyms | CAS number | %         |
|----------------------------|--------------------------|------------|-----------|
| PHOSPHORIC ACID            |                          | 7664-38-2  | 10 - < 20 |
| Butoxyethanol              |                          | 111-76-2   | 1 - < 3   |
| Other components below rep | ortable levels           |            | 80 - < 90 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

or poison control center immediately.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Chemical burns Skin contact

must be treated by a physician. Call a physician or poison control center immediately. For minor

skin contact, avoid spreading material on unaffected skin.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

Corrosive effects. May cause temporary blindness and severe eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

#### 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Not applicable, non-combustible. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire. Not applicable,

non-combustible.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

During fire, gases hazardous to health may be formed.

None (non-combustible). Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Move container from fire area if it can be done without risk.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: EXTRA STRENGTH CSP CLEANER

#### Methods and materials for containment and cleaning up

This product is miscible in water. Should not be released into the environment.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into

#### **Environmental precautions**

# 7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure. Do not get this material on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling.

Value

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components

| US. OSHA Table Z-1 Limits for Air Contaminants | (29 CFR 1910.1000) |
|--|--------------------|
|  |                    |

drains, water courses or onto the ground.

Type

| Components                      | Type          | Value     |  |
|---------------------------------|---------------|-----------|--|
| Butoxyethanol (CAS 111-76-2)    | PEL           | 240 mg/m3 |  |
|                                 |               | 50 ppm    |  |
| PHOSPHORIC ACID (CAS 7664-38-2) | PEL           | 1 mg/m3   |  |
| US. ACGIH Threshold Limit Value | s             |           |  |
| Components                      | Туре          | Value     |  |
| Butoxyethanol (CAS 111-76-2)    | TWA           | 20 ppm    |  |
| PHOSPHORIC ACID (CAS 7664-38-2) | STEL          | 3 mg/m3   |  |
|                                 | TWA           | 1 mg/m3   |  |
| US. NIOSH: Pocket Guide to Chen | nical Hazards |           |  |
| Components                      | Туре          | Value     |  |
| Butoxyethanol (CAS 111-76-2)    | TWA           | 24 mg/m3  |  |
|                                 |               | 5 ppm     |  |
| PHOSPHORIC ACID (CAS 7664-38-2) | STEL          | 3 mg/m3   |  |
|                                 | TWA           | 1 mg/m3   |  |
|                                 |               |           |  |

#### **Biological limit values**

| ACGIH Biological Exposure Indices |          |  |                     |               |
|-----------------------------------|----------|--|---------------------|---------------|
| Components                        | Value    | Determinant                                    | Specimen            | Sampling Time |
| Butoxyethanol (CAS 111-76-2)      | 200 mg/g | Butoxyacetic<br>acid (BAA),<br>with hydrolysis | Creatinine in urine | *             |

<sup>\* -</sup> For sampling details, please see the source document.

# **Exposure guidelines**

US - California OELs: Skin designation

Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Butoxyethanol (CAS 111-76-2)

Material name: EXTRA STRENGTH CSP CLEANER

Skin designation applies.

HIL00125 Version #: 04 Revision date: 10-20-2021 Issue date: 01-08-2015

**US - Tennessee OELs: Skin designation** 

Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Butoxyethanol (CAS 111-76-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Butoxyethanol (CAS 111-76-2)

Batoxyethanor (o/to 111-70

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Ensure adequate ventilation, especially in confined areas. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Chemical splash goggles where there is a potential for eye contact.

Skin protection

Hand protection Use protective gloves made of: Nitrile. Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC).

Butyl rubber.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards None known.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get this material on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Hazy, opaque, colorless liquid

Physical state Liquid.
Form Liquid.
Color Colorless
Odor Lemon odor
Odor threshold Not available

**pH** < 1

Melting point/freezing point Not available

Initial boiling point and boiling 195 °F (90.56 °C) corr.

Upper/lower flammability or explosive limits

range

Flash point

> 200.0 °F (> 93.3 °C) Tag Closed Cup

Evaporation rate < 1 Ethyl ether = 1
Flammability (solid, gas) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.5 mm Hg

Vapor density 0.6 Air=1

Relative density 1.09 at 77°F

Solubility(ies)

Solubility (water) Appreciable

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

HIL00125 Version #: 04 Revision date: 10-20-2021 Issue date: 01-08-2015

Other information

**Density** 9.08 lb/gal **Explosive limit** Not available 78 - 83 Percent volatile VOC 1.11 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** Hazardous polymerization does not occur. Possibility of hazardous

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Reacts violently with strong alkaline substances.

This product may react with reducing agents. Do not mix with other chemicals. Contact with

incompatible materials.

Incompatible materials Incompatible with bases. This product may react with reducing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Skin contact Causes severe skin burns.

Butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

Causes severe eye burns. Causes serious eye damage. Eye contact

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

#### Information on toxicological effects

#### **Acute toxicity**

| Product                   | Species Test Results |                          |
|---------------------------|----------------------|--------------------------|
| EXTRA STRENGTH CSP C      | CLEANER              |                          |
| <u>Acute</u>              |                      |                          |
| Dermal                    |                      |                          |
| LD50                      | Rabbit               | 8564 mg/kg               |
| Inhalation                |                      |                          |
| LC50                      | Rat                  | 1.825e+006 mg/l, 1 Hours |
| Oral                      |                      |                          |
| LD50                      | Rat                  | 6860 mg/kg               |
| Components                | Species              | Test Results             |
| Butoxyethanol (CAS 111-76 | 5-2)                 |                          |
| <u>Acute</u>              |                      |                          |
| Oral                      |                      |                          |
| LD50                      | Rat                  | 560 mg/kg                |
| PHOSPHORIC ACID (CAS      | 7664-38-2)           |                          |
| <u>Acute</u>              |                      |                          |
|                           |                      |                          |
| Dermal                    |                      |                          |

Material name: EXTRA STRENGTH CSP CLEANER

SDS US

5/9 HIL00125 Version #: 04 Revision date: 10-20-2021 Issue date: 01-08-2015

 Components
 Species
 Test Results

 Oral
 LD50
 Rat
 1530 mg/kg

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Prolonged inhalation may be harmful. Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Butoxyethanol may be absorbed through the skin in toxic amounts if contact is repeated and

prolonged. These effects have not been observed in humans.

## 12. Ecological information

**Ecotoxicity**Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon

exposure to aquatic organisms and aquatic systems.

| Product          |             | Species | Test Results                 |  |
|------------------|-------------|---------|------------------------------|--|
| EXTRA STRENGTH ( | CSP CLEANER |         |                              |  |
| Aquatic          |             |         |                              |  |
| Crustacea        | EC50        | Daphnia | 752.2921, 48 hours           |  |
| Fish             | LC50        | Fish    | 695.3698, 96 hours           |  |
| Acute            |             |         |                              |  |
| Crustacea        | EC50        | Daphnia | 304.2456, 48 hours estimated |  |
| Fish             | LC50        | Fish    | 426.0634, 96 hours estimated |  |
|                  |             |         |                              |  |

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: EXTRA STRENGTH CSP CLEANER

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

Disposal is regulated under the Resource Conservation and Recovery Act (40 CFR 261.22) as a corrosive waste. Regulated quantities should be neutralized by a permitted facility in accordance

with applicable local, state, and federal regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

**UN number** NA1760

**UN proper shipping name** Transport hazard class(es) Compound Cleaning Liquid, n.o.s. (Phosphoric Acid RQ = 32873 LBS)

8 Class Subsidiary risk

8 Label(s) Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Packaging exceptions None **ERG** number 154

PACKAGES 1 GALLON AND SMALLER ARE SHIPPED LIMITED QUANTITY OR ORM-D

IATA

**UN** number UN1760

**UN** proper shipping name Corrosive liquid, n.o.s. (Phosphoric Acid)

Transport hazard class(es)

Class 8 Subsidiary risk 8 Label(s) Packing group Ш **Environmental hazards** No. 154 **ERG Code** 

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

UN1760 **UN** number

**UN proper shipping name** Transport hazard class(es) CORROSIVE LIQUID, N.O.S. (Phosphoric Acid)

Class 8 Subsidiary risk 8 Label(s) **Packing group** Ш

**Environmental hazards** 

Marine pollutant No. **EmS** F-A. S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and Not available.

the IBC Code



#### IATA; IMDG



#### 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List or Exempt.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

PHOSPHORIC ACID (CAS 7664-38-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

PHOSPHORIC ACID (CAS 7664-38-2) High priority

**US state regulations** 

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Butoxyethanol (CAS 111-76-2)

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region Inventory name On inventory (yes/no)\* Domestic Substances List (DSL) Canada No Non-Domestic Substances List (NDSL) Canada No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

01-08-2015 Issue date 10-20-2021 **Revision date** 

Version # 04

Health: 3 **HMIS®** ratings

Flammability: 0 Physical hazard: 0

Disclaimer No representations or warranties, either express or implied, of merchantability, fitness for a

> particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Identification: Recommended restrictions **Revision information** 

Hazard(s) identification: Disposal

Exposure controls/personal protection: Appropriate engineering controls

Exposure controls/personal protection: Eve/face protection

Physical & Chemical Properties: Multiple Properties

Toxicological information: Chronic effects Toxicological information: Skin contact

Disposal considerations: Hazardous waste code

HazReg Data: International Inventories

SDS US

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing