# SAFETY DATA SHEET



## 1. Identification

Product identifier	MARINER		
Other means of identification			
SDS number	584N-070A		
Product code	HIL00477		
Recommended use	Bathroom Cleaner		
<b>Recommended restrictions</b>	For Labeled Use Only		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	HILLYARD INDUSTRIES		
Address	302 North Fourth St.		
	St. Joseph, MO 64501		

Contact person	Regulatory Affairs	
Telephone number	(816) 233-1321 (Ext. 8285)	
Fax	(816) 383-8485	
E-mail	regulatoryaffairs@hillyard.com	
Emergency telephone #	(800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)	

#### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	

Label elements

Signal word Hazard statement

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

Precautionary statement Prevention

Response

using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.

Danger

Storage	Store locked up.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements. CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer clean, dry container for recycling or reconditioning.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Do not get in eyes, on skin, or on clothing. Use With Adequate Ventilation. Avoid breathing vapors or spray mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry during application and drying. Personal Protective Equipment: When there is a danger of contact with the concentrate, use chemical safety goggles, impervious gloves, and protective clothing. Do not take internally. Keep container closed when not in use.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
PHOSPHORIC ACID		7664-38-2	10 - < 20
1-Butoxy-2-propanol		5131-66-8	5 - < 10
Citric Acid		77-92-9	5 - < 10
Alcohols (C12-15 In, Saturated) Ethoxylate		68131-39-5	3 - < 5
Alcohols, C9-11, Ethoxylated		68439-46-3	3 - < 5
Other components below reportable	e levels		60 - < 70

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Mo

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.		
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.		
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	rovide general supportive measures and treat symptomatically. Chemical burns: Flush with wate nmediately. While flushing, remove clothes which do not adhere to affected area. Call an mbulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under bservation. Symptoms may be delayed.		
General information	nsure that medical personnel are aware of the material(s) involved, and take precautions to otect themselves. Show this safety data sheet to the doctor in attendance.		
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	No unusual fire or explosion hazards noted.		

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	This product is miscible in water. Should not be released into the environment. Prevent product from entering drains.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).		

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits Components	for Air Contaminants (29 CFR 1910. Type	00) Value	
PHOSPHORIC ACID (CAS 7664-38-2)	PEL	1 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
US. NIOSH: Pocket Guide to	o Chemical Hazards		
Components	Туре	Value	
PHOSPHORIC ACID (CAS 7664-38-2)	STEL	3 mg/m3	
	TWA	1 mg/m3	
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures	, such as personal protective equip	ment	
Eye/face protection	Avoid contact with eyes. Use safety eyewear with splash guards or side shields, chemical goggles, or face shields.		
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Avoid contact with the skin. Impervious boots and aprons where splashing of concentrate is a problem; otherwise, use uniforms or coveralls.		

Material name: MARINER

Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	None known.	
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely was work clothing and protective equipment to remove contaminants.	

#### 9. Physical and chemical properties

9. Physical and chemical p	broperties
Appearance	Clear, blue liquid
Physical state	Liquid.
Form	Liquid.
Color	Blue
Odor	Floral fragrance
Odor threshold	Not available
рН	< 2
Melting point/freezing point	Not applicable / Not available
Initial boiling point and boiling range	211 °F (99.44 °C)
Flash point	> 200.0 °F (> 93.3 °C) Closed Cup
Evaporation rate	< 1 (ethyl ether = 1)
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	16.99 mm Hg
Vapor density	1.3225 AIR=1
Relative density	1.0904 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Other information	
Density	9.08 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	69 - 71 %
VOC	9.83 % Concentrate
10. Stability and reactivity	
Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Information on likely routes of	exposure				
Inhalation	May cause i	irritation to the respiratory	system. Prolonged inhalation may be harmful.		
Skin contact	Causes sev	Causes severe skin burns.			
Eye contact	Causes seri	Causes serious eye damage.			
Ingestion	Causes digestive tract burns. Harmful if swallowed.				
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.				
Information on toxicological ef	fects				
Acute toxicity	Harmful if swallowed.				
Components	Species	Species Test Results			
PHOSPHORIC ACID (CAS 7664	-38-2)				
Acute					
Dermal					
LD50	Rabbit		2740 mg/kg		
Skin corrosion/irritation	Causes sev	ere skin burns and eye da	nage.		
Serious eye damage/eye irritation	Causes seri	ous eye damage.			
Respiratory or skin sensitization	on				
Respiratory sensitization	Not a respire	atory sensitizer.			
Skin sensitization	This produc	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	Not classifiable as to carcinogenicity to humans.				
IARC Monographs. Overall	Evaluation of	Carcinogenicity			
Not listed. OSHA Specifically Regulat	ed Substances	s (29 CFR 1910.1001-105	2)		
Not regulated. US. National Toxicology Pr	ogram (NTP) I	Report on Carcinogens			
Not listed.	This was door	4 : 4			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ toxicity - single exposure	Not classifie	d.			
Specific target organ toxicity - repeated exposure	Not classifie	ed.			
Aspiration hazard	Prolonged ir	nhalation may be harmful.			
Chronic effects	Prolonged ir	nhalation may be harmful.			
12. Ecological informatio	n				
Ecotoxicity	Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.				
Product		Species	Test Results		
MARINER					
Aquatic					
Crustacea	EC50	Daphnia	16.4902 mg/l, 48 hours estimated		

LC50

EC50

Alcohols (C12-15 In, Saturated) Ethoxylate (CAS 68131-39-5)

Fish

**Species** 

Water flea (Ceriodaphnia dubia)

Fish

Components

Aquatic Crustacea 28.8907 mg/l, 96 hours estimated

0.37 - 0.43 mg/l, 48 hours

**Test Results** 

Components		Species	Test Results
Fish	LC50	Channel catfish (Ictalurus punctatus)	1.04 - 1.39 mg/l, 96 hours
Alcohols, C9-11, Ethoxylated	l (CAS 68439-46-	3)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/l, 96 hours
Persistence and degradability	No data is ava	ilable on the degradability of this product.	
Bioaccumulative potential			
Mobility in soil	No data availa	ıble.	
Other adverse effects		rse environmental effects (e.g. ozone depl ocrine disruption, global warming potential)	· •
13. Disposal considerations			
Disposal instructions	material under into sewers/wa container. Dis regulations. B	claim or dispose in sealed containers at lic r controlled conditions in an approved incin ater supplies. Do not contaminate ponds, v pose of contents/container in accordance v uyer assumes all risk and liability associate or dilution) in violation of applicable law.	erator. Do not allow this material to drain vaterways or ditches with chemical or used with local/regional/national/international

	concentration of dilution in violation of applicable law.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

DOT

DOT	
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
· ·	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, T7, TP1, TP28
Packaging exceptions	154
Packaging non bulk	203
Packaging bulk	241
	SMALLER ARE SHIPPED LIMITED QUANTITY OR ORM-D
ΙΑΤΑ	
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (PHOSPHORIC ACID)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	8L
	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

UN number UN proper shipping name Transport hazard class(es)	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID)
Class	8
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.
DOT	

DOT



IATA; IMDG



15. Regulatory information	n
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export Not regulated.	Notification (40 CFR 707, Subpt. D)
<b>CERCLA Hazardous Substa</b>	nce List (40 CFR 302.4)
PHOSPHORIC ACID (CAS 7664-38-2) Listed. SARA 304 Emergency release notification	
Not regulated. OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910.1001-1052)
Superfund Amendments and Re SARA 302 Extremely hazard Not listed.	eauthorization Act of 1986 (SARA) dous substance
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Acute toxicity (any route of exposure) Skin corrosion or irritation Serious eye damage or eye irritation
SARA 313 (TRI reporting) Not regulated.	

#### Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace PHOSPHORIC ACID (CAS 7664-38-2) High priority California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material **US state regulations** is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. **California Proposition 65** US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) PHOSPHORIC ACID (CAS 7664-38-2) International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

Issue date Revision date Version #	02-13-2015 07-05-2018 04
HMIS® ratings	Health: 3 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.