

SAFETY DATA SHEET

1. Identification

Product identifier	Suprox - Heavy Duty
Other means of identification	
SDS number	548N-84A
Product code	HIL00837
Recommended use	General Cleaner
Recommended restrictions	For Labeled Use Only
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
	St. Joseph, MO 64501

Contact person	Regulatory Affairs
Telephone number	(800) 365-1555 (Ext. 8206)
Fax	(816) 383-8406
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone # (800) 424-9300	
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Causes serious eye damage. May be harmful cause skin irritation.	if swallowed. May cause respiratory irritation. May
Precautionary statement		
Prevention		not ingest. If prolonged or repeated contact with impervious gloves and splash goggles. Use only as e health effects.
Response	Rinse cautiously with water for several minute do. Continue rinsing. If on skin: Wash with ple	omiting. Get medical advice/attention. If in eyes: es. Remove contact lenses, if present and easy to enty of water. Get medical attention if irritation rson to fresh air and keep comfortable for breathing.
Storage	Store away from incompatible materials. Keep	o container tightly closed.
Disposal	or dilution) in violation of applicable law. Wast	l with disposal of this product (original concentration e from normal use may be sewered to a with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
*Complex Surfactant Blend		Proprietary	5 - < 10
Hydrogen Peroxide		7722-84-1	5 - < 10
Fragrance		8008-57-9	< 0.3
Other components below repo	rtable levels		80 - < 90

Other components below reportable levels *Designates that a specific chemical identity and/or percentage has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	The product is completely soluble in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

pН

Melting point/freezing point

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ssible Exposure Limits (PEL) for Air Co Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3
		1 ppm
US. ACGIH Threshold Limi	t Values (TLV)	
Components	Туре	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm
NIOSH. Immediately Dange Components	rous to Life or Health (IDLH) Values, a Type	s amended Value
Hydrogen Peroxide (CAS 7722-84-1)	IDLH	75 ppm
,	o Chemical Hazards Recommended E Type	xposure Limits (REL) Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm
logical limit values	No biological exposure limits noted for	the ingredient(s).
propriate engineering htrols	applicable, use process enclosures, lo maintain airborne levels below recomm	ed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to nended exposure limits. If exposure limits have not been o an acceptable level. Provide eyewash station.
ividual protection measures	, such as personal protective equipme	ent
Eye/face protection	Avoid contact with eyes. Chemical saf	ety goggles when working with concentrate.
Skin protection		
Hand protection	Use protective gloves when dealing w are recommended.	ith the concentrate. Nitrile, butyl rubber or neoprene glove
Other	Avoid contact with the skin. Wear app clothing and gloves.	ropriate chemical resistant clothing. Wear suitable protec
Respiratory protection	maintain airborne concentrations belo	ipment normally required. If engineering controls do not w recommended exposure limits (where applicable) or to xposure limits have not been established), an approved
Thermal hazards	None known.	
neral hygiene isiderations		e measures, such as washing after handling the material oking. Routinely wash work clothing and protective
Physical and chemical	properties	
pearance	Clear, yellow liquid (yellow color fades	with age)
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless to light yellow	
00101	Selenees to light Jenetr	
or	Citrus odor	

3.5 - 4.6

Not Available

6.5 - 7.5 Diluted 1:25

Initial boiling point and boiling range	206 °F (96.67 °C)
Flash point	>200.0 °F (>93.3 °C) Tag Closed Cup
Evaporation rate	<1 Ethyl ether = 1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.6 mm Hg
Vapor density	0.62 Air=1
Relative density	1.027 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Not Available
Other information	
Density	8.55 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	92 - 94 %
VOC	0 %
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Metals. Strong reducing agents. Alkalies. Combustible material. Heavy Metal Salts
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure		
Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Causes serious eye damage.	
Ingestion	Expected to be a low ingestion hazard.	
Suprox - Heavy Duty	5000 mg/kg	
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.	
Information on toxicological effects		

Acute toxicity	Not known.	
Components	Species	Test Results
Fragrance (CAS 8008-57-9)		
Acute		
Dermal		
LD50	Rabbit	> 5 g/kg

Components	Species	Test Results	
Oral			
LD50	Rat	> 5 g/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye rritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitiz	er.	
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to care	cinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogeni	city	
Hydrogen Peroxide (CA OSHA Specifically Regulate		3 Not classifiable as to carcinogenicity to humans. 10.1001-1053)	
Not listed. US. National Toxicology Pr Not listed.	ogram (NTP) Report on Ca	rcinogens	
Reproductive toxicity	This product is not expec	ted to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - epeated exposure	Not classified.		
Aspiration hazard	Prolonged inhalation may	/ be harmful.	
Chronic effects	Prolonged inhalation may		
12. Ecological information			
Ecotoxicity	The product is not classif	ied as environmentally hazardous. However, this does not exclude the equent spills can have a harmful or damaging effect on the environmen	
Persistence and degradability		e degradability of this product.	
Bioaccumulative potential	No data available.		
Mobility in soil	This product is completel	y water soluble and will disperse in soil.	
Other adverse effects		mental effects (e.g. ozone depletion, photochemical ozone creation ption, global warming potential) are expected from this component.	
13. Disposal consideratio	ons		
Disposal instructions	contents/container in acc	pose in sealed containers at licensed waste disposal site. Dispose of ordance with local/regional/national/international regulations. Buyer lity associated with disposal of this product (original concentration or plicable law.	
Local disposal regulations	Dispose in accordance w	Dispose in accordance with all applicable regulations.	
lazardous waste code	The waste code should b disposal company.	e assigned in discussion between the user, the producer and the waste	
Waste from residues / unused products	product residues. This ma Disposal instructions). Wa	with local regulations. Empty containers or liners may retain some aterial and its container must be disposed of in a safe manner (see: aste from normal product use may be sewered to a public owned in compliance with applicable Federal, State, and local pretreatment	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditionir		
14. Transport information	1		

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information	on				
US federal regulations		ct is a "Hazardou 29 CFR 1910.120		d by the OSHA Hazard	Communication
Toxic Substances Control	Toxic Substances Control Act (TSCA) One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".				
TSCA Section 12(b) Ex Not regulated.	oprt Notificat	ion (40 CFR 70	7, Subpt. D)		
CERCLA Hazardous Subs Not listed. SARA 304 Emergency rele Hydrogen Peroxide (CA	ase notificatio S 7722-84-1)	on	1000 LBS		
OSHA Specifically Regula	ted Substance	es (29 CFR 1910	0.1001-1053)		
Not listed. Superfund Amendments and F SARA 302 Extremely haza Chemical name C			SARA) Threshold planning quantity	Threshold planning quantity,	Threshold planning quantity,
		(pounds)	(pounds)	lower value (pounds)	upper value (pounds)
Hydrogen Peroxide 7	722-84-1	1000	1000	(1.1.1.1.1)	
SARA 311/312 Hazardous chemical	Yes				
Classified hazard categories					
SARA 313 (TRI reporting) Not regulated.					
Other federal regulations					
Clean Air Act (CAA) Section	on 112 Hazard	ous Air Pollutar	nts (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	on 112(r) Accid	lental Release I	Prevention (40 CFR 6	8.130)	
Not regulated.					
Safe Drinking Water Act (SDWA)	Not regulat	ed.			
US state regulations					
California Proposition 65 California Safe Drinking is not known to contain more information go to	any chemicals	currently listed a			
International Inventories					
Country(s) or region	Inventory	name			On inventory (yes/no)*
Canada		Substances List ((DSL)		Yes
Canada	Non-Dome	stic Substances	List (NDSL)		No
United States & Puerto Ricc	Toxic Subs	tances Control A	Act (TSCA) Inventory		Yes
*A "Yes" indicates that all comp A "No" indicates that one or mo country(s).	onents of this pro	oduct comply with	the inventory requirement		

16. Other information, including date of preparation or last revision

Issue date	02-24-2015
Revision date	07-19-2024
Version #	03

Further information HMIS® ratings	This product meets Green Seal [™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. Acute toxicity, skin and eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org. Health: 3 Flammability: 0 Physical hazard: 1
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.