

SAFETY DATA SHEET

1. Identification

Product identifier	Suprox - GLASS & FLOOR
Other means of identification	
SDS number	548N-84A
Product code	HIL00839
Recommended use	General Cleaner
Recommended restrictions	For Labeled Use Only
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
	St. Joseph, MO 64501

Contact person	Regulatory Affairs
Telephone number	(800) 365-1555 (Ext. 8206)
Fax	(816) 383-8406
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Causes serious eye damage. May be harmful cause skin irritation.	if swallowed. May cause respiratory irritation. May
Precautionary statement		
Prevention	Do not get in eyes, on skin, and clothing. Do r concentrate is possible, wear rubber or other directed: Improper dilution can lead to adverse	not ingest. If prolonged or repeated contact with impervious gloves and splash goggles. Use only as e health effects.
Response	Rinse cautiously with water for several minute do. Continue rinsing. If on skin: Wash with ple	omiting. Get medical advice/attention. If in eyes: es. Remove contact lenses, if present and easy to enty of water. Get medical attention if irritation rson to fresh air and keep comfortable for breathing.
Storage	Store away from incompatible materials. Keep	o container tightly closed.
Disposal	or dilution) in violation of applicable law. Wast	l with disposal of this product (original concentration e from normal use may be sewered to a with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
*Complex Surfactant Blend		Proprietary	5 - < 10
Hydrogen Peroxide		7722-84-1	5 - < 10
Fragrance		8008-57-9	< 0.3
Other components below reportable levels			80 - < 90

Other components below reportable levels *Designates that a specific chemical identity and/or percentage has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth thoroughly. If swallowed, do NOT induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog, Foam, Dry chemical powder, Carbon dioxide (CO2)

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	The product is completely soluble in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ssible Exposure Limits (PEL) for Air Co Type	Value
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3
		1 ppm
US. ACGIH Threshold Limi	t Values (TLV)	
Components	Туре	Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm
NIOSH. Immediately Dange Components	rous to Life or Health (IDLH) Values, a Type	s amended Value
Hydrogen Peroxide (CAS 7722-84-1)	IDLH	75 ppm
,	o Chemical Hazards Recommended E Type	xposure Limits (REL) Value
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm
logical limit values	No biological exposure limits noted for	the ingredient(s).
propriate engineering htrols	applicable, use process enclosures, lo maintain airborne levels below recomm	ed. Ventilation rates should be matched to conditions. If ocal exhaust ventilation, or other engineering controls to nended exposure limits. If exposure limits have not been o an acceptable level. Provide eyewash station.
ividual protection measures	, such as personal protective equipme	ent
Eye/face protection	Avoid contact with eyes. Chemical saf	ety goggles when working with concentrate.
Skin protection		
Hand protection	Use protective gloves when dealing w are recommended.	ith the concentrate. Nitrile, butyl rubber or neoprene glove
Other	Avoid contact with the skin. Wear app clothing and gloves.	ropriate chemical resistant clothing. Wear suitable protec
Respiratory protection	maintain airborne concentrations belo	ipment normally required. If engineering controls do not w recommended exposure limits (where applicable) or to xposure limits have not been established), an approved
Thermal hazards	None known.	
neral hygiene isiderations		e measures, such as washing after handling the material oking. Routinely wash work clothing and protective
Physical and chemical	properties	
pearance	Clear, yellow liquid (yellow color fades	with age)
Physical state	Liquid.	
Form	Liquid.	
Color	Colorless to light yellow	
00101	Selenees to light Jenetr	
or	Citrus odor	

pН

Melting point/freezing point

3.5 - 4.6

Not Available

6.5 - 7.5 Diluted 1:25

Initial boiling point and boiling range	206 °F (96.67 °C)
Flash point	>200.0 °F (>93.3 °C) Tag Closed Cup
Evaporation rate	<1 Ethyl ether = 1
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	17.6 mm Hg
Vapor density	0.62 Air=1
Relative density	1.027 at 77°F
Solubility(ies)	
Solubility (water)	100 % Complete
Partition coefficient (n-octanol/water)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available
Viscosity	Not Available
Other information	
Density	8.55 lb/gal
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	92 - 94 %
VOC	0 %
10 Stability and reactivity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Metals. Strong reducing agents. Alkalies. Combustible material. Heavy Metal Salts
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure Prolonged inhalation may be harmful. Inhalation Skin contact No adverse effects due to skin contact are expected. Eye contact Causes serious eye damage. Ingestion Expected to be a low ingestion hazard. Suprox - GLASS & FLOOR 5000 mg/kg Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred Symptoms related to the physical, chemical and vision. Permanent eye damage including blindness could result. toxicological characteristics

Information on toxicological effects

Acute toxicity	Not known.	
Components	Species	Test Results
Fragrance (CAS 8008-57-9	3)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5 g/kg

Components	Species	Test Results	
Oral			
LD50	Rat	> 5 g/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye rritation	Causes serious eye damage.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected	ed to cause skin sensitization.	
Germ cell mutagenicity	No data available to indica mutagenic or genotoxic.	ate product or any components present at greater than 0.1% are	
Carcinogenicity	Not classifiable as to carci	Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall	Evaluation of Carcinogenic	sity	
Hydrogen Peroxide (CAS OSHA Specifically Regulate Not listed.		3 Not classifiable as to carcinogenicity to humans. 0.1001-1053)	
US. National Toxicology Pr Not listed.	ogram (NTP) Report on Ca	rcinogens	
Reproductive toxicity	This product is not expected	ed to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - epeated exposure	Not classified.		
Aspiration hazard	Prolonged inhalation may	be harmful.	
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	n		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude th possibility that large or frequent spills can have a harmful or damaging effect on the environm		
Persistence and degradability	No data is available on the	e degradability of this product.	
Bioaccumulative potential	No data available.		
Nobility in soil	This product is completely	water soluble and will disperse in soil.	
Other adverse effects		nental effects (e.g. ozone depletion, photochemical ozone creation otion, global warming potential) are expected from this component.	
13. Disposal consideratio	ons		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.		
_ocal disposal regulations	Dispose in accordance wit	h all applicable regulations.	
lazardous waste code	The waste code should be disposal company.	e assigned in discussion between the user, the producer and the waste	
Naste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may be sewered to a public owned treatment works (POTW) in compliance with applicable Federal, State, and local pretreatment requirements.		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after contain emptied. Empty containers should be taken to an approved waste handling site for recycling o disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditional statements are container for recycling or reconditional statements.		
14. Transport information	1		

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory informa	tion					
US federal regulations		ct is a "Hazardou 29 CFR 1910.12		d by the OSHA Hazard	Communication	
Toxic Substances Contr	Toxic Substances Control Act (TSCA) One or more components of the mixture are not on the TSCA 8(b) inventor or are designated "inactive".					
TSCA Section 12(b)	Export Notificat	tion (40 CFR 70	7, Subpt. D)			
Not regulated.						
CERCLA Hazardous Sul	ostance List (40	CFR 302.4)				
Not listed. SARA 304 Emergency re	elease notification	on				
Hydrogen Peroxide (OSHA Specifically Regu	,	es (29 CFR 1910	1000 LBS 0.1001-1053)			
Not listed.						
Superfund Amendments and		-	SARA)			
SARA 302 Extremely ha Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)	
Hydrogen Peroxide	7722-84-1	1000	1000			
SARA 311/312 Hazardou chemical	s Yes					
Classified hazard Serious eye damage or eye irritation categories						
SARA 313 (TRI reporting Not regulated.	1)					
Other federal regulations						
Clean Air Act (CAA) Sec	tion 112 Hazard	ous Air Pollutai	nts (HAPs) List			
Not regulated. Clean Air Act (CAA) Sec	tion 112(r) Accid	lental Release	Prevention (40 CFR 6	8.130)		
Not regulated.						
Safe Drinking Water Act (SDWA)	Not regulat	Not regulated.				
JS state regulations						
	ng Water and To in any chemicals	currently listed a	Act of 1986 (Propositi as carcinogens or repr			
nternational Inventories		5 0				
Country(s) or region	Inventory	name			On inventory (yes/no)*	
Canada	-	Substances List ((DSL)		Yes	
Canada	Non-Dome	stic Substances	List (NDSL)		No	
United States & Puerto Ri	co Toxic Subs	tances Control A	Act (TSCA) Inventory		Yes	
*A "Yes" indicates that all cor A "No" indicates that one or r country(s).						

16. Other information, including date of preparation or last revision

Issue date	02-24-2015
Revision date	07-19-2024
Version #	03

Further information HMIS® ratings	This product meets Green Seal [™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. Acute toxicity, skin and eye damage met requirements at the as-used dilution, as specified for closed dilution systems. GreenSeal.org. Health: 3 Flammability: 0 Physical hazard: 1
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.