SAFETY DATA SHEET



1. Identification Product identifier

QUICK & CLEAN LUSTRE-MIST FURNITURE POLISH

Other means of identification	
SDS number	584N-108A
Product code	HIL01004
Recommended use	Furniture Polish
Recommended restrictions	For Labeled Use Only Protect from Freezing

Manufacturer/Importer/Supplier/Distributor information

Manufacturer	
Company name	HILLYARD INDUSTRIES
Address	302 North Fourth St.
	St. Joseph, MO 64501

Contact person	Regulatory Affairs
Telephone number	(816) 233-1321 (Ext. 8285)
Fax	(816) 383-8485
E-mail	regulatoryaffairs@hillyard.com
Emergency telephone #	(800) 424-9300
	(Only in the event of chemical emergency involving a spill, leak, fire, exposure or accident involving chemicals)

2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law in compliance with applicable federal, state and local requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.

including any incompatibilities

Conditions for safe storage, Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Avoid contact with eyes.	

Skin protection Hand protection Not normally needed.

Respiratory protection No personal respiratory protective equipment normally required. Thermal hazards None known. Censel hygiene measures, such as washing after handling the material equipment to remove contaminants. Physical and chemical contaminants. Physical contaminants.	Other	Not normally needed.		
Always observe good personal hygiene measures, such as washing after handling the material and before eating, dinking, and/or smoking. Routinely wash work dothing and protective equipment to remove contaminants. S. Physical and chemical properties Appearance White, slightly viscous liquid. Physical state Liquid. Color White Odor Liquid. Color White Odor Lemon odor Odor Solo of for (96.11 °C) Physical and boiling range 25 - 6.5 Metting point/freezing point Not applicable / Not available Initial boiling point and boiling range 200.0° F (96.11 °C) Plant >200.0° F (96.3.3°C) Tag Closed Cup None to boiling Evaporation rate <1 (ethyl ether = 1)	Respiratory protection	-		
considerations and before eating, dinking, and/or smoking. Routinely wash work idothing and protective equipment to renove contaminants. 9. Physical and chemical <i>verties</i> Appearance While, slightly viscous liquid. Form Liquid. Color While Odor Liquid. Odor Moti available pH 55-6.5 Melting point and boiling 205 °F (96.11 °C) range Vita policable / Not available Initial boiling point and boiling 205 °F (96.11 °C) range Vita policable / Not available. Evaporation rate > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate > 10 staplicable. Vapor density Not available Explosive limit -uppor (%) Not available Vapor density 0.624 Ar = 1 Relative density 0.096 at 77°F Solubility (water)				
Appearance White, slightly viscous liquid. Physical state Liquid. Form Liquid. Color White Odor White Odor White Odor Not available Difficient of the point/freezing point Not available Initial boiling point and boiling 205 °F (96.11 °C) Parage > 200.0 °F (96.31 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flash point > 200.0 °F (96.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flasmability (solid, gas) Not available. Evaporation rate < 1 (ethyl ether = 1) Evaporation rate < 1 (ethyl ether = 1) Evaporation rate < 1 (ethyl ether = 1) Evaporation rate Not available. Vapor density 0.824 Air = 1 Relative density 0.996 at 77°F Solubility (water) 10.9 % complete Partition coefficient Not available Vato-aprition temperature Not available Visc		and before eating, drinking, and/or smoking. Routinely wash work clothing and protective		
Physical stateLiquid.FormLiquid.ColorWhiteOdorLemon odorOdor thresholdNot availablepH5.5 - 6.5Mething point/freezing pointNot availableInitial boiling point and boiling rage205 'F (96.11 'C)Flash point> 200.0 'F (> 93.3 'C) Tag Closed Cup None to boilingEvaporation rate< 1 (ethyl ether = 1)Flash point> 200.0 'F (> 93.3 'C) Tag Closed Cup None to boilingEvaporation rate< 1 (ethyl ether = 1)Flash point> 0 ta vailable.Upper/lower flammability (solid, gas)Not available.Explosive limit - lower (%)Not available.Upper/lower limit - lower (%)Not available.Vapor pressree17.56 mm HgVapor density0.624 Air = 1Relative density0.996 at 77'FSolubility(viesr)100 % CompletePartition coefficientNot available(ro-ctanol/wetor)Not availableViscosityNot availableViscosityNot availableDensity8.20 logalPercent volatileNot availableViscosityNot availableVoC0.% CARB VOC 0.9% EPA VOCDensity9.20 logalPercent volatile149 s5.%VoC0.% CARB VOC 0.9% EPA VOCDensityMaterial is table and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is table under normal conditions.Possibility of hazardous	9. Physical and chemical p	properties		
Form Liquid. Color White Odor Lono ador Odorthreshold Not available Difference Solopital and boiling Pit Solopital and boiling Tesh point and boiling 25° (96.11°C) Flash point Solopital and boiling Flash point Solopital (96.93.3°C) Tag Closed Cup None to boiling Flash point Solopital (96.93.3°C) Tag Closed Cup None to boiling Flash point Solopital (96.93.3°C) Tag Closed Cup None to boiling Flash point Solopital (96.93.3°C) Tag Closed Cup None to boiling Flash point Solopital (96.93.3°C) Tag Closed Cup None to boiling Flash point Not available. Flash point Not available Flash point Not available Flash point Not available Solubility (weter) Not available <th>Appearance</th> <th>White, slightly viscous liquid.</th>	Appearance	White, slightly viscous liquid.		
ColorWhiteOdorLemon adorOdor thresholdKot availableOdor thresholdNot availableIntial point/freezing pointNot applicable / Not availableInitial point and boling200° fr (>63.3 °C) Tag Closed Cup None to bolingErapport> 200.0 °fr (>63.3 °C) Tag Closed Cup None to bolingErapport on rate< 1 (ethyl ether = 1)Flammability of Legas)Not available.Vapport flammability of Legas)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Solubility (water)Not available.Its of endities. 0.996 at 77° FSolubility (water). 0.996 at 77° FSolubility (water). 0.906 at 77° FSolubility (water). Not available.Not available Not available.Vapor density. Not available.Not available Not available.Not available Not available.Vapor density. Not available.Not available Not available.Not available Not available.Vapor density. Not available.Not available Not available.Vapor density. Not available.Not available Not av	Physical state	Liquid.		
Odor Lemon odor Odor threshold Not available PH 5.5 - 6.5 Melting point/freezing point Not available Initial boiling point and boiling 205 °F (96.11 °C) range - Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flasmability (solid, gas) Not available. Upper/lower flammability or evaporation rate < 1 (ethyl ether = 1) Explosive limit - lower (%) Not available. Vapor pressure Not available. Vapor pressure 0.56 cmm Hg Solubility (water) 0.624 Air = 1 Relative density 0.96 dt 77 °F Solubility (water) 0.062 Air = 1 Relative density 0.96 dt 77 °F Solubility (water) Not available Decomposition temperature Not available Not available Not available Decomposition temperature Not available Oxidizing properties Not available Decomposition temperature Not available <t< th=""><th>Form</th><th>Liquid.</th></t<>	Form	Liquid.		
Ocr thresholdNot availablept5.5 - 6.5Meling point/recing pointNot applicable / Not availableInitial boiling point and poiling25° F (9.6.11 °C)Flash point< 200.0 °F (-93.3 °C) Tag Closed Cup None to boilingEvaporation rate< 1 (ethyl ether = 1)Flasmability or vsrusse in the state in	Color	White		
pH 5.5 - 6.5 Meiting point/freezing point Not applicable / Not available Initial boiling point and boiling range 205 °F (98.1 °C) Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flammability (sold, gas) Not available. Upper/lower flammability or exupuse limits Explosive limit - lower (%) Vat available. Vapor resource Vapor pressure 17.56 mm Hg Vapor density 0.624 Air = 1 Relative density 0.996 at 77°F Solubility (water) 100 % Complete Partition coefficient Not available In-control water) Not available Vato-gradition temperature Not available Poscibility (water) Not available Density 8.29 lo/gal Percent volatile Solubility (mater) Density 8.29 lo/gal Percent volatile Not explosive. Oxidi	Odor	Lemon odor		
Meting point/freezing point Not applicable / Not available Initial boiling point and boiling range 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1)	Odor threshold	Not available		
Initial boiling point and boiling 205 °F (96.11 °C) range 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Flash point > 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flammability (solid, gas) Not axplicable. Upper/lower flammability or explosive limits Image State Stat	рН	5.5 - 6.5		
range 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling Evaporation rate < 1 (ethyl ether = 1) Flammability (solid, gas) Not available. Upper/lower flammability or expisive limit - lower (%) Not available. Explosive limit - lower (%) Not available. Vapor density 0.624 Air = 1 Relative density 0.996 at 77°F Solubility (water) 100 % Complete Partition coefficient Not available (n-octanol/water) Not available Auto-Ignition temperature Not available Viscosity Not available Viscosity Not available Oxidizing properties N	Melting point/freezing point	Not applicable / Not available		
Flarmability (solid, gas) Flarmability (solid, gas) Not applicable. Upperflarmability or exuitable. Not available. isplosive limit - lower (%) Not available. Vapor density 0.624 Air = 1 Relative density 0.996 a 77°F Solubility(water) 0.906 a 77°F Solubility (water) 0.00 % Complete Partition coefficient Not available. Vato-represtrue Not available Partition coefficient Not available Poccomposition temperature Not available Notavailable Not available Poscitanol/water) Not available Poscity Not available Poscity Not available Poscity Not available Vaco- Splosition temperature Not available Poscity Not available Voc Not available <		205 °F (96.11 °C)		
Flammability (solid, gas) Not applicable. Upper/lower flammability or exponent Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor density 0.624 Air = 1 Relative density 0.996 at 77°F Solubility(water) 100 % Complete Partition coefficient Not available ro-ctanol/water) 100 % Complete Partition coefficient Not available In-octanol/water) Not available Viscosity Not available Post available Not available Viscosity Not available Viscosity Not available Postity Not available Viscosity Not available Viscosity Not available Voc Not available Not available Not available Voc Not available Not available Not available Not available Not available Not available Not available Not available Not available Not availabl	Flash point	> 200.0 °F (> 93.3 °C) Tag Closed Cup None to boiling		
Upper/lower flammability or explosive limits Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure 17.56 mm Hg Vapor density 0.824 Air = 1 Relative density 0.996 at 77°F Solubility(ies) 5 Solubility (water) 100 % Complete Partition coefficient Not available (n-octanol/water) Not available Auto-ignition temperature Not available Viscosity Not available Vore or pressity 8.29 lo/gal Explosive properties Not available Viscosity Not available Other information - Density 8.29 lo/gal Explosive properties Not available Voc 0 % CARB VOC 0.9 % EPA VOC 0.9 % CARB VOC 0.9 % EPA VOC 0.9 % EPA VOC 10.5 Stability and reactivity The product is stable and non-reactive under normal conditions of normal use. Reactivity Not argerous reaction known under conditions. Possibility of haz	Evaporation rate	< 1 (ethyl ether = 1)		
Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressure17.56 mm HgVapor density0.624 Air = 1Relative density0.996 at 77°FSolubility (lees)5Solubility (water)100 % CompletePartition coefficientNot available(n-octanol/water)Not availableDecomposition temperatureNot availableViscosityNot availableViscosityNot availableOther informationNot availablePercent volatility apropertiesNot exploise/Voc0.9 % CARB VOC 0.9 % EPA VOCVoc0.9 % CARB VOC 0.9 % EPA VOCObssibility of hazardousNot dangerous reaction known under conditions of normal use.Percent volatilityNot dangerous reaction known under conditions of normal use.Foordlitions to avoidKeop away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsNon azardous decomposition products are known.	Flammability (solid, gas)	Not applicable.		
Explosive limit - upper (%)Not available.Vapor pressure17.56 mm HgVapor density0.624 Air = 1Relative density0.96 at77°FSolubility (water)100 % CompletePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableViscosityNot availableViscosityNot availableObjection temperatureNot availablePercent volatile8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.VoC0 % CARB VOC 0.9 % EPA VOCOts10 % Care preservice under normal conditions of use, storage and transport.ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Possibility of hazardousNo dargorous reaction known under conditions of normal use.Possibility of hazardousKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flams point. Contact with incompatible materials.Incomp atible materialsNot nagorous decomposition products are known.	•• • •	losive limits		
Vapor pressure17.56 mm HgVapor density0.624 Air = 1Relative density0.996 at 77°FSolubility(ies)Solubility (water)100 % CompletePartition coefficientNot available(n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableOther informationDensity8.29 lb/galExplosive propertiesNot availableOxidizing propertiesNot availableVOC0 % CARB VOC 0.9 % EPA VOC0.9 % EPA VOC0.9 % CARB VOC 0.9 % EPA VOCThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions of normal use.reactionsKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing geents.Hazardous decompositionNo hazardous decomposition products are known.	Explosive limit - lower (%)			
Vapor density 0.624 Air = 1 Relative density 0.996 at 77°F Solubility(ies) Intervention of the second	Explosive limit - upper (%)			
Relative density 0.996 at 77°F Solubility(vies) 100 % Complete Partition coefficient (n-octanol/water) Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not available Other information Not available Density 8.29 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing. Percent volatile 94 - 95.5 % VOC 0% CARB VOC 0.9 % EPA VOC 0.9 % EPA VOC Chemical stability and reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. Perseitity Not agrerous reaction known under conditions of normal use. Peactivity No dangerous reaction known under conditions of normal use. Possibility of hazardous No dangerous reaction known under conditions of normal use. Possibility of hazardous Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Incompatible materials Strong oxidizing agents.	Vapor pressure	-		
Solubility (vater) 100 % Complete Partition coefficient (n-octanol/water) Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not apalicable Other information 8.29 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing. Percent volatile 94 - 95.5 % VOC 0 % CARB VOC 0.9 % EPA VOC 0.9 % EPA VOC Total stability of hazardous No dangerous reaction known under conditions of use, storage and transport. Prescitivity The product is stable under normal conditions of normal use. reactions No dangerous reaction known under conditions of normal use. reactions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Incompatible materials Strong oxidizing agents.	Vapor density			
Solubility (water)100 % CompletePartition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot apalicableOther information8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.Oxidizing propertiesNot explosive.VoC0 % CARB VOC 0.9 % EPA VOCOther information0 % CARB VOC 0.9 % EPA VOCPercent volatileHe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityThe product is stable and non-reactive under normal use.Possibility of hazardous reactionsNot dangerous reaction known under conditions of normal use.Possibility of hazardous reactionsKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStorag oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	Relative density	0.996 at 77°F		
Partition coefficient (n-octanol/water)Not availableAuto-ignition temperatureNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot applicableOther information8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile94 - 95.5 %VOC0% CARB VOC 0.9 % EPA VOC0% Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityNot dangerous reaction known under conditions of normal use.Possibility of hazardous reactionsKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	• • •			
(n-octanol/water)Vol availableAuto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot availableDensity8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile94 - 95.5 %VOC0 % CARB VOC 0.9 % EPA VOC0.9 % EPA VOC0.9 % EPA VOCDensityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityNot avaigerous reaction known under conditions of normal use.Possibility of hazardous reactionsNot avaigroup the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hzarlous decompositionNo hazardous decomposition products are known.	• • • •	•		
Decomposition temperature Not available Viscosity Not applicable Other information 8.29 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing. Percent volatile 94 - 95.5 % VOC 0 % CARB VOC 0.9 % EPA VOC 0.9 % EPA VOC 0.9 % EPA VOC The product is stable and non-reactive under normal conditions of use, storage and transport. Chemical stability Material is stable under normal conditions. Possibility of hazardous reaction known under conditions of normal use. No dangerous reaction known under conditions of normal use. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Incompatible materials Strong oxidizing agents.	(n-octanol/water)			
ViscosityNot applicableOther informationS.29 lb/galDensity8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Oxidizing properties04 - 95.5 %VOC0% CARB VOC 0.9 % EPA VOCDI. Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityNot dangerous reaction known under conditions of normal use.Possibility of hazardous reactionsKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.				
Other information 8.29 lb/gal Density 8.29 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing. Percent volatile 94 - 95.5 % VOC 0 % CARB VOC 0.9 % EPA VOC 0.9 % EPA VOC 10. Stability and reactivity The product is stable and non-reactive under normal conditions of use, storage and transport. Chemical stability Material is stable under normal conditions. Possibility of hazardous No dangerous reaction known under conditions of normal use. reactions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. Incompatible materials Strong oxidizing agents. Hazardous decomposition No hazardous decomposition products are known.	Decomposition temperature	Not available		
Density8.29 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile94 - 95.5 %VOC0 % CARB VOC 0.9 % EPA VOC10. Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Hazardous decompositionNo hazardous decomposition products are known.	Viscosity	Not applicable		
Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.Percent volatile94 - 95.5 %VOC0 % CARB VOC 0.9 % EPA VOC10. Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Hazardous decompositionNo hazardous decomposition products are known.				
Oxidizing propertiesNot oxidizing.Percent volatile94 - 95.5 %VOC0 % CARB VOC 0.9 % EPA VOC10. Stability and reactivityFeactivityReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Hazardous decompositionNo hazardous decomposition products are known.	•	-		
Percent volatile94 - 95.5 %VOC0 % CARB VOC 0.9 % EPA VOC10. Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.				
VOC0 % CARB VOC 0.9 % EPA VOC10. Stability and reactivityFeactivityReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	••••	-		
10. Stability and reactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.		0 % CARB VOC		
ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.		0.9 % EPA VOC		
Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	10. Stability and reactivity			
Possibility of hazardous reactionsNo dangerous reaction known under conditions of normal use.Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
reactionsConditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.	Chemical stability	Material is stable under normal conditions.		
temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decompositionNo hazardous decomposition products are known.		No dangerous reaction known under conditions of normal use.		
Hazardous decomposition No hazardous decomposition products are known.		temperatures exceeding the flash point. Contact with incompatible materials.		
	-			
	-	No hazardous decomposition products are known.		

11. Toxicological information

Information on likely routes of exposure

information on likely routes of e	xposure		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitizatior	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as to carcinogenicity to humans.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Not listed.			
	d Substances (29 CFR 1910.1001-1052)		
Not regulated.	ogram (NTP) Report on Carcinogens		
Not listed.			
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Prolonged inhalation may be harmful.		
Chronic effects	Prolonged inhalation may be harmful.		
Further information	This product has no known adverse effect on human health.		
12. Ecological information			

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

		e 1 1	00
Product		Species	Test Results
QUICK & CLEAN LUSTRE-I	MIST FURNI	TURE POLISH	
Aquatic			
Crustacea	EC50	Daphnia	22419.3535 mg/l, 48 hours estimated
Fish	LC50	Fish	13735.6787 mg/l, 96 hours estimated
ersistence and degradability	No data is available on the degradability of this product.		
ioaccumulative potential			
obility in soil	No data a	available.	
ther adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.		

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation of applicable law.

Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

14. Transport information

DOT

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region

Inventory name Toxic Substances Control Act (TSCA) Inventory United States & Puerto Rico

On inventory (yes/no)*

Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	03-25-2015
Revision date	09-28-2018
Version #	02

Material name: QUICK & CLEAN LUSTRE-MIST FURNITURE POLISH HIL01004 Version #: 02 Revision date: 09-28-2018 Issue date: 03-25-2015

HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0
Disclaimer	No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or disposal of these products.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.