

SAFETY DATA SHEET

Issuing Date 13-Sept-2013 Revision Date 31-Mar-2015 Revision Number 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Quick and Clean Waterless Hand Cleaner

Other means of identification

Product Code(s) HIL01061

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Heavy Duty Hand Cleaner

Uses advised against

None reasonably foreseeable

Supplier's details

Supplier Address Hillyard Industries, Inc. 302 North Fourth Street (P.O. Box 909) St. Joseph, MO 64502 1800-233-1321

Emergency telephone number

Emergency Telephone IN CASE OF EMERGENCY, CALL 1-800-424-9300

Number Poison Control Center: 1-800-222-1222

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200).

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word None

The product contains no substances which at their given concentration are considered to be hazardous to health

Appearance Colorless-blue/white Physical State Liquid. Odor Citrus

Precautionary Statements

Prevention

None

General Advice

None

Storage

None

Disposal

• None

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
Alcohols, C12-15, ethoxylated	68131-39-5	1-5	*
Isoparaffinic Hydrocarbon	64742-47-8	1-5	*
Dimethyl adipate	627-93-0	1-5	*
Diethylhexyl sodium sulfosuccinate	577-11-7	1-5	*
D-Limonene	5989-27-5	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a

physician.

Skin Contact None normally required. Material is designed for skin cleansing. Get medical attention if

irritation develops and/or persists.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Not an expected route of exposure. If large quantities of this material are swallowed, call a

physician immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Not expected to give rise to an acute hazard under normal condition of use.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical. Carbon dioxide (CO₂). Foam. Water spray or fog.

WPS-ITW-002 - SCRUBS® In-A-Bucket

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

None in particular

Hazardous Combustion Products Carbon dioxide (CO₂). Carbon monoxide. Hydrocarbons. Hydrogen sulfide. Sulfur dioxide.

Soot.

Explosion Data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

Use water spray to cool surrounding containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment.

Environmental Precautions

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. Avoid release to the

environment. See Section 12 for additional Ecological Information Dispose of

contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Small spillage: Wipe up with absorbent material (e.g. cloth, fleece). Large spillage: Use a

non-combustible material like vermiculite, sand or earth to soak up the product and place

into a container for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Avoid contact with eyes. Do not smoke. Handle in accordance with good industrial hygiene

and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Keep container closed when not in use. Keep container tightly closed in a dry and

well-ventilated place. Keep away from heat and sources of ignition. Do not contaminate

food or feed stuffs. Keep out of the reach of children.

Incompatible Products Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure limits

established by the region specific regulatory bodies.

Appropriate engineering controls

Revision Date 31-Mar-2015

Engineering Measures Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required. **Skin and Body Protection** No special protective equipment required.

Respiratory Protection None required under normal usage. If exposure limits are exceeded or irritation is

experienced, NIOSH/MSHA approved respiratory protection should be worn.

None known

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid **Appearance** Colorless-blue/white **Odor Threshold** Odor Citrus No information available

Property Values Remarks/ - Method На None known Melting Point/Range No data available None known 212 °F **Boiling Point/Boiling Range** None known Flash Point No data available None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air

upper flammability limit No data available lower flammability limit No data available **Vapor Pressure** No data available **Vapor Density**

None known **Relative Density** No data available None known **Specific Gravity** 0.995 None known **Water Solubility** Miscible with water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/waterNo data available None known **Autoignition Temperature** No data available None known

Decomposition Temperature No data available None known **Viscosity** No data available None known

Flammable Properties Not flammable

Explosive Properties No data available **Oxidizing Properties** No data available

Other information

VOC Content (%) 0%

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Incompatible products.

Incompatible materials

Strong oxidizing agents. Strong acids.

Hazardous decomposition products

Carbon dioxide (CO₂). Carbon monoxide (CO). Hydrocarbons. Hydrogen sulfide. Sulfur dioxide. Soot.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Ingestion

InhalationNot an expected route of exposureEye ContactContact with eyes may cause irritation.Skin ContactMay cause mild skin irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

Carcinogenicity Contains no ingredients above reportable quantities listed as a carcinogen.

Not an expected route of exposure.

Chemical Name	ACGIH	IARC	NTP	OSHA
D-Limonene		Group 3	-	-

IARC: (International Agency for Research on Cancer)
Group 3: Not Classifiable as to its Carcinogenicity to Humans

Reproductive ToxicityThis product does not contain any known or suspected reproductive hazards.

STOT - single exposure None of the ingredients are known to cause specific target organ effects from a single

exposure.

STOT - repeated exposure None of the ingredients are known to cause specific target organ effects through prolonged

or repeated exposure.

Aspiration Hazard None of the ingredients are known to be an aspiration hazard.

Numerical measures of toxicity - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral42888mg/kg; Acute toxicity estimateLD50 Dermal329859mg/kg; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
			Microorganisms	Flea)

Isoparaffinic Hydrocarbon		LC50 96 h: = 45 mg/L		LC50 96 h: = 4720 mg/L
64742-47-8		flow-through (Pimephales		(Den-dronereides
		promelas) LC50 96 h: = 2.2		heteropoda)
		mg/L static (Lepomis		
		macrochirus) LC50 96 h: =		
		2.4 mg/L static		
		(Oncorhynchus mykiss)		
Diethylhexyl sodium		LC50 96 h: 20 - 40 mg/L		EC50 48 h: = 36 mg/L
sulfosuccinate		semi-static (Oncorhynchus		(Daphnia magna)
577-11-7		mykiss) LC50 96 h: < 24		
		mg/L static (Oncorhynchus		
		mykiss) LC50 96 h: = 37		
		mg/L static (Lepomis		
		macrochirus)		
D-Limonene		LC50 96 h: 0.619 - 0.796		
5989-27-5		mg/L flow-through		
		(Pimephales promelas) LC50		
		96 h: = 35 mg/L		
		(Oncorhynchus mykiss)		
Dimethyl glutarate		LC50 96 h: 19.6-26.2 mg/L		EC50 48 h: 122.1 - 163.5
1119-40-0		static (Pimephales promelas)		mg/L (Daphnia magna)
1,3-Propanediol,	EC50 72 h: > 1000 mg/L	LC50 96 h: > 1000 mg/L		EC50 24 h: > 1000 mg/L
2,2-dimethyl-	(Pseudokirchneriella	semi-static (Oryzias latipes)		(Daphnia magna)
	`	semi-static (Oryzias latipes)		(Daprinia magna)
126-30-7	subcapitata)			
	EC50 72 h: > 500 mg/L			
	(Desmodesmus subspicatus)			
Isopropyl myristate	EC50 72 h: > 100 mg/L	LC50 96 h: = 8400 mg/L	=	EC50 48 h: = 100 mg/L
110-27-0	(Desmodesmus subspicatus)	(Brachydanio rerio)		(Daphnia magna)
	,	LC50 96 h: = 8400 mg/L		(3, 3 3,
		semi-static (Brachydanio		
O. Diversional theory	F050 70 h	rerio)	F050 00 4 mm/l 5 min	F0F0 40 h
2-Phenoxyethanol	EC50 72 h: > 500 mg/L	LC50 96 h: 337 - 352 mg/L	EC50 = 32.4 mg/L 5 min	EC50 48 h: > 500 mg/L
122-99-6	(Desmodesmus subspicatus)	flow-through (Pimephales	EC50 = 880 mg/L 17 h	(Daphnia magna)
		promelas) LC50 96 h: = 366		
		mg/L static (Pimephales		
		mg/L static (Pimephales		
		mg/L static (Pimephales promelas) LC50 96 h: 220 -		
		mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus		
Propylone glycel	EC50.06 b; = 10000 mg/l	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus)	EC50 - 710 mg/l 20 min	EC50 24 b: > 10000 mg/l
Propylene glycol	EC50 96 h: = 19000 mg/L	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L	EC50 = 710 mg/L 30 min	EC50 24 h: > 10000 mg/L
Propylene glycol 57-55-6	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48
., .,		mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
., .,	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static
57-55-6	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
57-55-6 Glycerin	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
57-55-6	(Pseudokirchneriella	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
57-55-6 Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
57-55-6 Glycerin	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
57-55-6 Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)
Glycerin 56-81-5	(Pseudokirchneriella subcapitata) -	mg/L static (Pimephales promelas) LC50 96 h: 220 - 460 mg/L static (Leuciscus idus) LC50 96 h: = 51600 mg/L static (Oncorhynchus mykiss) LC50 96 h: 41 - 47 mL/L static (Oncorhynchus mykiss) LC50 96 h: = 51400 mg/L static (Pimephales promelas) LC50 96 h: = 710 mg/L (Pimephales promelas) LC50 96 h: 51 - 57 mL/L static (Oncorhynchus mykiss) LC50 96 h: 0.049-0.079 mg/L flow-through (Oncorhynchus mykiss) LC50 96 h: 0.05-0.089 mg/L (Oncorhynchus mykiss) LC50 96 h: 0.14-0.32 mg/L flow-through (Lepomis macrochirus)	EC50 = 710 mg/L 30 min	(Daphnia magna) EC50 48 h: > 1000 mg/L Static (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
D-Limonene D-Limonene	Toxic

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory. All components of this product are either listed or are exempt on the TSCA inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Brancaition CE

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION						
NFPA	Health Hazard	1	Flammability	0	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard	1	Flammability	0	Physical Hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date13-Sep-2013Revision Date31-Mar-2015Revision NoteInitial Release.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet