

Version: 1.1 Revision Date: 11/16/2020

# SAFETY DATA SHEET

## 1. Identification

Product identifier: BASEBOARD STRIPPER - HIL0113355

Other means of identification SDS number: RE1000025355

Recommended restrictions Recommended use: Cleaner Restrictions on use: Not known.

## **Manufacturer Information**

Manufacturer	
Company Name:	HILLYARD INC
Address:	302 North 4th Street
	St. Joseph,MO 64501
Telephone:	1-816-383-8285

Emergency telephone number: 1-866-836-8855

## 2. Hazard(s) identification

## **Hazard Classification**

Physical Hazards	
Flammable aerosol Gases under pressure	Category 1 Liquefied gas
Health Hazards	

## Skin Corrosion/IrritationCategory 2Serious Eye Damage/Eye IrritationCategory 2A

## **Label Elements**

## Hazard Symbol:



Signal Word:

Danger

Hazard Statement:

Extremely flammable aerosol. Causes skin irritation. Causes serious eye irritation. Contains gas under pressure; may explode if heated.



Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation occurs: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Hazard(s) not otherwise classified (HNOC):	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Ethanol, 2-butoxy-	111-76-2	10 - <25%
Butane	106-97-8	5 - <10%
Propane	74-98-6	1 - <5%
A A H		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures		
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.	
Inhalation:	Move to fresh air.	
Skin Contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. Get medical attention.	
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.	
Most important symptoms/effects, acute and delayed		
Symptoms:	No data available.	
Hazards:	No data available.	
Indication of immediate medical attention and special treatment needed		
Treatment:	No data available.	



## 5. Fire-fighting measures

General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.
Suitable (and unsuitable) extingu	uishing media
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.
Special protective equipment an	d precautions for firefighters
Special fire fighting procedures:	No data available.
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
6. Accidental release measure	s
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	
Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1



## 8. Exposure controls/personal protection

## **Control Parameters**

## **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure	Limit Values	Source
Ethanol, 2-butoxy-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	REL	5 ppm	24 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	50 ppm	240 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	25 ppm	120 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Sodium hydroxide (Na(OH))	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)
	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values, as amended (2008)
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values, as amended (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended (1989)
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended (2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended (02 2006)

## **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
Ethanol, 2-butoxy- (Butoxyacetic acid (BAA), with hydrolysis: Sampling time: End of shift.)	200 mg/g (Creatinine in urine)	ACGIH BEL (03 2013)

## Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).

SDS\_US - RE1000025355



Skin Protection Hand Protection:	No data available.
Other:	Wear suitable protective clothing. Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Observe good industrial hygiene practices. Avoid contact with eyes. When using do not smoke. Wash contaminated clothing before reuse. Avoid contact with skin. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

Appearance		
Physical state:	liquid	
Form:	Spray Aerosol	
Color:	No data available.	
Odor:	No data available.	
Odor threshold:	No data available.	
pH:	No data available.	
Melting point/freezing point:	No data available.	
Initial boiling point and boiling range:	No data available.	
Flash Point:	Estimated -104.44 °C	
Evaporation rate:	No data available.	
Flammability (solid, gas):	No data available.	
Upper/lower limit on flammability or explosive limits		
Flammability limit - upper (%):	Estimated 9.5 %(V)	
Flammability limit - lower (%):	Estimated 1.9 %(V)	
Explosive limit - upper (%):	No data available.	
Explosive limit - lower (%):	No data available.	
Vapor pressure:	2,757 - 4,136 hPa (20 °C)	
Vapor density:	No data available.	
Density:	No data available.	
Relative density:	No data available.	
Solubility(ies)		
Solubility in water:	No data available.	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/water):	No data available.	
Auto-ignition temperature:	No data available.	
Decomposition temperature:	No data available.	
Viscosity:	No data available.	

## 10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.



Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

## Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

## Information on toxicological effects

## Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix: 7,591.3 mg/kg
Dermal Product:	ATEmix: 4,608.7 mg/kg
Inhalation Product:	ATEmix: 86.96 mg/l ATEmix : 21.74 mg/l
Repeated dose toxicity Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	NOAEL (Rat(Female), Inhalation, 2 yr): < 31 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female), Oral, 90 d): < 82 mg/kg Oral Experimental result, Key study NOAEL (Rabbit(Female, Male), Dermal, 90 d): > 150 mg/kg Dermal
Butane	Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study



Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study	
Skin Corrosion/Irritation Product:	No data available.	
Specified substance(s): Ethanol, 2-butoxy-	in vivo (Rabbit): Irritating Experimental result, Key study	
Serious Eye Damage/Eye Irritation Product:	on No data available.	
Specified substance(s): Ethanol, 2-butoxy-	Rabbit, 24 - 72 hrs: Irritating	
Respiratory or Skin Sensitization Product:	n No data available.	
<b>Specified substance(s):</b> Ethanol, 2-butoxy-	Skin sensitization:, in vivo (Guinea pig): Non sensitising	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evalua No carcinogenic components	tion of Carcinogenic Risks to Humans: s identified	
US. National Toxicology Program No carcinogenic components		
US. OSHA Specifically Regulated No carcinogenic components	d Substances (29 CFR 1910.1001-1050), as amended: s identified	
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Product:	Single Exposure No data available.	
Specific Target Organ Toxicity - Repeated Exposure Product:No data available.		
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	



## 12. Ecological information

## Ecotoxicity:

## Acute hazards to the aquatic environment:

Fish Product:	No data available.
<b>Specified substance(s):</b> Ethanol, 2-butoxy-	LC 50 (Oncorhynchus mykiss, 96 h): 1,474 mg/l Experimental result, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/I QSAR QSAR, Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	EC 50 (Daphnia magna, 48 h): 1,550 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	NOAEL (Danio rerio): > 100 mg/l Experimental result, Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): Ethanol, 2-butoxy-	EC 10 (Daphnia magna): 134 mg/l Experimental result, Key study EC 50 (Daphnia magna): 297 mg/l Experimental result, Key study
Toxicity to Aquatic Plants Product:	No data available.
Persistence and Degradability	
Biodegradation Product:	No data available.
<b>Specified substance(s):</b> Ethanol, 2-butoxy-	90.4 % Detected in water. Experimental result, Key study
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
BOD/COD Ratio Product:	No data available.



Bioaccumulative potential Bioconcentration Factor ( Product:	BCF) No data available.	
Partition Coefficient n-octanol	(water (log Kow)	
Product:	No data available.	
Mobility in soil:	No data available.	
Known or predicted distribution to environmental compartments		
Ethanol, 2-butoxy-	No data available.	
Butane	No data available.	
Propane	No data available.	
Other adverse effects:	No data available.	
13. Disposal considerations		
Disposal instructions:	Wash before disposal. Dispose to controlled facilities.	
Contaminated Packaging:	No data available.	
14. Transport information		

UN 1950
Aerosols, flammable
2.1
-
-
No
No
No Not regulated
Not regulated.
UN 1950
Aerosols, flammable
2
-
_
No
No
Not regulated.
UN 1950
Aerosols, flammable
0.4
2.1
-
-
No
No
Not regulated.



## 15. Regulatory information

### **US Federal Regulations**

Restrictions on use: Not known.

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended

None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Butane	lbs. 100
Propane	lbs. 100
Sodium hydroxide (Na(OH))	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### **Hazard categories**

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation

## SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

#### SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
Ethanol, 2-butoxy-	
Butane	lbs. 100
Propane	lbs. 100
Sodium hydroxide (Na(OH))	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

## SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Ethanol, 2-butoxy-	10000 lbs
Butane	10000 lbs
Propane	10000 lbs
Oils, pine	10000 lbs
Sodium hydroxide (Na(OH))	10000 lbs
Ammonium hydroxide ((NH4)(OH))	10000 lbs

#### SARA 313 (TRI Reporting)

	Reporting threshold	Reporting threshold for
Chemical Identity	for other users	manufacturing and processing
Ethanol, 2-butoxy-	N230 lbs	N230 lbs.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

#### Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

#### **US State Regulations**

#### US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.



US. New Jersey Worker and Community Right-to-Know Act <u>Chemical Identity</u> Ethanol, 2-butoxy-Butane Propane

US. Massachusetts RTK - Substance List <u>Chemical Identity</u> Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

US. Pennsylvania RTK - Hazardous Substances <u>Chemical Identity</u> Ethanol, 2-butoxy-Butane Propane

US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

Montreal protocol Not applicable

Stockholm convention Not applicable

Rotterdam convention Not applicable

Kyoto protocol Not applicable

#### Inventory Status:

EINEČS, ELINCS or NLP:

Japan (ENCS) List:

Canada NDSL Inventory:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:

Mexico INSQ:

Ontario Inventory:

Taiwan Chemical Substance Inventory:

Australia AICS:

Canada DSL Inventory List:

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

Not in compliance with the inventory. On or in compliance with the inventory On or in compliance with the inventory



## 16.Other information, including date of preparation or last revision

Issue Date:	11/16/2020
Revision Information:	No data available.
Version #:	1.1
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.