Versi 1.3	on	Revision Date: 02/10/2015		SDS Number: 606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014	
SECI	FION 1.	. IDENTIFICATION				
F	Product name		:	HILLYARD® GREEN SELECT® Foam Soap		
F	Product	t code	:	HIL0124703; HIL0	0125703; HIL0124803; HIL0124903	
Г (/ / / / / / / / / / / / / / / / / /////	Product code Manufacturer or supplier's of Company name of supplier Address Telephone Emergency telephone Recommended use of the c Recommended use Restrictions on use		deta : : :	HILLYARD INDUS 302 North Fourth St. Joseph, MO 6 1-816-233-1321 E 1-800-424-9300 hical and restriction Skin-care This is a personal consumers and of foreseeable use.	STRIES, INC. Street 34501 EXT 8285	
				While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of intended-use guid	equirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element	
Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	: Prevention:
	1 / 11

Version	Revision Date:	MSDS Number:	Date of last issue: 01/08/2015
1.3	02/10/2015	30606-00004	Date of first issue: 11/19/2014
		P280 Wear eye Response: P305 + P351 + for several minu to do. Continue	n thoroughly after handling. protection/ face protection. P338 IF IN EYES: Rinse cautiously with water ites. Remove contact lenses, if present and easy rinsing. eye irritation persists: Get medical advice/

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	68585-34-2	>= 1 - < 5
Cocoamidopropyl betaine	61789-40-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek med advice. 	ical
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of w for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 	ater
If swallowed	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 	
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.	
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended personal protective equipment when the potential for exposure exists.	

Version 1.3	Revision Date: 02/10/2015		SDS Number: 606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014		
Note	Notes to physician		: Treat symptomatically and supportively.			
SECTION	N 5. FIRE-FIGHTING ME	ASL	JRES			
Suita	able extinguishing media	:	Water spray Alcohol-resistant Dry chemical Carbon dioxide (
Unsi med	uitable extinguishing ia	:	None known.			
Spec fight	cific hazards during fire	:	Exposure to com	bustion products may be a hazard to health.		
Haza ucts	ardous combustion prod-	:	Sulfur oxides Carbon oxides Metal oxides Nitrogen oxides	(NOx)		
Spec meth	cific extinguishing nods	:	circumstances a Use water spray	g measures that are appropriate to local nd the surrounding environment. to cool unopened containers. aged containers from fire area if it is safe to do		
	cial protective equipment re-fighters	:		e, wear self-contained breathing apparatus. Detective equipment.		

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

Version 1.3	Revision Date: 02/10/2015		SDS Number: 606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014	
		employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.		regulations are applicable. I5 of this SDS provide information regarding	
SECTION	7. HANDLING AND ST	OR	AGE		
Techr	nical measures	:		measures under EXPOSURE SONAL PROTECTION section.	
Local/Total ventilation		:	Use only with adequate ventilation.		
Advice on safe handling		:	 Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and sat practice. Take care to prevent spills, waste and minimize release to environment. 		
Condi	itions for safe storage	:		abeled containers. ce with the particular national regulations.	
Materials to avoid		:	Do not store with Strong oxidizing a	the following product types: agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.
Alcohols, C10-16, ethoxylated,	68585-34-2
sulfates, sodium salts	
Cocoamidopropyl betaine	61789-40-0
Engineering measures	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
Personal protective equipmen	t
Respiratory protection	 No personal respiratory protective equipment normally required.
Hand protection Material	: Impervious gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
		For special appl resistance to ch gloves with the	mined for the product. Change gloves often! ications, we recommend clarifying the emicals of the aforementioned protective glove manufacturer. Wash hands before ie end of workday.
Eye protection		: Wear the followi Safety goggles	ng personal protective equipment:
Skin and body protection		resistance data potential. Skin contact mu	ate protective clothing based on chemical and an assessment of the local exposure st be avoided by using impervious protective , aprons, boots, etc).
Hygiene measures		located close to When using do	flushing systems and safety showers are the working place. not eat, drink or smoke. ated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: clear, Colorless to pale yellow
Odor	: soapy
Odor Threshold	: No data available
рН	: 4.7 - 6.2
Melting point/freezing point	: No data available
Solidification / Setting point	2.4 °C
Initial boiling point and boiling range	: 100 °C
Flash point	: >100 °C
Flash point Evaporation rate	: > 100 °C : No data available
·	
Evaporation rate	: No data available
Evaporation rate Flammability (solid, gas)	No data availableNot applicable
Evaporation rate Flammability (solid, gas) Upper explosion limit	No data availableNot applicableNo data available
Evaporation rate Flammability (solid, gas) Upper explosion limit Lower explosion limit	 No data available Not applicable No data available No data available
Evaporation rate Flammability (solid, gas) Upper explosion limit Lower explosion limit Vapor pressure	 No data available Not applicable No data available No data available No data available

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
	ility(ies) ater solubility	: soluble	
Partition coefficient: n- octanol/water		: Not applicable	
Autoi	gnition temperature	: No data availa	ble
Deco	mposition temperature	: The substance	or mixture is not classified self-reactive.
Visco Vis	sity cosity, kinematic	: 10 - 20 mm2/s	(20 °C)
Explo	sive properties	: Not explosive	
Oxidi	zing properties	: The substance	or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes o Inhalation Skin contact Ingestion Eye contact	of exposure
Acute toxicity	
Not classified based on availab	le information.
Ingredients: Alcohols, C10-16, ethoxylated Acute oral toxicity	 d, sulfates, sodium salts: LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocoamidopropyl betaine: Acute oral toxicity	: LD50: > 5,000 mg/kg
	6 / 11

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
			Test Guideline 401 I on data from similar materials
Acut	e dermal toxicity	Assessment: Th toxicity	000 mg/kg Test Guideline 402 e substance or mixture has no acute dermal d on data from similar materials
Skin	corrosion/irritation		
Not o	classified based on ava	ilable information.	
<u>Proc</u> Resu	luct: Ilt: No skin irritation		
Alco	edients: hols, C10-16, ethoxyl ılt: Skin irritation	ated, sulfates, sodium	n salts:
	ous eye damage/eye i ses serious eye irritatio		
<u>Proc</u> Resu	luct: Ilt: Irritation to eyes, re	versing within 21 days	
Alco	edients: hols, C10-16, ethoxyl ılt: Irreversible effects o	ated, sulfates, sodium on the eye	n salts:
Spec Resu Meth	Damidopropyl betaine bies: Rabbit ult: Irreversible effects of od: OECD Test Guidel arks: Based on data fro	on the eye line 405	
Skin		tization sified based on availabl ot classified based on a	
Proc	-		
Coc Test Rout Spec Rest	edients: coamidopropyl betaine Type: Maximization Te es of exposure: Skin co sies: Guinea pig ult: negative arks: Based on data fro	est (GPMT) ontact	

ersion 3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Germ	cell mutagenicity		
Not cl	assified based on availa	ble information.	
Ingree	dients:		
	amidopropyl betaine: toxicity in vitro	Method: OECD Result: negative	terial reverse mutation assay (AMES) Test Guideline 471 e d on data from similar materials
Genot	toxicity in vivo	cytogenetic ass Species: Mouse Application Rou Result: negative	e ite: Ingestion
Carci	nogenicity		
	assified based on availa	No ingredient of th	his product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSH	A		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinogen
-	oductive toxicity assified based on availa	ble information.	
Ingree	dients:		
	amidopropyl betaine: s on fetal development	Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414
	-single exposure assified based on availa	ble information.	
	-repeated exposure		
	assified based on availa	ble information.	
Repea	ated dose toxicity		
-	dients:		
	amidopropyl betaine: es: Rat		
		8 / 11	

/ersion I.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Applic Expos Metho	EL: 250 mg/kg cation Route: Ingestion sure time: 90 d od: OECD Test Guidelir ırks: Based on data fror		
Aspir	ation toxicity		
Not cl	assified based on avail	able information.	
ECTION	12. ECOLOGICAL INF	ORMATION	
Ecoto	oxicity		
Сосо	dients: amidopropyl betaine: ty to fish	: LC50: > 1 - 10 Exposure time: Method: ISO 73 Remarks: Base	96 h
Toxici	ty to bacteria		g/l Test Guideline 209 d on data from similar materials
Persi	stence and degradabi	lity	
Ingre	dients:		
	iols, C10-16, ethoxyla gradability	ted, sulfates, sodiur : Result: Readily	
	amidopropyl betaine: gradability		: > 60 %
	cumulative potential ta available		
	ity in soil ta available		
••	adverse effects ta available		

Disposal methods

Waste from residues

: Dispose of in accordance with local regulations.

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Contai	minated packaging		nused product. rs should be taken to an approved waste r recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.


SARA 311/312	Hazards	:	Acute Health Hazard		
SARA 302		:	No chemicals in this materi requirements of SARA Title	•	reporting
SARA 313		:	This material does not cont known CAS numbers that e reporting levels established	exceed the threshold	d (De Minimis)
US State Regu	llations				
Pennsylvania Right To Know					
	Water			7732-18-5	90 - 100 %
New Jersey Ri	ght To Know				
-	Water			7732-18-5	90 - 100 %
	Alcohols, C10-2 sodium salts	16	6, ethoxylated, sulfates,	68585-34-2	1 - 5 %
	Cocoamidoprop	ру	/l betaine	61789-40-0	1 - 5 %

Version 1.3	Revision Date: 02/10/2015	MSDS Number: 30606-00004	Date of last issue: 01/08/2015 Date of first issue: 11/19/2014
Califo	ornia Prop 65		pes not contain any chemicals known to the nia to cause cancer, birth, or any other efects.
The ir	ngredients of this pr	oduct are reported in	the following inventories:
AICS		: All ingredients	listed or exempt.
Inven	tories		

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





5	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8