HILLYARD The Cleaning Resource*

SAFETY DATA SHEET

1. Identification

Product identifier OXYGEN BLEACH 68

Other means of identification

SDS number 209

Product code HIL03030

Recommended use Concentrated Laundry Performance Booster

Recommended restrictions For Labeled Use Only **Manufacturer/Importer/Supplier/Distributor information**

Manufacturer

Company nameHILLYARD INDUSTRIESAddress302 North Fourth St.

St. Joseph, MO 64501

Contact person Regulatory Affairs

Telephone number (816) 233-1321 (Ext. 8285)

Fax (816) 383-8485

E-mail regulatoryaffairs@hillyard.com

Emergency telephone # (800) 424-9300

(Only in the event of chemical emergency involving a spill, leak, fire, exposure or

accident involving chemicals)

2. Hazard(s) identification

Physical hazardsOxidizing liquidsCategory 3Health hazardsAcute toxicity, oralCategory 4Skin corrosion/irritationCategory 1ASerious eye damage/eye irritationCategory 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May intensify fire; oxidizer. Harmful if swallowed. May

cause respiratory irritation. Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin

thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take any precaution to avoid mixing with combustibles. Keep/Store away from clothing/combustible materials. Do not eat, drink or smoke when using this product. Use only in well ventilated area.

Material name: OXYGEN BLEACH 68 SDS US

Immediately call a POISON CENTER or doctor/physician. IF IN EYES: Rinse cautiously with Response

> water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a poison center/doctor if you feel unwell. In case of fire: Use

CO2, dry chemical, or foam for extinction.

Storage Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Disposal Dispose of contents/container to an approved waste disposal plant.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Hydrogen Peroxide		7722-84-1	<20
Water		7732-18-5	_

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. For breathing

difficulties, oxygen may be necessary. If victim is not breathing, administer CPR. If individual

experiences nausea, headache, or dizziness, get immediate medical attention.

Flush with water for 15 minutes. If irritation persists after rinsing, get medical attention. Take off Skin contact

contaminated clothing and wash before reuse.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Eye contact

Continue rinsing. Get medical attention if irritation develops and persists.

If swallowed, do NOT induce vomiting. Have victim rinse mouth thoroughly with water. If Ingestion

swallowed, rinse mouth with water (only if the person is conscious). Call a physician or poison control center immediately. Never give anything by mouth to a semi-comatose, comatose,

Corrosive to eyes, nose, throat and lungs. May cause irreversible tissue damage to the eyes

convulsing or unconscious person.

including blindness. Skin irritation.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically.

Do not get in eyes, on skin, or on clothing. If symptoms persist, call a physician. Do not breathe

gas/fumes/vapor/spray.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

Oxidizer. Hydrogen peroxide itself is noncombustible. On decomposition, it releases oxygen which may support combustion or intensify a fire. Oxidizing materials may cause spontaneous ignition

with combustible materials. Contact with flammables may cause fire or explosion. Risk of explosion if heated under confinement. Sealed containers may rupture when heated. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards May intensify fire; oxidizer. Contact with combustible material may cause fire.

Material name: OXYGEN BLEACH 68

SDS US HIL03030 Version #: 01 Issue date: 11-09-2017

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Ensure adequate ventilation. Wear appropriate protective equipment and clothing during clean-up. Keep people away from and upwind of spill/leak. Local authorities should be advised if significant spillages cannot be contained.

Use water spray to reduce vapors or divert vapor cloud drift. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Keep away from heat. Take any precaution to avoid mixing with combustibles. Keep away from clothing and other combustible materials. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Operate and store in cool, well-ventilated area. Keep away from heat sources. Keep away from incompatible products. Prevent all contact with organics and combustible substances. Use equipment and containers which are compatible with the substance. Before all operations, passivate the piping circuits and vessels. Never return unused product to storage container. Containers and equipment used to handle hydrogen peroxide should be used exclusively for hydrogen peroxide. Hydrogen peroxide should not be stored in an unvented container. Keep in original container, closed. Provide containment for storage of the package. Regularly check condition and temperature of containers. Ensure adequate supply of water in the event of an accident.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
Hydrogen Peroxide (CAS 7722-84-1)	PEL	1.4 mg/m3	
·		1 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1 ppm	
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
Hydrogen Peroxide (CAS 7722-84-1)	TWA	1.4 mg/m3	
•		1 ppm	

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Chemical resistant gloves.

Other Wear suitable protective clothing. Chemical resistant gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with

current local regulations.

Thermal hazards None known.

General hygiene Keep from contact with clothing and other combustible materials. Remove and wash contaminated considerations clothing promptly. Keep away from food and drink. Always observe good personal hygiene

clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Clear, colorless liquid

Liquid. Physical state **Form** Liquid. Color Colorless Odor Slight pungent. Odor threshold Not available. 5 - 6 (1% Solution) Ηq Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.07 at 77°F

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 8.91 lbs/gal **Explosive properties** Not explosive.

Oxidizing properties May intensify fire; oxidizer.

Percent volatile Not available
VOC Not available

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Heat. Contact with incompatible materials.

Incompatible materials

Acids. Bases. Metals. Salts of metals. Reducing agents. Organic Materials Combustible material.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Harmful if swallowed. Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if swallowed.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrogen Peroxide (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Material name: OXYGEN BLEACH 68

SDS US

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN2984 **UN number**

UN proper shipping name Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent

hydrogen peroxide (stabilized as necessary), Limited Quantity

Transport hazard class(es)

Class 5.1 Subsidiary risk 5.1 Label(s) Packing group Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

A1, IB2, IP5, T4, TP1, TP6, TP24, TP37 Special provisions

Packaging exceptions 203 Packaging non bulk Packaging bulk 243

PACKAGES 1 GALLON AND SMALLER ARE SHIPPED LIMITED QUANTITY OR ORM-D

IATA

UN2984 **UN** number

UN proper shipping name Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent

hydrogen peroxide (stabilized as necessary)

Transport hazard class(es)

Class 5.1 Subsidiary risk Label(s) 5.1 **Packing group** Ш **Environmental hazards** No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN2984 **UN number**

UN proper shipping name Hydrogen peroxide, aqueous solutions with not less than 8 percent but less than 20 percent

hydrogen peroxide (stabilized as necessary)

Transport hazard class(es)

Class 5.1 Subsidiary risk 5.1 Label(s) Packing group Ш **Environmental hazards**

> Marine pollutant No.

Not available. FmS

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Not established.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: OXYGEN BLEACH 68 HIL03030 Version #: 01 Issue date: 11-09-2017

IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Hydrogen Peroxide (CAS 7722-84-1) 1000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

> Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

> > 1000

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
				(pourius)	(pourids)

1000

7722-84-1 Hydrogen Peroxide

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Safe Drinking Water Act

Material name: OXYGEN BLEACH 68

(SDWA)

Not regulated.

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material **US** state regulations is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

Australia Australian Inventory of Chemical Substances (AICS)

> Domestic Substances List (DSL) Yes

Canada

Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes

European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes **Philippines** Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information, including date of preparation or last revision

Issue date 11-09-2017

Version #

HMIS® ratings Health: 3

Flammability: 0 Physical hazard: 1

Disclaimer No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Material name: OXYGEN BLEACH 68 SDS US

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).