

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION 1

Product Name: Aquamate Granular Chlorinator for Swimming Pools, Private Brand Cal Hypo Granular.
Product ID: 4500
Synonyms: Calcium Hypochlorite Granular
Chemical Family: Hypochlorite
Revised Date: 06-09-2015
Type of Product and Use: Sanitizer and Oxidizer swimming pool water treatment chemical
Supplier: Arch Chemicals, Inc
 1200 Bluegrass Parkway
 Alpharetta, GA 30004
 800-654-6911
Emergency Telephone: CHEMTREC 800-424-9300
Packaged By: Baleco Int'l Inc.
 PO Box 11331
 Cincinnati, OH 45211
 513-353-3000

SECTION 2 HAZARDS IDENTIFICATION 2

GHS Classification
 Oxidizing Solids: Category 2
 Acute Toxicity (Oral): Category 4
 Skin corrosion: Category 1B
 Serious eye damage: Category 1
 Specific target organ toxicity: Category 3
 Single exposure:

**GHS Label element
 Hazard Pictograms**



Signal Word: Danger

Hazard statements:
 H272 May intensify fire: oxidizer.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H331 Toxic if inhaled.
 H335 May cause respiratory irritation.

Precautionary Statements:
Prevention:
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P220 Keep/Store away from clothing/ combustible materials.
 P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe vapours.
 P264 Wash hands thoroughly after handling.
 P270 Do not eat, drink or smoke when handling this product.
 P271 Use only outdoors or in a well-ventilated area.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if You feel unwell.
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P 353 IF ON SKIN (or hair): Remove/ Take off immediately all Contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a Position comfortable for breathing.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or doctor/ physician.
 P363 Wash contaminated clothing before reuse.
 P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical Or carbon dioxide to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal:

P501 Dispose of contents/ container in accordance with local regulation.

Other hazards: None known.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS 3

CAS OR CHEMICAL NAME	CAS NO.	%RANGE
CALCIUM HYPOCHLORITE	7778-54-3	60 – 80
SODIUM CHLORIDE	7647-14-5	10 – 20
CALCIUM CHLORATE	10137-74-3	0 – 5
CALCIUM CHLORIDE	10043-52-4	0 - 5
CALCIUM HYDROXIDE	1305-62-0	0 – 4
CALCIUM CARBONATE	471-34-1	0 – 5
Water	7732-18-5	5.5 – 10

SECTION 4 FIRST AID MEASURES 4

General Advice: Call a poison control center or doctor for treatment advice. For 24-hour emergency Medical assistance, call Chemtrec at 1-800-424-9300. Have the product container or Label with you when calling a poison control center or doctor, or going for treatment.

Inhalation: IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an Ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Skin Contact: IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately With plenty of water for 15 – 20 minutes. Call a poison control center or doctor for Treatment advice.

Eye Contact: IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call A poison control center or doctor for treatment advice.

Ingestion: IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice.

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to Do so by a poison control center or doctor. Do not give anything by mouth to an Unconscious person.

Notes to Physician:

Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5

FIRE-FIGHTING MEASURES

5

Flammability Summary (OSHA): This product is chemically reactive with many substances. Any contamination of the product with other substances by spill or otherwise may result in a chemical reaction and fire. This product is a strong oxidizer which is capable of intensifying a fire once started. Product is not known to be flammable, combustible or pyrophoric.

Flammable Properties

Flash Point:

Not applicable

Auto ignition Temperature:

Not applicable

Fire Fighting Instructions:

Extinguishing Media: Water only. Do not use dry extinguishers containing ammonium compounds.

Use water to cool containers exposed to fire. See Section 6 for protective equipment for fire fighting.

Upper Flammable / Explosive Limit,
% in air:

Not applicable

Lower Flammable / Explosive Limit,
% in air:

Not applicable

SECTION 6

ACCIDENTAL RELEASE MEASURES

6

**Personal Protection for
Emergency Situations:**

Response to a large quantity spill (100 pounds or greater) or when dusting or decomposition gas exposure could occur requires the use of a positive pressure full face supplied air respirator or self contained breathing apparatus (SCBA), chemical resistant gloves, coveralls and boots. In case of fire, this personal protective equipment should be used in addition to normal fire fighter equipment.

Spill Mitigation Procedures

Air Release:

Vapors may be suppressed by the use of water fog. All water utilized to assist in fume suppression, decontamination or fire suppression may be contaminated and must be contained before disposal and/or treatment.

Water Release:

This product is heavier than water. This material is soluble in water. Monitor all exit water for available chlorine and pH. Advise local authorities of any contaminated water release.

Land Release:

Contact 1-800-654-6911 immediately. DANGER: All spills of this product should be treated as contaminated. Contaminated product may initiate a chemical reaction that may spontaneously ignite any combustible material present, resulting in a fire of great intensity. In case of a spill, separate all spilled product from packaging, debris and other material. Using a clean broom or shovel, place all spilled product into plastic bags, and place those bags into a clean, dry disposal container, properly marked and labeled. Disposal containers made of plastic or metal are recommended. Do not seal disposal containers tightly. Immediately remove all product in disposal containers to an isolated area outdoors. Place all damaged packaging material in a disposal container of water to assure decontamination (i.e. removal of all product) before disposal. Place all undamaged packaging in a clean, dry container properly marked and labeled. Call for disposal procedures.

Additional Spill Information:

Hazardous concentrations in air may be found in local spill area and immediately downwind. Remove all sources of ignition. Stop source of spill as soon as possible and notify appropriate personnel. Dispose of spill residues

per guidelines under Section 13, Disposal Consideration. This material may be neutralized for disposal; you are requested to contact Arch Chemicals at 1-800-654-6911 before beginning any such procedure. FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEMTREC: 1-800-424-9300 REPORTABLE QUANTITY: 10 lbs. (as calcium hypochlorite) per 40 CFR 302.4.

SECTION 7

HANDLING AND STORAGE

7

- Handling:** Avoid inhalation of dust and fumes. Do not take internally. Avoid contact with skin, eyes and clothing. Upon contact with skin or eyes, wash off with water. Remove contaminated clothing and wash before reuse.
- Storage:** Keep product tightly sealed in original containers. Store product in a cool, dry, well-ventilated area. Store away from combustible or flammable products. Keep product packaging clean and free of all contamination, including, e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc.
- Shelf Life Limitations:** Do not store product where the average daily temperature exceeds 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products. Shelf life (that is, the period of time before the product goes below stated label strength) is determined by storage time and temperatures. Store in a cool, dry and well ventilated area. Prolonged storage at elevated temperatures will significantly shorten the shelf life. Storage in a climate controlled storage area or building is recommended in those areas where extremes of high temperature occur.
- Incompatible Materials for Storage:** Do not allow product to come in contact with other materials, including e.g. other pool treatment products, acids, organic materials, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, all corrosive liquids, flammable or combustible materials, etc. A chemical reaction with such substances can cause a fire of great intensity.
- Do Not Store At temperatures Above:** Average daily temperature of 35° C / 95° F. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

8

- Ventilation:** Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.
- Protective Equipment for Routine Use of Product
- Respiratory Protection:** Wear a NIOSH approved respirator if levels above the exposure limits are possible.
- Respirator Type:** A NIOSH approved full-face air purifying respirator equipped with combination chlorine/P100 cartridges. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10) times the published limit.
- Skin Protection:** Wear impervious gloves to avoid skin contact. A full impervious suit is recommended if exposure is possible to a large portion of the body. A safety shower should be provided in the immediate work area.

Eye Protection: Use chemical goggles. Emergency eyewash should be provided in the immediate work area.

Protective Clothing Type: Neoprene, Nitrile, Natural rubber (This includes: gloves, boots, apron, protective suit)

Components with workplace control parameters

Components (CAS-No.)	Value	Control parameters	Basis (Updated)
CALCIUM HYPOCHLORITE (7778-54-3)	TWA	1 mg/m3	ARCH OEL*
CALCIUM HYPOCHLORITE (7778-54-3)	Conc	37-48 mg/m3	NIOSH/GUIDE IDLH
CALCIUM HYPOCHLORITE (1305-62-0)	TWA	5 mg/m3	ACGIH (02 2014)

ARCH OEL: Arch Recommended Occupational Exposure Guideline.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES 9

Physical State: solid

Form: Free flowing, granular

Color: white

Odor: Chlorine-like

Molecular Weight: (Active ingredient) 143.00 g/mol

pH: 10.4 - 10.8 (1% solution in neutral, distilled water) (@ 25 Deg. C)

Boiling Point: Not applicable Melting point/freezing point Not applicable

Density: 0.8g/cc

Vapor Pressure: (@ 25 Deg. C) Not applicable

Vapor Density: Not applicable

Viscosity: Not applicable

Fat Solubility: No data

Solubility in Water: 18 % (@ 25 Deg. C) Product also contains calcium hydroxide and calcium carbonate which will leave a residue.

Partition coefficient n-octanol/water: No data

Evaporation Rate: Not applicable

Oxidizing: Oxidizer

Volatiles, % by vol.: Not applicable

VOC Content: This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489). This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

HAP Content: Not applicable

SECTION 10 STABILITY AND REACTIVITY 10

Stability and Reactivity Summary: Product is not sensitive to mechanical shock or impact. Product is not sensitive to electrical static discharge. Product will not undergo hazardous polymerization. Product is an NFPA Class 3 oxidizer which can cause a severe increase in fire intensity. Not pyrophoric. Not an organic peroxide. If subjected to excessive temperatures, the product may undergo rapid decomposition, evolution of chlorine gas, and heat sufficient to ignite combustible substances. If product is exposed to small amounts of water, it

Conditions to Avoid: can react violently to produce heat and toxic gases and spatter. Use copious amounts of water for fires involving this product. Do not store next to heat source, in direct sunlight, or elevated storage temperature. Do not store where the daily average temperature exceeds 95 °F. Prevent ingress of humidity and moisture into container or package. Always close the lid.

Chemical Incompatibility: This product is chemically reactive with many substances, including, e.g., other pool treatment products, acids, organics, nitrogen-containing compounds, dry powder fire extinguishers (containing mono-ammonium phosphate), oxidizers, corrosive, flammable or combustible materials. Do not allow product to contact any foreign matter, including other water treatment products. Contamination or improper use may cause a fire of great intensity, explosion or the release of toxic gases. If product is exposed to small amounts of water, it can react violently to produce heat and toxic gases and spatter.

Hazardous Decomposition Products: Chlorine
 Decomposition Temperature: 170 - 180 °C - , 338 - 356 °F-

SECTION 11 TOXICOLOGICAL INFORMATION 11

Component Animal Toxicology

Oral LD50 value:

CALCIUM	LD50 (65% calcium hypochlorite)	850 mg/kg	RAT
HYPOCHLORITE			
SODIUM CHLORIDE	LD50 = 3,000 mg/kg		Rat
CALCIUM CHLORIDE	LD50 = 1,000 mg/kg		Rat
CALCIUM HYDROXIDE	LD50 = 7,340 mg/kg		Rat

Component Animal Toxicology

Dermal LD50 value:

CALCIUM	LD50 (65% calcium hypochlorite) > 2,000 mg/kg	Rabbit
HYPOCHLORITE		
SODIUM CHLORIDE	LD50 > 10,000 mg/kg	Rabbit
CALCIUM CHLORIDE	LD50 = 2,630 mg/kg	Rat
CALCIUM HYDROXIDE	No data	

Component Animal Toxicology

Inhalation LD50 value:

CALCIUM		
HYPOCHLORITE	Inhalation LC50 1 h (65% calcium hypochlorite), (Nose Only) = 2.04 mg/l	Rat
	Inhalation LC50 4 h (65% calcium hypochlorite), (Nose Only) = 0.51 mg/l	Rat
SODIUM CHLORIDE	Inhalation LC50 1 h > 42 mg/l	Rat
CALCIUM CHLORIDE	No data	
CALCIUM HYDROXIDE	No data	

Product Animal Toxicology

Oral LD50 value:

Dermal LD50 value:

Inhalation LC50 value:

LD50	Approximately 800 mg/kg	Rat
LD50	>2,000 mg/kg	Rabbit
Inhalation LC50 1.00 h	(Nose Only) > 2.04 mg/l	Rat
Inhalation LC50 4 h	(Nose Only) > 0.51 mg/l	Rat

Inhalation LC50 1 h (Nose Only) > 2.04 mg/l Rat
Inhalation LC50 4 h (Nose Only) > 0.51 mg/l Rat

Skin Irritation: DRY MATERIAL CAUSES MODERATE SKIN IRRITATION. WET MATERIAL CAUSES SKIN BURNS.
Corrosive to eyes.
Eye Irritation: This material is not known or reported to be a skin or respiratory sensitizer.
Skin Sensitization: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.
Acute Toxicity: This product is corrosive to all tissues contacted and upon inhalation, may cause irritation to mucous membranes and respiratory tract. The dry material is irritating to the skin. However when wet, it will produce burns to the skin.
Subchronic / Chronic Toxicity: There are no known or reported effects from repeated exposure except those secondary to burns.
Reproductive and Developmental Toxicity: Calcium hypochlorite has been tested for teratogenicity in laboratory animals. Results of this study have shown that calcium hypochlorite is not a teratogen.

CALCIUM CHLORIDE Not known or reported to cause reproductive or developmental toxicity.

Mutagenicity: Calcium hypochlorite has been tested in the Dominant lethal assay in male mice, and it did not induce a dominant lethal response. Calcium hypochlorite has been reported to produce mutagenic activity in two in vitro assays. It has, however, been shown to lack the capability to produce mutations in animals based on results from the micronucleus assay. In vitro assays frequently are inappropriate to judge the mutagenic potential of bactericidal chemicals due to a high degree of cellular toxicity. The concentration which produces mutations in these in vitro assays is significantly greater than the concentrations used for disinfection. Based on high cellular toxicity in in vitro assays and the lack of mutagenicity in animals, the risk of genetic damage to humans is judged not significant.

CALCIUM CHLORIDE This product was determined to be non-mutagenic in the Ames assay. It was also shown to be non-clastogenic in the chromosomal aberration test.
Carcinogenicity: This product is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP or EPA. One hundred mice were exposed dermally 3 times a week for 18 months to a solution of calcium hypochlorite. Histopathological examination failed to show an increased incidence of tumors. IARC (International Agency for Research on Cancer) reviewed studies conducted with several hypochlorite salts. IARC has classified hypochlorite salts as having inadequate evidence for carcinogenicity to humans and animals. IARC therefore considers hypochlorite salts to be not classifiable as to their carcinogenicity to humans (Group 3 Substance).

CALCIUM CHLORIDE This chemical is not known or reported to be carcinogenic by any reference source including IARC, OSHA, NTP, or EPA.

SECTION 12

ECOLOGICAL INFORMATION

12

Overview: Highly toxic to fish and other aquatic organisms.

Ecological Toxicity Values for:

CALCIUM HYPOCHLORITE

Bluegill	-	(nominal, static). 96 h LC50 0.088 mg/l
Rainbow trout (<i>Salmo gairdneri</i>),	-	(nominal, static). 96 h LC50 0.16 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50 0.11 mg/l

Bobwhite quail	-	Dietary LC50 > 5,000 ppm
Mallard ducklings	-	Dietary LC50 > 5,000 ppm
Bobwhite quail	-	Oral LD50 3,474 mg/kg

Ecological Toxicity Values for:

CALCIUM CHLORIDE

Bluegill	-	(nominal, static). 96 h LC50 = 10,650 mg/l
Mosquito fish	-	(nominal, static). 96 h LC50 = 13,400 mg/l
Pimephales promelas (fathead minnow)	-	(nominal, static). 96 h LC50 = 4,630 mg/l
Daphnia magna,	-	(nominal, static). 48 h LC50= 2,770 mg/l
Ceriodaphnia dubia	-	(nominal, static). 48 h LC50= 1,830 mg/l
Nitzschia linearis (diatom)	-	(nominal, static). 5 day LC50 = 3,130 mg/l

SECTION 13 **DISPOSAL CONSIDERATIONS** **13**

CARE MUST BE TAKEN TO PREVENT ENVIRONMENTAL CONTAMINATION FROM THE USE OF THE MATERIAL. THE USER OF THE MATERIAL HAS THE RESPONSIBILITY TO DISPOSE OF UNUSED MATERIAL, RESIDUES AND CONTAINERS IN COMPLIANCE WITH ALL RELEVANT LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS REGARDING TREATMENT, STORAGE AND DISPOSAL FOR HAZARDOUS AND NONHAZARDOUS WASTES

Waste Disposal Summary: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under 40 CFR 261 and would have the following EPA hazardous waste number: D001. If this product becomes a waste, it will be a hazardous waste which is subject to the Land Disposal restrictions under 40 CFR 268 and must be managed accordingly.

Disposal Methods: As a hazardous solid waste it should be disposed of in accordance with local, state and federal regulations.

Potential US EPA Waste Codes: D001

SECTION 14 **TRANSPORT INFORMATION** **14**

DOT	
UN number	: 2880
Description of the goods	: Calcium hypochlorite, hydrated mixtures
Class	: 5.1
Packing group	: II
Labels	: 5.1
Emergency Response Guidebook Number	: 140
TDG	
UN number	: 2880
Description of the goods	: Calcium hypochlorite, hydrated mixtures
Class	: 5.1
Packing group	: II
Labels	: 5.1

IATA

UN number : 2880
 Description of the goods : Calcium hypochlorite, hydrated mixtures
 Class : 5.1
 Packing group : II
 Labels : 5.1
 Packing instruction : 558
 (passenger aircraft)
 Packing instruction : Y544
 (passenger aircraft)

IMDG-CODE

IATA

UN number : 2880
 Description of the goods : Calcium hypochlorite, hydrated mixtures
 Class : 5.1
 Packing group : II
 Labels : 5.1
 EmS Number 1 : F-H
 EmS Number 2 : S-Q

 Marine pollutant : yes

SECTION 15 REGULATORY INFORMATION 15

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

Signal word : DANGER!
 Hazard statements : Causes substantial but temporary eye injury. Corrosive. Causes skin burns.
 Corrosive. Causes irreversible eye damage. This pesticide is toxic to fish.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Calcium hypochlorite	7778-54-3	10	

SARA 302

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

CLEAN AIR ACT

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F)

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489)

Clean Water Act

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 116.4a:

Calcium hypochlorite 7778-54-3

The following Hazardous Substances are listed under the U.S. Clean Water Act, Section 311, Table 117.3:

Calcium hypochlorite 7778-54-3

This product does not contain any toxic pollutants listed under the U.S. Clean Air Act Section 307

US State Regulations

Massachusetts Right To Know

Calcium hypochlorite 7778-54-3
Calcium carbonate 471-34-1
Calcium chlorate 10137-74-3
Calcium dihydroxide 1305-62-0

Pennsylvania Right To Know

Calcium hypochlorite 7778-54-3
Calcium chloride 7647-14-5
Calcium carbonate 471-34-1
Calcium chlorate 10137-74-3
Calcium chloride 10043-52-4
Calcium dihydroxide 1305-62-0

New Jersey Right To Know

Calcium hypochlorite 7778-54-3
Calcium chloride 7647-14-5
Calcium carbonate 471-34-1
Calcium chlorate 10137-74-3
Calcium chloride 10043-52-4
Calcium dihydroxide 1305-62-0

California Prop 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16

OTHER INFORMATION

16

Disclaimer: We recommend that you use this product in a manner consistent with the listed use. If your intended use is not consistent with the stated use in Section 1 of this SDS, please contact your sales or technical service representative.

Reason for Revision: Conversion to SDS format. Changes in all sections.

All Sections reformatted in accordance with OSHA Hazard Communication Standard 29 CFR 1910-1200(GHS). The information in this safety data sheet should be provided to all who will use, handles, store, transport, or otherwise be exposed to this product. This information has been prepared for the guidance of plant engineering, operations and management and for persons working with or handling this product. Baleco believes this information to be reliable and up to date as of the date of publication, but makes no warranty that it is. Additionally, if this material safety data sheet is more than three years old, you should contact Baleco at The phone number listed in section 1 to make certain that this sheet is current.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date hereof, Baleco Int'l Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its safety and suitability for their purposes prior to use. In no event will Baleco Int'l Inc. be responsible for damages of any nature whatsoever resulting from the use or reliance upon information.

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or of any other nature, are made hereunder with respect to information or the product to which the information refers.

Prepared By: MSDS/SDS Department with information from the Supplier and Clearon Corp SDS for cyanuric acid.
Baleco Int'l Inc.
PO Box 11331
Cincinnati, OH 45211
(513)353-3000

End of Safety Data Sheet



Corporate Headquarters
 10 Glenshaw Street, Orangeburg, NY 10962
 Tel: 845.365.8200 • Fax: 845.365.8201
 Toll-Free: 888.DYNAREX

Reviewed on 9/16/15

SAFETY DATA SHEET

SECTION 1. Product and Company Identification

PRODUCT NAME: BZK Antiseptic Towelette
 PRODUCT USE: Antiseptic
 Product Code: 1303, 1331

Manufacturer's Name: Dynarex Corporation
 Manufacturer's Address: 10 Glenshaw Street
 Orangeburg, NY 10962

Emergency or Information Phone No.: 888-DYNAREX or 845-365-8200
 At other times, contact the local Poison Control Center

SECTION 2. Hazards Identification

Physical hazards	Not classified
Health hazards	Not classified
• Environmental hazards	Not determined
OSHA defined hazards	Not classified
Label elements	
• Hazard symbol	None
• Signal word	Not available
• Hazard statement	Not available
• Precautionary statement	
o Prevention	Not available
o Response	Not available
o Storage	Not available
o Disposal	Not available
Hazard(s) not otherwise classified (HNOC)	None known
Supplemental Information	None





Corporate Headquarters
 10 Glenshaw Street, Orangeburg, NY 10962
 Tel: 845.365.8200 • Fax: 845.365.8201
 Toll-Free: 888.DYNAREX

SECTION 3. Composition/information on Ingredients

Ingredients	CAS Number	%
BZK	8001-54-5	0.13
Water	7732-18-5	99.87

SECTION 4. First-aid measures

First aid procedures

Eye Contact

Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin Contact

In case of skin irritation, discontinue use of product.

Inhalation

Not a normal route of exposure. If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion

Not a normal route of exposure. Do not induce vomiting. Never give anything by mouth if victim is unconscious, or is convulsing. Obtain medical attention.

Notes to physician

Symptoms may be delayed.

General advice

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep out of reach of children. Avoid contact with eyes.

Flammable Limits: N/A

Flash Point: N/A





Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

SECTION 5. Fire-fighting measures

Flash Point: Not Available
Flammable Limits: Not Available
Extinguishing Media: Any
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

SECTION 6. Accidental release measures

Personal precautions: Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment: Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up: Pick up and discard towel.

SECTION 7. Handling and storage

Handling: Use good industrial hygiene practices in handling this material.

Storage: Keep out of reach of children. Store in a closed container away from incompatible materials.

SECTION 8. Exposure controls/personal protection

Engineering controls: General ventilation normally adequate.

Personal protective equipment





Corporate Headquarters
 10 Glenshaw Street, Orangeburg, NY 10962
 Tel: 845.365.8200 • Fax: 845.365.8201
 Toll-Free: 888.DYNAREX

Skin	In case of skin irritation, discontinue use of the product.
Inhalation	Not a normal route of exposure. May cause respiratory tract irritation.
Ingestion	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic Effects	Non-hazardous by WHMIS/OSHA criteria.
Carcinogenicity	Non-hazardous by WHMIS/OSHA criteria.
Mutagenicity	Non-hazardous by WHMIS/OSHA criteria.
Reproductive Effects	Non-hazardous by WHMIS/OSHA criteria.
Teratogenicity	Non-hazardous by WHMIS/OSHA criteria.

SECTION 12. Ecological information

- Ecotoxicity Not available
- Environmental effects Not available
- Aquatic toxicity Not available
- Persistence / degradability Not available
- Bioaccumulation / accumulation Not available
- Partition coefficient Not available
- Mobility in environmental media Not available
- Chemical fate Information Not available
- Other adverse effects Not available

SECTION 13. Disposal considerations

Waste codes: Not available





Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

Disposal Instructions: Discard after single use.

Review federal, state/provincial, and local government requirements prior to disposal.

Discard with solid waste. Dispose in accordance with all applicable regulations.

Waste from residues / unused products: Not available

Contaminated packaging: Not available

SECTION 14. Transport information

U.S. Department of Transportation (DOT) Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada) Not regulated as dangerous goods.

SECTION 15. Regulatory information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US Federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.

Occupational Safety and Health Administration (OSHA)
29 CFR 1910.1200 hazardous No chemical

CERCLA (Superfund) reportable quantity

Benzene: 10.0000
Benzene, methyl-: 1000.0000
Benzene, (chloromethyl)-: 100.0000
Propylene oxide: 100.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - No
Delayed Hazard - No



Corporate Headquarters
10 Glenshaw Street, Orangeburg, NY 10962
Tel: 845.365.8200 • Fax: 845.365.8201
Toll-Free: 888.DYNAREX

Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical No

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

Safe Drinking Water Act (SDWA) Not available

Drug Enforcement Agency (DEA) Not available

Food and Drug Administration (FDA) Not available

State regulations WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

SECTION 16. Other information

Disclaimer:

This Safety Data Sheet, which takes into consideration the requirements of Directive 76/768/EC and subsequent amendments and Directive 1999/45/EC plus subsequent amendments, has been prepared in accordance with Directive (EC) 1907/2006. It is believed to be correct and corresponds to the latest scientific/technical knowledge but all data, instructions, recommendations and/or suggestions are made without guarantee. No warranty, expressed or implied, is made and Dynarex Corp. assumes no legal responsibility or liability resulting from its use.



SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Springtime Clean-Up Absorbent

RECOMMENDED USE: Powder Absorbent to Clean-Up and Deodorize Body Fluid Spills

RESTRICTIONS ON USE: None Known

MANUFACTURER:

H&S Manufacturing Company
727 East Broadway
Williston, ND 58801

TELEPHONE: (701) 572-5400 (Monday-Thursday 8:00 a.m. CST - 5:00 p.m. CST)
(Friday 8:00 a.m. CST - 12:00 p.m. CST)

EMERGENCY TELEPHONE NUMBER: (701) 572-5400 (Monday-Thursday 8:00 a.m. CST - 5:00 p.m. CST)
(Friday 8:00 a.m. CST - 12:00 p.m. CST)

ITEM NUMBER: AB-722; AB-606; AB-125

SDS DATE OF PREPARATION: January 15, 2016

SECTION 2: HAZARDS IDENTIFICATION

GENERAL: Contains small amounts of chemicals that are hazardous to health and the environment, but in quantities too small to constitute any practical risks to health or the environment.

CLASSIFICATION: Acute Toxicity Oral 4
Skin Sensitization 1
Carcinogen Category 1A
Specific Target Organ Toxicity, Repeated Exposure Category 1



HAZARD PHRASES: Harmful if swallowed
May cause an allergic skin reaction
May cause eye, skin and respiratory tract irritation
May cause cancer by inhalation
Causes damage to lungs through prolonged or repeated exposure

PRECAUTIONARY PHRASES: Keep out of reach of children
Wear suitable gloves
Wash hands thoroughly after handling
If swallowed, call a physician
If on skin wash with plenty of water
If rash occurs, get medical attention
Dispose of contents to an approved waste disposal plant

SECTION 3: INGREDIENT INFORMATION

<u>Ingredient Identification</u>	<u>Approximate Concentration</u>	<u>C.A.S. Numbers</u>
Diatomaceous Earth, Flux-Calcined (kieselguhr) (contains 35-50% Crystalline Silica - Cristobalite)	82%	68855-54-9 14464-46-1
2-Propenoic acid, homopolymer, potassium salt	17.25%	25608-12-2
Alcohols, c10-14, ethoxylated	0.50%	66455-15-0
Alcohols, c10-16, ethoxylated	0.25%	68002-97-1

SECTION 4: FIRST AID MEASURES

General: Remove contaminated clothing

Inhalation: Keep patient calm, remove to fresh air, blow nose to evacuate dust, seek medical attention.
Assist in breathing if necessary.

Ingestion: Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

Skin: Wash thoroughly with soap and water. If irritation develops, seek medical attention.

Eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open. Seek medical attention.

Physician: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Water spray, dry powder, foam
Unsuitable Extinguishing Media: Carbon dioxide, water jet
Additional Information: Avoid whirling up the material/product because of the danger of dust explosion.
Protective Fire-Fighting Equip.: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: Breathing protection required, protect eyes with goggles
Environmental Precautions: Do not discharge into drains/surface waters/groundwater
Clean-up: Spills should be contained and placed in suitable containers for disposal
Further Information: Forms slippery surfaces with water. High risk of slipping due to leakage/spillage of product.

SECTION 7: HANDLING AND STORAGE

Precautions For Safe Handling: Minimize dust generation. Avoid contact with eyes. Do not breathe dust. This product is capable of dust explosion. Avoid all sources of ignition: heat, sparks, open flame.
Conditions For Safe Storage: Store in a dry place to maintain packaging integrity and product quality. Do not store near hydrofluoric acid or concentrated caustic solutions.

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Respiratory Protection: Breathing protection if dusts are formed
Hand Protection: Chemical resistant protective gloves
Eye Protection: Tightly fitting safety goggles
General Safety & Hygiene: Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Wash soiled clothing immediately.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White powder
Odor: Fresh Scent
Odor Threshold: Not determined
Color: White
pH Value: 10% Suspension (10)
Melting Point: Estimated 60° C
Boiling Point: Not Applicable
Flash Point: Not Applicable
Evaporation Rate: Not Applicable
Flammability: Not determined/applicable
UEL: Not determined
LEL: Not determined
Vapor Pressure: Not determined/applicable
Vapor Density: Not determined/applicable
Relative Density: 2.3
Solubility in Water: Insoluble, only capable of swelling
Partition Coefficient: Not determined/applicable
Autoignition Temp: Not Applicable
Decomposition Temp: >1300° C
Physical State: Solid
Viscosity: Not Applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	Material is not reactive
Conditions to Avoid:	Avoid extreme heat and naked flames
Materials to Avoid:	Hydrofluoric acid and concentrated caustic solutions, atmospheric moisture, strong oxidizing agents
Stability:	Material is stable
Hazardous Reactions:	Material is not reactive under normal conditions of handling
Decomposition Products:	None if stored and handled as prescribed. Otherwise; hydrocarbons, carbon monoxide, carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Potential Health Effects

Likely Routes of Exposure

Eye	See below May cause irritation (tear formation and redness) if dust gets in eyes
Skin	Not absorbed by the skin, but may cause dryness if prolonged exposure
Ingestion	Ingestion of small quantities is not considered harmful, but may cause irritation of the mouth, throat and stomach
Inhalation	Acute inhalation can cause dryness of the nasal passage and lung congestion, coughing and general throat irritation. Acute inhalation of high concentrations of respirable crystalline silica may cause acute silicosis.
Chronic Effects	This product contains crystalline silica. Respirable crystalline silica may cause lung cancer and lung disease (silicosis) if inhaled for prolonged periods. Symptoms of silicosis include wheezing, cough and shortness of breath.
Carcinogenicity	Flux-calcined diatomaceous earth (Kieselguhr) is composed of amorphous and crystalline silica. Respirable crystalline silica (cristobalite) is classified by IARC and NTP as a known human carcinogen. Crystalline silica is only known to cause cancer when inhaled in a respirable form. It is not known to cause cancer by any other route of exposure.
NTP/IARC	Respirable crystalline silica (cristobalite) is classified as a known human carcinogen.
Numerical Measures of Toxicity	No data available
Corrosiveness, Sensitization	Not applicable
Reproductive Toxicity	Not available
Teratogenicity, Mutagenicity	Not available

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:	This product can be toxic to fish and aquatic invertebrates
Persistence and Degradability:	Non-biodegradable, inert
Bioaccumulative Potential:	Little potential for bioaccumulation
Mobility in Soil:	No mobility
Other Adverse Effects:	Do not release untreated into natural waters. The ecotoxic effect of the product has not been tested.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with Local Authority requirements.

SECTION 14: TRANSPORT INFORMATION

Basic Shipping Information:	DOT shipping classification 55 (no restrictions).
Additional Information:	No special requirements or placarding necessary.

SECTION 15: REGULATORY INFORMATION

U.S. Federal:	
TSCA	Diatomaceous Earth and Cristobalite appear on the EPA TSCA inventory list.

CERCLA

Diatomaceous Earth is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR 302.

SARA TITLE III

Not Listed

California Proposition 65:

This product contains crystalline silica, a chemical known to the State of California to cause cancer.

INTERNATIONAL:


WHMIS Classification

Class D-2-A

WHMIS Ingredient Disclosure List:

Silica, crystalline, cristobalite

SECTION 16: OTHER INFORMATION

NFPA		4-Extreme 3-High 2-Moderate 1-Slight 0-Insignificant	HMIS	1* Health
				0 Flammability
				0 Reactivity
				E Protective Equipment