# Safety Data Sheet

1785



| ex-All<br>nt/Cleaner/Polish<br>v for the purpose on product label. This product is<br>ition if specified on product label.<br>, Inc.<br>. Nelson Ave<br>ndustry, CA 91746<br>-1888 (Customer Service)<br>5-3924 USA (813)248-0585 International (Che  |   |
|---|---|
| r for the purpose on product label. This product in<br>ition if specified on product label.<br>, <b>Inc.</b><br>. Nelson Ave<br>ndustry, CA 91746<br>-1888 (Customer Service)<br>5-3924 USA (813)248-0585 International (Che  | emtel 24 hrs)<br>Pictogram  |
| ntion if specified on product label.<br>, <b>Inc.</b><br>. Nelson Ave<br>ndustry, CA 91746<br>-1888 (Customer Service)<br>5-3924 USA (813)248-0585 International (Che   | emtel 24 hrs)<br>Pictogram  |
| . Nelson Ave<br>ndustry, CA 91746<br>-1888 (Customer Service)<br>5-3924 USA (813)248-0585 International (Che  | Pictogram   |
|   | Pictogram   |
| sified  | •   |
| sified  | •   |
|   |   |
| ٩G  |   |
| se skin and eye irritation.   |   |
|   |   |
| t of Reach of Children. Read label before use.  |   |
| ands thoroughly after handling.   |   |
| (IN: Take off contaminated clothing and wash before r<br>persists: Get medical attention.<br>ES: Rinse cautiously with water for several minutes.Re<br>o. Continue rinsing. If eye irritation persists: Get medic<br>ED: Remove person to fresh air and keep comfortable<br>son Center or get medical attention | emove contact lenses, if present and<br>ical attention.<br>e for breathing. If problem persists,  |
|   | (IN: Take off contaminated clothing and wash before<br>persists: Get medical attention.<br>ES: Rinse cautiously with water for several minutes.R<br>o. Continue rinsing. If eye irritation persists: Get medi |

#### **3 Composition/Information on Ingredients**

Hazardous Ingredients Non Reportable

CAS Number

**Concentration Range %** 

| 4 First Aid Measures | 3   |
|----------------------|---|
| Eye Contact:         | Flush eyes with water for 15 minutes. Remove contact lenses if any.   |
| Skin Contact:        | Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water. |
| Inhalation           | If discomfort is experienced after prolonged exposure to vapors, move person to fresh air.<br>Get medical attention if irritation persists.   |
| Ingestion:           | Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.  |

| 5 Firefighting Measures  |  |
|--|--|
| Suitable Extinguishing Media:                                      | Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)   |
| Specific Hazards arising from the Chemical:                        | In a fire or if heated, a pressure increase will occur and the container may burst.<br>Combustion products may include and are not limited to nitrogen oxides, carbon<br>monoxide, and carbon dioxide.                   |
| Specific Protective Equipment<br>and Precautions for Firefighters: | Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray. |

#### 6 Accidental Release Measures

| Emergency Procedures:                          | Keep area clear of personnel until area has been properly cleaned.  |
|--|---|
| Personal Precautions/<br>Protective Equipment: | Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.   |
| Environmental Precautions:                     | If contamination of sewers or waterways has occurred, advise local emergency services.  |
| Methods for Containment and<br>Cleaning Up:    | Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations. |

| 7 Handling and Storage                                       |   |
|--|---|
| Precautions for Safe Handling:                               | Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.   |
| Conditions for Safe Storage,<br>Including Incompatiibiities: | Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks. |

See Section 10 for incompatible materials.

| 7/30/2015 | 1785 | Pro-Tex-All | Page 2 of 4 |
|-----------|------|-------------|-------------|

| <b>Control Paramete</b> | ers:           |   |                    |   |                 |
|-------------------------|----------------|---|--------------------|---|-----------------|
| Hazardous Ingred        | lients         | <u>A</u>                                  | <u>CGIH TLV</u>    | OSHA PEL N                              | NOSH IDLH       |
| Non Reportable          |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
| Appropriate engine      | ering          | Good ventilation should                   | be sufficient to c | control worker exposure to airbo        | rne contaminant |
| ontrols:                |                |   |                    |   |                 |
| Personal Prote          | ection         |   |                    |   |                 |
| Ey                      | ye Protection: | Use protective glasses o                  | r safety goggles   | if splashing or spray-back is lik       | ely.            |
| Hor                     | nd Protection: | Lloo protoctivo glovoo wł                 | on used for pro    | long periods or if skin sensitive.      |                 |
| i lai                   |                | Use protective gloves wi                  | len used for pro   | iong periods of it skill sensitive.     |                 |
| Sk                      | in Protection: | Use apron if splashing o                  | r sprav-back is li | kelv.                                   |                 |
|                         |                |   |                    |   |                 |
|                         |                |   |                    |   |                 |
| Respirato               | ry Protection: | Use in well ventilated are                | eas or local exha  | aust ventilation when cleaning s        | mall spaces.    |
| Hygier                  | ne Measures:   | Always wash hands after                   | r handling chem    | ical products, and before smoki         | na eatina       |
| riygioi                 |                | drinking, or using the toil               | et. Wash conta     | minated clothing or protective e        | quipment before |
|                         |                | storage and re-use.                       |                    |   |                 |
|                         |                | ·····                                     |                    |   |                 |
| 9 Physical and          | d Chemical P   | roperties                                 |                    |   |                 |
| Physical State:         | Liquid         | Specific Gravity:                         | 1.00               | Vapour Pressure (mm Hg):                | < 17 mm Hg      |
| Color:<br>Odor:         | White<br>Lemon | Evaporation Rate:<br>Solubility in Water: | < 1<br>Complete    | Vapour Density:<br>Freezing Point (°F): | > 1<br>< 32     |
| pH:                     | 7-8            | VOC (g/L):                                | <6                 | Boiling Point (°F):                     | < 32<br>> 212   |
| •                       |                |   |                    | Elach Point (°E):                       | > 200           |

| nysical State:<br>olor:<br>dor:<br>1: | Liquid<br>White<br>Lemon<br>7-8 | Specific Gravity:<br>Evaporation Rate:<br>Solubility in Water:<br>VOC (g/L): | 1.00<br>< 1<br>Complete<br><6 | Vapour Pressure (mm Hg):<br>Vapour Density:<br>Freezing Point (°F):<br>Boiling Point (°F):<br>Flash Point (°F): | < 17 mm Hg<br>> 1<br>< 32<br>> 212<br>> 200 |  |
|---------------------------------------|---------------------------------|--|-------------------------------|---|---|--|
|                                       |                                 | < means less tha   | n >                           | means greater than  |   |  |

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

### **10 Stability and Reactivity**

| Reactivity:                         | No specific data  |
|-------------------------------------|---|
| Chemical Stability:                 | Stable  |
| Possibility of Hazardous Reactions: | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Conditions to Avoid:                | Avoid exposure to heat and light.   |
| Incompatible Materials:             | Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum). |
| Hazardous Decomposition Products:   | Under normal conditions of storage and use, hazardous decomposition products should not be produced.  |

## 11 Toxological Information

| Symptoms:   |   |  |  |
|---|---|--|--|
| Eye Contact:  | Adverse symptoms may inc  | •  |  |
| Skin Contact:<br>Inhalation:  | Adverse symptoms may inc<br>Adverse symptoms may inc  | •  |  |
| Ingestion:  | Adverse symptoms may inc  | • •  |  |
| Acute Toxicity:   |   |  |  |
| Eye Contact:  | May cause eye irritation.   |  |  |
| Skin Contact:   | May cause skin irritation.  |  |  |
| Inhalation:   | May cause respiratory irrita  |  |  |
| Ingestion:  | May cause burns to mouth,   | throat and stomach.  |  |
| Toxicity Data:  |   |  |  |
| Hazardous Ingredients<br>Non Reportable   | <u>Result</u>   | <u>Species</u>   | Dose   |
| Chronic Effects:  | No known significant effec  | ts or critical hazards   |  |
| 12 Ecological Information   |   |  |  |
| Ecotoxicity:  | No data available.  |  |  |
| Aquatic Toxicity:   |   |  |  |
| Hazardous Ingredients   | Result  | Species  | Dose   |
| Non Reportable  |   |  |  |
| Other Adverse Effects:  | No known significant effec  | ts or critical hazards.  |  |
|   |   |  |  |
| 13 Disposal Consideration   | IS  |  |  |
| <b>13 Disposal Consideration</b><br>Disposal Methods:   |   |  | ccard empty container in trash.<br>nd local regulations. |
| -   | Diluted product can be flus<br>Dispose of waste in accord   |  |  |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions fi  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u>   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions fi  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packa<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may no<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may no<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and                  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions fr<br>ot reflect those exceptions and<br>Not Regulated  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions fr<br>ot reflect those exceptions and<br>Not Regulated  | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packar<br>The classification provided may no<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b>  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and<br>Not Regulated | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may non-<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b><br>SARA Title III:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and<br>Not Regulated | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packag<br>The classification provided may n<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b><br>SARA Title III:<br>California Proposition 65:  | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and<br>Not Regulated | lance with federal, state, an  | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packar<br>The classification provided may no<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b><br>SARA Title III:<br>California Proposition 65:<br>Other Regulations:   | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions for<br>ot reflect those exceptions and<br>Not Regulated | lance with federal, state, a   | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packar<br>The classification provided may non-<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b><br>SARA Title III:<br>California Proposition 65:<br>Other Regulations:<br><b>16 Other Information</b><br>HMIS/NFPA Hazard Rating:<br>The information contained herein                                      | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions and<br>Not Regulated<br>Not Regulated<br>No<br>No<br>No | nom the transport regulation<br>may not apply to all shippir<br>mability: 0 Rea<br>o us. It is believed to be co | nd local regulations.                                    |
| Disposal Methods:<br><b>14 Transportation Informa</b><br>Certain shipping modes or packar<br>The classification provided may non-<br><u>Ground Transport</u><br>DOT Classification:<br>UN Number:<br>Transport Hazard Class:<br>Packaging Group:<br>Hazardous Division:<br>Hazardous Contents:<br><b>15 Regulatory Information</b><br>SARA Title III:<br>California Proposition 65:<br>Other Regulations:<br><b>16 Other Information</b><br>HMIS/NFPA Hazard Rating:<br>The information contained herein<br>implied, is made regarding the ac | Diluted product can be flus<br>Dispose of waste in accord<br>tion<br>ge sizes may have exceptions and<br>Not Regulated<br>Not Regulated<br>No<br>No<br>No | nom the transport regulation<br>may not apply to all shippir<br>mability: 0 Rea<br>o us. It is believed to be co | nd local regulations.                                    |