#### SAFETY DATA SHEET

## **OIL BASE SWEEPING COMPOUND**

SBASOR50RED

EMERGENCY PHONE: 713 223-4575

#### SECTION 1 – PRODUCT AND COMPANY INFORMATION

MANUFACTURER: SORB-ALL COMPANY - 2300 NANCE - HOUSTON, TEXAS 77020

713 223-4575 - FAX: 713 223-4579

**PRODUCT FAMILY**: OIL BASE SWEEPING COMPOUND

**PRODUCT NAME:** "SWEEP EZ" OIL BASE SWEEPING COMPOUND

**PRODUCT CODES**: Model Numbers: 3000, 3001, and 3100

**VERSION DATE:** MAY 29, 2015

## **SECTION 2 – HAZARD IDENTIFICATION**

CLASSIFICATION: NOT CLASSIFIED AS HAZARDOUS ACCORDING TO 29 CFR 19010.1200 (2012)

# SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS MATERIAL CAS NO. WT %

WOODFIBRE SAWDUST NONE

PETROLEUM HYDROCARBON CAS#: 64742-46-7 INDUSTRIAL OIL AND WATER EMULSIFIED CAS #: 64742-53-6

COLOR\*(RED) CAS #:1103-38-4 & 5281-04-9

E. COLOR (BLUE/GREEN) CAS #147-14-8

## SECTION 4 – FIRST AID MEASURES DESCRIPTION OF FIRST AID MEASURES

**GENERAL ADVICE:** CONSULT A PHYSICIAN. MOVE OUT OF DANGEROUS AREA.

IF INHALED: IF BREATHED IN, MOVE PERSON INTO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION.

CONSULT A PHYSICIAN.

IN CASE OF SKIN CONTACT: WASH OFF WITH SOAP AND PLENTY OF WATER. CONSULT A PHYSICIAN

**IN CASE OF EYE CONTACT**: RINSE THOROUGHLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND CONSULT PHYSICIAN.

IF SWALLOWED: DO NOT INDUCE VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

RINSE MOUTH WITH WATER.

MOST IMPORTANT SYMPTOMS AND EFFECTS BOTH ACUTE AND DELAYED: SEE SECTION 11. INDICATION

OF ANY IMMEDIATE MEDICAL ATTENTION

#### **SECTION 5 – FIREFIGHTING MEASURES**

**EXTINGUISHING MEDIA**: WATER FOG, CO2, HALON, OR FOAM.

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

**SPILLS AND LEAKS**: RECOVER FREE MATERIALS-NO SPECIAL METHOD **STORAGE AND HANDLING**: KEEP AWAY FROM HIGH HEAT SOURCE

**WASTE DISPOSAL**: MAY BE DISPOSABLE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS OR INCINERATE BY STATE OR LOCAL LAWS. EMPTY CONTAINERS: RECYCLABLE PAPERBOARD AND POLY BAG OTHER

PRECAUTIONS: N/A

SECTION 7 – HANDLING AND STORAGE PRECAUTIONS FOR SAFE HANDLING AND STORAGE: PRODUCT DOES NOT PRESENT HAZARDS. CONDITIONS OF SAFE STORAGE: KEEP AWAY FROM INCOMPATIBLE

**MATERIALS** 

#### SECTION 8 – EXPOSURE CONTROL AND PERSONAL PROTECTION

**COMPONENT EXPOSURE LIMITS**: OSHA PEL TWO 15 MG/M3 (TOTAL DUST) 5.0 MG/M3 RESPIRABLE DUST. EXPOSURE CONTROLS: AIRBORNE DUSTING CONDITIONS OF THIS MATERIAL DO NOT EXIST BECAUSE OF A UNIFORM COAGULATED COMPOUND MIX. WOODFIBRE SAWDUST\* PEL: 5 MG/MG PETROLEUM HYDROCARBON PEL: 5 MG/M3 CAS#: 64742-46-7 AIRBORNE DUSTING CONDITIONS OF THIS MATERIAL DO NOT EXIST BECAUSE OF A UNIFORM COAGULATED COMPOUND MIX.

**APPROPRIATE ENGINEERING CONTROLS**: HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICES.

PERSONAL PROTECTIVE EQUIPMENT: NOT NORMALLY REQUIRED.

**EYE/FACE PROTECTION**: NOT NORMALLY REQUIRED. **SKIN PROTECTION**; NOT NORMALLY REQUIRED. **BODY PROTECTION**: NOT NORMALLY REQUIRED.

**RESPIRATORY PROTECTION: NOT NORMALLY REQUIRED.** 

CONTROL OF ENVIRONMENTAL EXPOSURE: PRODUCT DOES NOT LEND ITSELF TO SPILLS OR LEAKAGE.

## **SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

**GENERAL INFORMATION:** 

APPEARANCE: RED OR GREEN HOMOGENEOUS MIXTURE

COLOR: RED OR GREEN ODOR: LUBE OIL SMELL

**IMPORTANT HEALTH, SAFETY** 

AND ENVIRONMENTAL INFORMATION

**BOILING POINT/RANGE: NA** 

FLASH POINT (METHOD): GREATER THAN 200 DEG. F PENSKY- VOC CONTENT: NONE (N/A)

MARTEN

**AUTO IGNITION TEMP:** 

LOWER FLAMMABLITY LIMIT: NA UPPER FMALLABILITY POINT: NA

**EXPLOSION LIMITS:** 

UPPER: N/A LOWER: N/A VAPOR PRESSURE: NA VAPOR DENSITY: N/A

FREEZING POINT/MELTING POINT: N/A

SPEC. GRAVITY: N/A
WATER SOLUBILITY: NO
VAPOR PRESSURE: N/A
BOILING POINT: N/A

VOC CONTENT: NONE (N/A)
FLASH POINT (METHOD): N/A

EXPLOSION LIMITS: UPPER: N/A LOWER: N/A

**OTHER INFORMATION** 

VOLATILITY: N/A WEIGHT/GAL:

OIL MELTING POINT: N/A

## **SECTION 10 – STABILITY AND REACTIVITY**

STABILITY: STABLE HAZARD REACTION POTENTIAL: NONE KNOWN CONDITIONS TO AVOID; NONE KNOWN INCOMPATIBLE PRODUCTS: AVOID CONTACT WITH OXIDIZING AGENTS.

HAZARD DECOMPOSITION PRODUCTS: THERMAL OXIDATIVE DEGRADATION OF WOOD PRODUCES IRRITATING AND TOXIC FUMES AND GASES INCLUDING CO2, ALDEHYDES AND ORGANIC ACIDS. HAZARDOUS POLYMERIZATION: DOES NOT OCCUR.

#### **SECTION 11 – TOXICOLOGICAL INFORMATION**

**INHALATION**: N/A

**SKIN**: EXTENDED CONTACT COULD CAUSE IRRITATION. SOME PERSONNEL ARE MORE SENSITIVE THAN OTHERS, WEAR GLOVES IF NECESSARY.

EYES: CAN CAUSE IRRITATION. WEAR GLASSES OR GOGGLES AS NEEDED. IF MATERIAL GETS INTO EYES, FLUSH WITH

WATER IMMEDIATELY FOR 15 MINUTES. IF IRRITATION PERSISTS, CONSULT A PHYSICIAN.

**INGESTION**: NO EFFECTS REPORTED.

**MOST LIKELY ROUTES OF ENTRY: SKIN, EYES** 

## **SECTION 12 – ECOLOGICAL INFORMATION**

**TOXICITY**: PRODUCT DOES NOT LEND ITSELF TO SPILLS:

PERSISTENCE AND DEGRADEIBLITY: NO INFORMATION BIOACCUMULATIVE POTENTIAL: NO INFORMATION

MOBILITY IN SOIL: PRODUCT DOES NOT LEND ITSELF TO SPILLS. OTHER

**ADVERSE EFFECTS**: NONE KNOWN.

#### **SECTION 13 – DISPOSAL CONSIDERATION**

PRODUCT: CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL SERVICE. CONTAMINATED

PACKAGING: DISPOSE OF AS UNUSED PRODUCT.

### **SECTION 14 – TRANSPORT INFORMATION**

NOT REGULATED		
	SECTION 15 – REGULATORY INFORMATION	
NOT REGULATED		

## **SECTION 16 – OTHER INFORMATION**

PLEASE NOTE: THIS SDS IS BEING PROVIDED TO YOUR COMPANY FOR THE PURPOSE OF PROVIDING CURRENT HEALTH AND SAFETY INFORMATION TO YOUR MANAGEMENT AND FOR YOUR EMPLOYEES WHO WORK WITH THIS MATERIAL. PLEASE READ THE INFORMATION ON THESE SHEETS, AND THEN PROVIDE THIS INFORMATION TO THOSE PEOPLE AT YOUR COMPANY WHOSE RESPONSIBILITY IT IS TO COMPLY WITH FEDERAL AND STATE RIGHT-TO-KNOW REGULATIONS. ALSO MAKE THIS INFORMATION AVAILABLE TO ANY EMPLOYEE WHO REQUESTS IT. IT IS YOUR OBLIGATION TO COMPLY WITH THESE REGULATIONS.

SORB-ALL COMPANY - 2300 NANCE - HOUSTON, TEXAS 77020- SAFETY DATA SHEET - PAGE 2 of 2