



TECHNICAL CONCEPTS

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 01/01/2018

Version: 1.0

TEC401259

SECTION 1: Identification

1.1. Product identifier

Product name : COUNTRY DELIGHT MB3000
 Type of product : Aerosol
 Product code : 1788364
 SKU # : FG4012591

1.2. Recommended use and restrictions on use

Recommended use : Air care products, Odour agents
 Restrictions on use : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

1.3. Supplier

Manufacturer

Rubbermaid Commercial Products LLC
 3124 Valley Avenue
 VA 22601-2694 Winchester - USA
 T 1.800.347.9800
www.rubbermaidcommercial.com

Other

Rubbermaid Commercial Products LLC
 20 Hereford Street
 L6Y 0M1 Brampton - Canada
 T 1.800.998.7004

1.4. Emergency telephone number

Emergency number : 24-Hour Emergency: INFOTRAC: 1-800535-5063

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

| | |
|--|------|
| Flammable aerosols, Category 1 | H222 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2A | H319 |
| Skin sensitisation, Category 1 | H317 |
| Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | H335 |

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA) :



Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) :

- H222 - Extremely flammable aerosol.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.

Precautionary statements (GHS-CA) :

- P211 - Do not spray on an open flame or other ignition source.
- P251 - Do not pierce or burn, even after use.
- P280 - Wear protective gloves.
- P302+P352 - IF ON SKIN: Wash with plenty of water.
- P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P312 - Call a doctor if you feel unwell.
- P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
- P337+P313 - If eye irritation persists: Get medical advice/attention.
- P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

No data available

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification (GHS-CA) |
|--|----------------------|---------|---|
| Alcohol | (CAS-No.) 64-17-5 | 10 - 30 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| HEXYLENE GLYCOL | (CAS-No.) 107-41-5 | 10 - 30 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| BENZYL ALCOHOL | (CAS-No.) 100-51-6 | 1 - 5 | Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 |
| BENZYL SALICYLATE | (CAS-No.) 118-58-1 | 0.1 - 1 | Skin Sens. 1, H317 |
| EUGENOL | (CAS-No.) 97-53-0 | 0.1 - 1 | Eye Irrit. 2A, H319 Skin Sens. 1, H317 |
| AMYL CINNAMAL | (CAS-No.) 122-40-7 | 0.1 - 1 | Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one | (CAS-No.) 127-51-5 | 0.1 - 1 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| ACETYL CEDRENE | (CAS-No.) 32388-55-9 | 0.1 - 1 | Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| PINENES | (CAS-No.) 127-91-3 | 0.1 - 1 | Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : Cough. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- First-aid measures after skin contact : Take off immediately all contaminated clothing. Get medical advice if skin irritation persists. Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after inhalation : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation.
- Symptoms/effects after skin contact : Causes skin irritation.
- Symptoms/effects after eye contact : Causes serious eye irritation.
- Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Unsuitable extinguishing media

- Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

- Fire hazard : Extremely flammable aerosol.
- Explosion hazard : May form flammable/explosive vapour-air mixture. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

5.4. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

6.2. Methods and materials for containment and cleaning up

- Methods for cleaning up : Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : No open flames. No smoking. Use only non-sparking tools. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable. Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Alcohol (64-17-5) | | |
|----------------------------|-----------------------|----------|
| Alberta | OEL STEL (ppm) | 1000 ppm |
| Alberta | Notations and remarks | URT irr |
| British Columbia | OEL STEL (ppm) | 1000 ppm |
| British Columbia | Notations and remarks | URT irr |
| Manitoba | OEL STEL (ppm) | 1000 ppm |
| New Brunswick | OEL STEL (ppm) | 1000 ppm |
| New Foundland & Labrador | OEL STEL (ppm) | 1000 ppm |
| Nova Scotia | OEL STEL (ppm) | 1000 ppm |
| Nunavut | OEL STEL (ppm) | 1000 ppm |
| Northwest Territories | OEL STEL (ppm) | 1000 ppm |
| Prince Edward Island | OEL STEL (ppm) | 1000 ppm |
| Saskatchewan | OEL STEL (ppm) | 1250 ppm |
| Saskatchewan | OEL TWA (ppm) | 1000 ppm |
| HEXYLENE GLYCOL (107-41-5) | | |
| Saskatchewan | OEL STEL (ppm) | 25 ppm |
| Saskatchewan | OEL TWA (ppm) | 25 ppm |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

None under normal use

Respiratory protection:

None under normal use

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|---------------------------------|
| Physical state | : Liquid |
| Appearance | : clear. Transparent. |
| Colour | : colourless to slightly yellow |
| Odour | : characteristic |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : Extremely flammable aerosol. |
| Vapour pressure | : 4.5 - 5.5 bar |
| Vapour pressure at 50 °C | : No data available |
| Relative density | : 0.7 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Explosive limits | : 1.8 - 19 vol % |

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

| | |
|------------------------------------|---|
| Reactivity | : Stable under normal conditions of use. |
| Chemical stability | : Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition. |
| Possibility of hazardous reactions | : Not established. |
| Conditions to avoid | : Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating. |
| Incompatible materials | : Oxidizing agent. Strong acids. Strong bases. |
| Hazardous decomposition products | : May release flammable gases. fume. Carbon monoxide. Carbon dioxide. |

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| EUGENOL (97-53-0) | |
|---|--|
| LD50 oral | > 2000 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 2580 mg/l |
| BENZYL ALCOHOL (100-51-6) | |
| LD50 oral rat | 500 mg/kg |
| LD50 oral | 1230 mg/kg bodyweight |
| LD50 dermal rabbit | 660 mg/kg |
| LD50 dermal | 2000 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | 4.2 mg/l/4h |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | 9 mg/l/4h |
| Alcohol (64-17-5) | |
| LD50 oral rat | 7060 mg/kg |
| LD50 oral | 10470 mg/kg bodyweight |
| LD50 dermal rabbit | > 16000 mg/kg |
| LD50 dermal | 15800 mg/kg bodyweight |
| LC50 inhalation rat (mg/l) | > 20 mg/l/4h |
| LC50 inhalation rat (Dust/Mist - mg/l/4h) | > 99999 mg/l |
| HEXYLENE GLYCOL (107-41-5) | |
| LD50 oral | > 2000 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| AMYL CINNAMAL (122-40-7) | |
| LD50 oral | 3730 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| ACETYL CEDRENE (32388-55-9) | |
| LD50 oral rat | ≈ 5200 mg/kg |
| LD50 dermal rabbit | ≈ 500 mg/kg |
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| COUNTRY DELIGHT MB3000 | |
| Vaporizer | Aerosol |

| | |
|---|---|
| Potential adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects after inhalation | : Shortness of breath. May cause an allergic skin reaction. May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. |

SECTION 12: Ecological information

12.1. Toxicity

| EUGENOL (97-53-0) | |
|--------------------------------|--------------------|
| LC50 fish 1 | 5.6 mg/l |
| EC50 other aquatic organisms 1 | 1.9 mg/l waterflea |
| EC50 other aquatic organisms 2 | 15.4 mg/l |
| BENZYL ALCOHOL (100-51-6) | |
| LC50 fish 1 | 460 mg/l |
| EC50 Daphnia 1 | 230 mg/l |

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|--|---------------------|
| BENZYL ALCOHOL (100-51-6) | |
| EC50 other aquatic organisms 2 | 500 mg/l |
| Alcohol (64-17-5) | |
| LC50 fish 1 | 13000 mg/l |
| EC50 Daphnia 1 | 9300 mg/l |
| EC50 other aquatic organisms 1 | 5012 mg/l waterflea |
| EC50 other aquatic organisms 2 | 275 mg/l |
| HEXYLENE GLYCOL (107-41-5) | |
| LC50 fish 1 | 8690 mg/l |
| EC50 other aquatic organisms 1 | 5410 mg/l waterflea |
| EC50 other aquatic organisms 2 | > 429 mg/l |
| AMYL CINNAMAL (122-40-7) | |
| LC50 fish 1 | 3 mg/l |
| EC50 other aquatic organisms 1 | 1.1 mg/l waterflea |
| EC50 other aquatic organisms 2 | 1.89 mg/l |
| 12.2. Persistence and degradability | |
| COUNTRY DELIGHT MB3000 | |
| Persistence and degradability | Not established. |
| Alcohol (64-17-5) | |
| Persistence and degradability | Not established. |
| 12.3. Bioaccumulative potential | |
| COUNTRY DELIGHT MB3000 | |
| Bioaccumulative potential | Not established. |
| EUGENOL (97-53-0) | |
| Log Pow | 2.27 |
| BENZYL ALCOHOL (100-51-6) | |
| Log Pow | 1.05 |
| Alcohol (64-17-5) | |
| Log Pow | -0.32 |
| Bioaccumulative potential | Not established. |
| HEXYLENE GLYCOL (107-41-5) | |
| Log Pow | -0.1 |
| AMYL CINNAMAL (122-40-7) | |
| Log Pow | 4.7 |
| 12.4. Mobility in soil | |
| EUGENOL (97-53-0) | |
| Log Pow | 2.27 |
| BENZYL ALCOHOL (100-51-6) | |
| Log Pow | 1.05 |
| Alcohol (64-17-5) | |
| Log Pow | -0.32 |
| HEXYLENE GLYCOL (107-41-5) | |
| Log Pow | -0.1 |
| AMYL CINNAMAL (122-40-7) | |
| Log Pow | 4.7 |

12.5. Other adverse effects

| | |
|-----------------------|---------------------------------------|
| Effect on ozone layer | : None to our knowledge. |
| GWPmix comment | : No known effects from this product. |
| Other information | : Avoid release to the environment. |

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

SECTION 13: Disposal considerations

13.1. Disposal methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
- Additional information : Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
- Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. Basic shipping description

No additional information available

14.2. Transport information/DOT

Department of Transport

- DOT NA no. : UN1950
- UN-No.(DOT) : 1950
- Transport document description : UN1950 Aerosols, 2.1
- Proper Shipping Name (DOT) : Aerosols
- Contains Statement Field Selection (DOT) :
- Class (DOT) : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
- Division (DOT) : 2.1
- Hazard labels (DOT) : 2.1 - Flammable gas



- Dangerous for the environment : No
- DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
- DOT Packaging Exceptions (49 CFR 173.xxx) : 306
- DOT Packaging Non Bulk (49 CFR 173.xxx) : None
- DOT Packaging Bulk (49 CFR 173.xxx) : None
- DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 75 kg
- DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 150 kg
- DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
- DOT Vessel Stowage Other : 48 - Stow "away from" sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials
- Other information : No supplementary information available.

14.3. Air and sea transport

IMDG

- UN-No. (IMDG) : 1950
- Proper Shipping Name (IMDG) : AEROSOLS
- Transport document description (IMDG) : UN 1950 AEROSOLS, 2.1
- Class (IMDG) : 2 - Gases

IATA

- UN-No. (IATA) : 1950
- Proper Shipping Name (IATA) : Aerosols, flammable
- Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1
- Class (IATA) : 2

SECTION 15: Regulatory information

15.1. National regulations

EUGENOL (97-53-0)

Listed on the Canadian DSL (Domestic Substances List)

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| |
|--|
| BENZYL SALICYLATE (118-58-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5) |
| Listed on the Canadian DSL (Domestic Substances List) |
| BENZYL ALCOHOL (100-51-6) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Alcohol (64-17-5) |
| Listed on the Canadian DSL (Domestic Substances List) |
| HEXYLENE GLYCOL (107-41-5) |
| Listed on the Canadian DSL (Domestic Substances List) |
| AMYL CINNAMAL (122-40-7) |
| Listed on the Canadian DSL (Domestic Substances List) |
| PINENES (127-91-3) |
| Listed on the Canadian DSL (Domestic Substances List) |
| ACETYL CEDRENE (32388-55-9) |
| Listed on the Canadian DSL (Domestic Substances List) |

15.2. International regulations

| |
|--|
| EUGENOL (97-53-0) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| BENZYL SALICYLATE (118-58-1) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| 3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one (127-51-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| BENZYL ALCOHOL (100-51-6) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| Alcohol (64-17-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| HEXYLENE GLYCOL (107-41-5) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| AMYL CINNAMAL (122-40-7) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| PINENES (127-91-3) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |
| ACETYL CEDRENE (32388-55-9) |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory |

SECTION 16: Other information

Date of issue : 01/01/2018

Other information : REACH Disclaimer:
This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

| | |
|------|---|
| H222 | Extremely flammable aerosol. |
| H225 | Highly flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H315 | Causes skin irritation. |

COUNTRY DELIGHT MB3000

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

| | |
|------|---|
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |

SDS_CANADA_GHS_NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product