Germicidal Bowl Cleaner

A powerful, one-step bowl cleaner that cleans, deodorizes, and disinfects in one operation. Rich sudsing action instantly dissolves tough iron, calcium, and lime stains, leaving toilet bowls and urinals sparkling clean. Formulated with a special safety inhibitor to protect pipes and traps. Will not harm the bacterial action in septic tanks. Active Ingredients: Hydrogen Chloride 23.00%, n-Alkyl (C12 40%, C14 50%, C16 10%) dimethyl benzyl ammonium chlorides 0.05%. Other Ingredients: 76.95%.

Features & Benefits

- Cleans, disinfects and deodorizes.
- Safe for septic tanks.
- EPA registered disinfectant.

Efficacy

Kills Pseudomonas aeruginosa, Staphylococcus aureus (Staph) and Salmonella choleraesuis (Salmonella). Safe for septic tanks. Kills HIV-1(AIDS VIRUS) on precleaned environmental surfaces.



Safety

See material safety data sheet and product label for safety information, handling and proper use.

HMIS	Concentrate
Health	3
Flammability	0
Reactivity	1

Technical Specifications

Color	White
Scent	Pungent Acit
Appearance	White Liquid
pH (concentrate)	< 1.00
Non-Volatile Matter	N/A
Dilution Rate	RTU

Availability

ltem	Pack
HIL0010204	12 - 1 Quart Bottles
HIL0010206	1 - 1 Gallon Containers

Certifications & Registrations

EPA Reg. No. 8155-3-1658

P.O. Box 909 St. Joseph, MO 64502 1-800-365-1555 www.hillvard.com This is an EPA registered disinfectant. Please refer to the actual container label for complete directions.

Use to clean and disinfect toilet bowls and urinals. Quickly eliminates rust, lime and uric acid deposits. Eliminates offensive odors. **Antibacterial formula.** For use inside toilet bowls and urinals. Do not use on sinks, bathtubs, or other porcelain enameled surfaces. Use of this toilet bowl cleaner on other than vitreous ware is done at users risk. Kills the following germs: Pseudomonas aeruginosa, Staphylococcus aureus and Salmonella choleraesuis. Will not harm bacteria action of septic tanks. Recommended for use in commercial and industrial buildings, schools, medical institutions, manufacturing plants, public restrooms, hotels and motels.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CLEAN TOILET BOWLS AND URINALS Pour 1 to 2 ounces of bowl cleaner on applicator. Clean entire unit, especially under rim at water outlets.

TO DISINFECT TOILET BOWLS AND URINALS A preliminary cleaning is required for the removal of gross filth prior to disinfection.

1. Remove water from bowl or urinal by forcing over trap with applicator. 2. Remove excess water from applicator by pressing it against the side of bowl. 3. Holding applicator over bowl or urinal, pour 1 ounce of toilet bowl cleaner on applicator. 4. Clean entire unit, especially under the rim at water outlets. Allow to remain 10 minutes. 5. Flush and rinse out applicator. Do not use on sinks, bathtubs, or other porcelain enameled surfaces. Use of this toilet bowl cleaner on other than vitreous ware is done at user's risk.

Effective against HIV-1(AIDS VIRUS) Product was evaluated and found to be an effective virucide in the presence of 5% serum against the Virus HIV-1 (Human Immunodeficiency Virus 1, commonly referred to as AIDS Virus) on inanimate surfaces. Kills HIV on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1(HIV-1)(associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. Personal Protection: Disposable latex gloves, gowns masks and splash resistant goggles must be worn when handling items soiled with blood or body fluids. Cleaning Procedures: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant. Contact Time: Leave surface wet for 10 minutes. Disposal of Infectious Materials: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.